Model
Product Type
Physical resolution
Lamp Life and Type
Peak Brightness
Contrast Ratio
Max. Supported Resolution
Aspect Ratio
Display Type
LCD Size
Projection mode
Throw Ratio
Image Size (Diagonal)
Projection Distance
Best screen size/Distance
Support screen flip
Projection Lens
Digital Keystone Correction
I.R (remote control receiver)
Speakers
I/O Connection Ports
Dimensions (W x D x H)
Weight (N.W/ Packing G.W)
Packing size (W x D x H)
Noise Level
Power
Standard Accessories
Warranty

ZKPL03	
Portable Projector	
WUXGA / 1920x1080 Pixels Physical resolution	
ED light source,above 30,000Hrs	
320+ Lumens (350)	
000:1/static,10,000:1/Dynamic	
Full HD (1920 x 1080P) @60Hz Support	
native 16:9, compatible 4:3	
a Single LCD Panel Hybrid LED Light Source Imaging Closed Optical Engir	ne
1.5" Liquid Crystal Display	
Front & Rear,support Ceiling or by MINI tripod	
1.4:1	
50"~200"	
.5~3.0m	
70" / 2.15 m	
Jp、Down/上、下	
Manual lens / Focus	
/ertical: +/-30°	
2 (Front / Rear)	
HiFi Sound Box 5W x2	
AV R/L x1; HDMI x1; Earphone x1; USB x2; Type-C x1	
30 x 215 x 218 mm	
kg	
32dB (Acceptable range)	
Supply: AC 90-240V, 50/60Hz, Consumption: 80-100W	
Quick Start Guide, Remote Controller, Power Core (Power Adapter)	
year	