


Global Aluminium Outdoor Shading Solutions Provider

Global Leading Design- Up to 7 meters span of louvered pergola in one module (E300)




**PERGOLA & CANTILEVER UMBRELLA**



# LOUVERED PERGOLA -PRODUCT INTRODUCTION

Louvered Pergola is a new type of outdoor shading solution that takes into accounts both practicality and fashion.

The adjustable blades provide the most comfortable outdoor space experience. The electric or manual control system diversifies in multipurpose scenarios. The standard or customized sizes integrate in different design styles and application.




The sealing tape is built into the blade to achieve better waterproof




Pass the wind test of grade 12 (>117km/h,63.5-71.8mph)



The aluminium double-layer blades can isolate sun radiation heat & conduction heat.




Hot air to be convected out of blades, achieving ventilation and heat dissipation



Adjust sunlight penetrated through refraction by blade angle of 0-120 degrees.



Load capability of 200kg/M<sup>2</sup> allow snow height of one meter on the blade of per square meter.




# LOUVERED PERGOLA -CONTROL SYSTEM

## Electric Pergola System



## Manual Pergola System





## Garden


Build a LOUVERED PERGOLA in garden is to create an all-weather outdoor leisure space for family and friends to communicate emotionally and enjoy happiness of daily life.



VS







# LOUVERED PERGOLA -APPLICATION

## Outdoor Restaurant


There is no doubt that dining in a well-ventilated and spacious place will be more comfortable. And we can enjoy the view outside at the same time. So there is a growing demand for outdoor restaurant. When build a LOUVERED PERGOLA above the outdoor restaurant, we can not only use it on sunny days, but also not afraid of rain.



VS



# LOUVERED PERGOLA -APPLICATION







LOUVERED PERGOLA  
-APPLICATION


Swimming Pool



Build a LOUVERED PERGOLA next to the swimming pool as a sunshade and rest area. Beach chairs and outdoor furniture can be placed under the pergola, which can greatly improve the convenience and comfort of outdoor swimming.



Without Pergola

07


LOUVERED PERGOLA  
-APPLICATION



Pergola built

08





# LOUVERED PERGOLA -APPLICATION

## Hotel

Build a PERGOLA in the outdoor public activity area of the hotel as a sunshade and rest area, improve the utilization rate of outdoor space, reduce the use of indoor lighting and air conditioners, to save energy.



Without Pergola

# LOUVERED PERGOLA -APPLICATION




VS



Pergola built






LOUVERED PERGOLA  
-CATEGORY

M140S (Lucida)




Manual




Schematic diagram of single module with 4 posts:



Schematic diagram of single module with 6 posts:



Profiles section view



Standard Color




Dark Gray  
YFC30041  
RAL7043




Matt White  
YFS10001  
RAL9016

| M140S Standard Size |      |             |
|---------------------|------|-------------|
| Width               | Span | QTY of post |
| 3m                  | 3m   | 4           |
| 4m                  | 3m   | 4           |
| 5m                  | 3m   | 4           |
| 6m                  | 3m   | 6           |

LOUVERED PERGOLA  
-CATEGORY



M140/E140 (Stellar)




Manual




Electric




Schematic diagram of single module with 4 posts:



Schematic diagram of single module with 6 posts:



Profiles section view



Standard Color




Dark Gray  
YFC30041  
RAL7043



Matt White  
YFS10001  
RAL9016


| M140/E140 Standard Size |      |             |
|-------------------------|------|-------------|
| Width                   | Span | QTY of post |
| 3m                      | 3m   | 4           |
| 4m                      | 3m   | 4           |
| 5m                      | 3m   | 4           |
| 6m                      | 3m   | 6           |
| 4m                      | 4m   | 4           |





LOUVERED PERGOLA  
-CATEGORY

M170/E170 (Aurora)




Manual






Electric

Schematic diagram of single module  
with 4 posts:



Profiles section view



M170/E170 Standard Size

| Width | Span | QTY of post |
|-------|------|-------------|
| 3m    | 3m   | 4           |
| 4m    | 3m   | 4           |
| 5m    | 3m   | 4           |
| 6m    | 3m   | 4           |
| 4m    | 4m   | 4           |
| 5m    | 4m   | 4           |
| 6m    | 4m   | 4           |

Standard Color




Dark Gray  
YFC30041  
RAL7043



Matt White  
YFS10001  
RAL9016

LOUVERED PERGOLA  
-CATEGORY




E220 (Luna)






Electric

Schematic diagram of the maximum dimensions  
of a single module with 4 posts:



Profiles section view



E220 Standard Size

(Custom size available)

| Width | Span | QTY of post |
|-------|------|-------------|
| 3m    | 3m   | 4           |
| 4m    | 3m   | 4           |
| 5m    | 3m   | 4           |
| 6m    | 3m   | 4           |
| 3m    | 4m   | 4           |
| 4m    | 4m   | 4           |
| 5m    | 4m   | 4           |
| 6m    | 4m   | 4           |

Custom size available:  
the maximum dimensions of  
a single module is 27m²

Standard Color



Dark Gray  
YFC30038  
RAL7016



Matt White  
YFS10001  
RAL9016




Matt Brown  
YFS70002  
RAL8014



Matte Black  
YFC80004  
RAL9011






LOUVERED PERGOLA  
-CATEGORY


E300 (Wanax)



Schematic diagram of the maximum dimensions  
of a single module with 4 posts:



Profiles section view




Standard Color



Custom size available: the maximum dimensions  
of a single module is 42m²

LOUVERED PERGOLA  
-DETAILS COMPARISON



| M:Manual Control<br>E:Electric Control                        | Lucida<br>M140S  | Stellar<br>M140/E140                                     | Aurora<br>M170/E170   | Luna<br>E220  | Wanax<br>E300                                       |
|---|--|--|---|---|---|
| <p>All aluminium 6063-T5<br/>Components:SS304</p>             | <br>140x45x1.2mm   | <br>140x35x1.2mm   | <br>170x40x1.6mm  | <br>220x45x1.8mm  | <br>300x70x3.0mm                                    |
|   | <br>130x90x1.5mm   | <br>130x90x1.5mm   | <br>170x100x2.0mm   | <br>250x65x2.0mm  | <br>280x50x3.0mm                                    |
|   | <br>100x100x1.8mm  | <br>100x100x1.8mm  | <br>110x110x2.0mm   | <br>150x150x2.3mm   | <br>150x150x4.0mm                                   |
| Blade Advantage-<br>Maximum Span                              | 3m<br>One blade maximum span 3m.                               | 4m<br>One blade maximum span 4m.                         | 4m<br>One blade maximum span 4m.                            | 5m<br>One blade maximum span 5m.  | 7m<br>One blade maximum span 7m.                    |
| Post Advantage  | ①Wet and dry separation    ②Strong structure    ③Patent Design |  |   |   | Strong structure,<br>4mm thickness                  |
| Gutter Advantage  | Frame and gutter integrated design, Easy install and strong.   |  |   | With big gutter, fast drainage  |   |
| Standard Size<br>(If have quantity,<br>customized available.) | ①3x3m<br>②4x3m<br>③5x3m<br>④6x3m (with 6 posts)                | ①3x3m<br>②4x3m<br>③5x3m<br>④6x3m (with 6 posts)<br>⑤4x4m | ①3x3m    ②4x3m<br>③5x3m    ④6x3m<br>⑤4x4m    ⑥5x4m<br>⑦6x4m | ①3x3m    ②4x3m<br>③5x3m    ④6x3m<br>⑤3x4m    ⑥4x4m<br>⑦5x4m    ⑧6x4m<br>⑨Custom size available. | Custom size available.                              |
| Blade Advantage-<br>Waterproof Function                       | With rubber strip in blades,better waterproof performance.     |  |   |   |   |
| Wind Load   | Beaufort Scale 12 Hurricane                                    |  |   |   |   |
| Snow Load   | ①0.43m<br>②85kg/m²<br>(Base on louver 3m span)                 | ①0.43m<br>②120kg/m²<br>(Base on louver 3m span)          | ①0.5m<br>②135kg/m²<br>(Base on louver 4m span)              | ①0.8m<br>②190kg/m²<br>(Base on louver 4m span)  | ①1m<br>②200kg/m²<br>(Base on louver 6m span)        |
| Light System  | ①No Light<br>②LED Light Strip around the gutter                |  | ①No Light<br>②LED Light Strip built in the blade            |   | ①No Light<br>②Down Light built in the blade or beam |



### Zip Screen

- ☀ An excellent side shading system for pergola.
- ☀ A perfect match with pergola through the same colour system.
- ☀ The combination of shading fabric and balancer make sure the opening and closing stability and strong wind resistance.

### Standard Fabric

Light Transmittance: **5%**



Dark Grey



White



Black



Black Grey



Brown



- Wind-resistance
- Shading
- Light-adjust
- Ventilation
- Privacy
- Heat-insulated
- Temperature control
- UV resistant



### Aluminium Shutter

- ☀️ Achieve the isolation with the penetration rate of 0.00 for visible light, direct sunlight and UV.
- ☀️ The aerofoil-shaped double-layer louver enhance the bending strength to resistant from external force and achieve the protection.
- ☀️ The aluminium shutter with blades is kind of product possessing functions of shading, protection and decoration.

#### Standard Model:



▲ Fixed Shutter




▲ Sliding Shutter



▲ Bi-folding Shutter

#### Blade Size:



#### Standard Color:



Dark Gray  
YFC30038  
RAL7016



Dark Gray  
YFC30041  
RAL7043



Matt White  
YFS10001  
RAL9016



Matt Brown  
YFS70002  
RAL8014



Matte Black  
YFC80004  
RAL9011



OAK  
YFCM0068N



Manual



Wind-resistance



Shading



Light-adjust



Ventilation



Privacy



Heat-insulated




Temperature control



UV resistant








# LOUVERED PERGOLA -SUPPLEMENT

## Electric Slat Louver


- ☀ For electric control side shading and privacy of the pergola.
- ☀ This is an High-end version of the louver screen for the side shading of the pergola.
- ☀ With remote control opening and closing 140 series louver blades and motor build into the frame make the electric aluminium louver more atmospheric and elegant.



# LOUVERED PERGOLA -SUPPLEMENT








Sidewall Net


- ☀ For prevent the entry of mosquitoes and flying insects while also providing protection against dust and leaves.
- ☀ There are four separate panels with a zipper on each panel of this sidewall net, in order to connect with the adjoining piece.
- ☀ The nylon mesh material of this sidewall net makes enjoying your time under the outdoor pergola easy and pleasurable.



▲ Mosquito Net




▲ Curtain




- ☁ Wind-resistance
- ☀ Shading
- 🌀 Ventilation
- 👁 Privacy





Sheer Curtain

- ☀ For sun protection, UV protection, privacy and decorative of the pergola.
- ☀ Sheer curtain is a great way to make the most of natural light and create a bright and soft outdoor feel and provide privacy and protection from intruding insects and dust.




- ☀ Shading
- ⚙ Light-adjust
- 🌬 Ventilation
- 👁 Privacy
- 🛡 UV resistant




Aluminium Perforated Screen

- ☀ For the partial shading and decoration.
- ☀ Comparing with common metal plates, the decorative aluminum perforated sheets are lighter in weight and higher in strength, especially in changing styles, and are more suitable for decorative sunshade of the pergola.
- ☀ Hole patterns: the round, rectangular, triangle, diamond, hexagonal, cross, slotted. Other hole types according to your drawings or requirements are available.








# LOUVERED PERGOLA -SUPPLEMENT

## Sliding Glass Door


- ☀ To make a pergola to be a private room.
- ☀ We can also combine the aluminium sliding glass door with our pergola for a safer and more private separate room.



# LOUVERED PERGOLA -SUPPLEMENT









# LOUVERED PERGOLA -SUPPLEMENT

## Fixed Aluminium Screen

- ☀️ A sufficiently durable aluminium structure instead of wood material.
- ☀️ The decorative screen and pergola are integrated into surrounding with practicality and artistry.




# LOUVERED PERGOLA -SUPPLEMENT



- ☀️ Shading
- 🌀 Ventilation
- 👁️ Privacy
- 🔥 Heat-insulated





## LOUVERED PERGOLA -LIGHT SYSTEM



### LED light strip around the gutter

For 140 series



### E220 can be provided of LED light strip with RGB

For 220 series




### LED light strip built in the blade

For 170&220 series



### Down light

For 300 series



## LOUVERED PERGOLA -ADDITIONAL COMPONENTS



### Rain Wind Sensor

It is a device that automatically senses and detects wind, light, and rain in natural climates, and transmits the detected signals to the receiver to realize automatic closing to protect the electric louvered pergola.




### Solar Panel

By absorbing sunlight and converting it into electrical energy, the control system and lighting system can be electrically controlled without being connected to the power supply.





### Heater



The electric heater heats up quickly and the heat is not easy to spread, so it is suitable for heating in the pergola.





PRODUCTION  
INSTALLATION





Freestanding — 4 posts



Unilateral Mounting — 2 posts




Corner Wall Mounting — 1 post




Roof Standing — No post

Out of shape is also available


PRODUCTION  
INSTALLATION






Conjoined Post Standing — 2 conjoined posts






LOUVERED PERGOLA  
-PROJECT EXAMPLES




LOUVERED PERGOLA  
-PROJECT EXAMPLES








LOUVERED PERGOLA  
-PROJECT EXAMPLES



LOUVERED PERGOLA  
-PROJECT EXAMPLES








# FIXED PERGOLA

## -PRODUCT INTRODUCTION

The whole design of the fixed pergola is based on simplicity and lightness. The top of the fixed shed is composed of several aluminum square tube screens. This fixed pergola breaks the mediocrity of the conventional linear layout, it will also bring your outdoor living more bright, leisure and interesting.



### Standard Color



Matt White  
YFS10001  
RAL9016








Dark Gray  
YFC30041  
RAL7043



Oak timber  
YFCM0086N

### Profiles section view



# FIXED PERGOLA

## -PRODUCT INTRODUCTION





Sheer Curtain

- ☀ For sun protection, UV protection, privacy and decorative of the pergola.
- ☀ Sheer curtain are a great way to make the most of natural light and create a bright and soft outdoor feel and provide privacy and protection from intruding insects and dust.



Shading



Light-adjust



Ventilation




Privacy



UV resistant








Aluminium Perforated Screen

- ☀ For the partial shading and decoration.
- ☀ Comparing with common metal plates, the decorative aluminum perforated sheets are lighter in weight and higher in strength, especially in changing styles, and are more suitable for decorative sunshade of the pergola.
- ☀ Hole patterns: the round, rectangular, triangle, diamond, hexagonal, cross, slotted. Other hole types according to your drawings or requirements are available.








**Shade Sail**

- ☀ For top Shading.
- ☀ Stylish and durable, shade sails instantly boost the shade capabilities of the fixed pergola.
- ☀ Makes fixed pergola more practical by providing UV protection and sun shade.




Shading



UV resistant






### Outdoor String Light with solar system

- ☀ For decoration.
- ☀ Outdoor string light give off a warm glow and a charming look that's perfect for the cozy feel of a pergola.
- ☀ With solar system, you are no worry about wiring the wires.
- ☀ Try lining the perimeter of your structure with lights, or do a combination of perimeter and zigzag strings of lights.







**4 Patents:**  
Armrest, Post Top Cover,  
Steering Base,  
Steering Wheel Assembly

---

**2 Standard Sizes:**  
2.5m & 3m  
(Square & Round)

**>> Supporting Facilities**

- Custom Logo on the Fabric

**Fabric**

Imported Fabric (Para)

Orange

Beige

Domestic Fabric

Cream

Khaki

Dark Grey

Blue

**Aluminium Frame**

White

Wood Grain

Matt Dark Grey




- LED Light System
- Bluetooth Center Light

**Standard Weighted Base**

- Marble Base
- The Tank Base





# CANTILEVER UMBRELLA

## -LIVE VIEW

### APPLICATION



garden  
swimming pool  
restaurant  
hotel

The most flexible outdoor sunshade product that shading place can be moved arbitrary.

#### Appearance Patent

- ✓ Armrest
- ✓ Post Top Cover
- ✓ Steering Base


#### Utility Model Patent

- ✓ Steering Wheel Assembly

#### Passed Tests

- ✓ Salt Spray Test
- ✓ Drop Test
- ✓ Rain Test


- Materials of screws and rivets: SS304; Material of plastic: PP+ 15% glass fiber.
- After more than 500 opening and closing tests, it can still be used normally.
- Suggestion: Put away the umbrella when the wind reaches level 5.



# CANTILEVER UMBRELLA

## -PRODUCT ADVANTAGE

### >> Material



Cantilever Umbrella I Square



Cantilever Umbrella I Round

### >> Standard Fabric

**Domestic Fabric:** 240g/m<sup>2</sup> dyed fabric with color fastness level 3, American Standard 1200H.  
**Imported Fabric (Para):** 270g/m<sup>2</sup> yarn dyed fabric with color fastness level 7-8, American Standard 2500H.