

# FP430S



SMAJAYU(SHENZHEN)CO.LTD

Address:Room 213-214,Building 1,Mingliang Science Park,No.88,Zhuguang North Road,Taoyuan Street,Nanshan District,Shenzhen,China,518055. Eml:support@smajayu.com&tech@smajayu.com&sales@smajayu.com.

## **Smajayu Document(s) Signer operation instuction**

#### 1. Preparation before signing:

- ◆ SMAJAYU signature pad and PDF signer tool only work with PC with WIN 7, WIN 8, WIN 10, WIN 11 OS, 32bit &64bit.
- Not compatible with Apple PC currently.
- There are options for pdf signer, excel signer and word signer.
- ◆ Signature Pad Operation Video:

https://www.youtube.com/watch?v=UYJwLZ9bKZ0

Step1: Download Smajayu PDF Signer.msi from

Download Link(we keep latest signer in this link, you can re-download if there is updated ):

https://www.dropbox.com/scl/fo/8gjreb2tn8oj73xqrtlkk/h?rlkey=fj9ku0ng7zqnhrmcq5wfyga6j&dl=0








Smajayu - v1.2.9 20220611.zip

First unzip the zip file, then double click Smajayu\_v1.2xxx.msi to install the Smajayu signer.

Click "Next" -> "Next" -> "Install" -> "Finish" to installation.

Step 2: Connect the Signature pad to your PC by USB port. After Display flash, firmware version, finally pad will go to sleep mode till draw on signer.

Tips: If the pad is stuck at startup, please re-plug USB or change a USB port to restart the pad. The device may restart  $1^{\sim}4$  times, please wait for the restart to complete before signing.







Step 3: ①Run Smajayu documents Signer Document(s) then select pdf signer as a new user to generate certificate on PC(important for new user, refer to PDF SIGNER:Toolbar button introduction: ② "Generate Certificate")



Step 4: Open the PDF file that you want to sign.



#### PDF SIGNER Toolbar button introduction:




#### 1 "Allignment"

If the signature is out of order or cannot be written when signing on the signature pad, Allignment is required. For details, please refer to "3. Allignment". (Suggest new user to do Allignment for the pad, it is important solution to solve problem when writing on pad)

#### (2) "Generate Certificate"

Please click "generate certificate" button. Then enter the certificate information, click "save" to generate your certificate if it is **first time install** Smajayu Documents Signer on the PC. Which means you can create your own certificate for your signature with encryption. Please note the validity period of the certificate. After this time the certificate will not be available, please re-generate a new certificate.





③ "Remove Signature"


Clicking the "Remove Signature" button will clear the signature from the document.


#### 2. Signature

- Step 1: Draw a rectangle for signature area on pdf.
- Step 2: The signature pad will be woke-up for signing. After writing on pad, click the "OK" button on the pad to submitthe signature to the PC.(If can't writing on pad, please Allignemnt pad first, refer to Item **3.Allignment**)
- Step 3: Click "Done" to apply the signature to the document.
- Step 4: If you want to re-sign, please click remove signature on tool



Step 5: Click "Save as" or press "ctrl+s" to save the signed file.






Save file




If you want to sign word file or excel file, run the word signer or excel signer. And open the documents you want to sign then click add "Visual digtal signature", it will transfer to pdf signer to sign and save as pdf file.



Tips: ① The signature pad should be connected with PC Before startto draw signing area.

- ② Try notto disconnectthe USB during the signing process, otherwise Signer will be stuck. If stuck, stop the application restartto run signer.
- ③ If the sign pen out of control during writing on pad, or when writing on pad is not in order, please kindly Calibrate the pad following in "3.Allignment"

### 3. Allignment




Step1: PAD is connected with PC.

Step2:Run pdf signer


Step 3: Click "Allignment". The signature pad will enter the Allignment interface, then start tapping the cursor on screen in order(left-top->right-top->right-down->left-down->center) to calibrate.

After calibration, the signature pad automatically restarts.





click "Allignment"



restart click the dots on the pad

Note: Need to click the four corners and the center of the screen in order, all five points must be clicked. If you miss one point, the signature handwriting will still be messy after allignment, then try re-Allignment.

# Firmware update

If the signature pad does not boot properly, you can try to update the firmware .

See the link for details:

https://drive.google.com/drive/folders/1qj5lett5n0YxZ3jWzflCK5AW5N-AEfHm?usp=sharing

You can refer to the documentation or video in the link to update the firmware.

# product description

FP430S is widely used in banks, post office, retails, securities, insurance & communications, such assigning on a receipt or a contract with apersonalized digital signature.

Hardware integration of 4.3 inch LCD display and digitizer with battery-free pen. Signature data capturing including pressure sensitivity, handwriting track and speed. Bulit in security chip, can be used for high-security application. Provide SDK for secondary development.



+86-13823325452



www.smajayu.com



support@smajayu.com&tech@smajayu.com