

ABRASIVES



深圳市永昌源科技开发有限公司

ShenzhenYongchangyuan Technology Development Co., Ltd

Dental Burs 牙科车针、磨头

Vol. 8 : 2024

About Us

Yongchangyuan Technology Development Co., Ltd Abrasives Company Limited are specialized in Rotary things of dental, Jewelry, Beauty or Hobbies & DIY (Do it Yourself) .

Our products include Diamond Burs and discs, Tungsten Carbide Burs or cutters, Flexible Rubber Burs, Wheels or Points, Polishing Brushes, Mounted Stones, CAD/CAM Milling Burs or any Diamond Stones or Polishers.

Our Rotatory Instruments are widely applied to Cut, Grind, Finish, Polish any materials of Zirconia, Lithium Disilicates, Porcelain (Ceramics) , Alloy or Metal, Acrylic (Resin) , PEEK, Composites etc . They can match any Handpiece of FG (Friction Grip) , RA/CA(Right Angle), HP conveniently and precisely .

We have obtained the certificates of ISO 13485 and CE since the year of 2015 . We provide innovative and professional products and service.

Whoever you are dentist or technician, we always make you relaxing, safe and efficient. We are your best friend in dentistry, Jewellery or Hobbies.

Our Product Has the Ability to fulfill Your Standard and Sensational Satisfaction. We are anticipating to have you as one of our important clients with Best Wishes.



ISO 13485



CE 0197



Established in 2007



Clinic Part
临床类

Page 3 - 28 第3至28页



Diamond burs 金刚石车针

Page 4 - 12 第4至12页

Diamond Ortho-strips
金刚石锯弓

Page 13 第13页

Diamond Finishing Strips
金刚石抛光条

Page 14 第14页

Tungsten Carbide burs
钨钢车针

Page 15 - 18 第15至18页

White Stones 白车石
Green Stones 绿车石

Page 19 第19页

Diamond Stones, Polishers
陶瓷（橡胶）金刚车石磨头

Page 20 第20页

**Finishing or Polishing Burs
after Debonding**
(脱胶后) 洁牙磨头

Page 21 第21页

Twin-Color Silicon Polishers
硅胶抛光磨头

Page 22 第22页

Silicon Polishers
硅胶抛光磨头

Page 23 第23页

Polishing Brushes 抛光刷

Page 24 第24页

Mandrels, Sterile Blocks
夹针、消毒盒

Page 25 第25页

Kit 套装

Page 26 - 31 第26至31页

Samples Collection
样品册

Page 32 第32页

Diamond Bur

金刚砂车针



Advantages

1. Strictly comply with ISO Standard ;
2. Sharper and More Efficient ;
3. Durable and Valuable ;
4. Full Range of shapes and grits.
5. Fastly develop new items.
6. Individual Design and OEM Service



0.8 — Head Size
19.0 — Total Length
001 — ISO No.
(801) — Ref.

001-008M — Item No.
BR-49 — Ref.

Grit

- S : Black / Super Coarse
- C : Green / Coarse
- M : Blue / Medium
- F : Red / Fine
- EF : Yellow / Extra Fine

FG 314 Shank	0.8 19.0 001 (801)	1.0 19.0 001 (801)	1.2 19.0 001 (801)	1.4 19.0 001 (801)	1.6 19.0 001 (801)	1.8 19.0 001 (801)	2.1 19.0 001 (801)	2.3 19.0 001 (801)	2.5 19.0 001 (801)	2.9 19.0 001 (801)
M	001-008M BR-49	001-010M BR-45	001-012M BR-46	001-014M BR-41	001-016M BR-40	001-018M BR-31	001-021M BR-28	001-023M BR-26	001-025M BR-25	001-029M BR-23
S				001-014S BR-41S	001-016S BR-40S	001-018S BR-31S	001-021S BR-28S	001-023S BR-26S	001-025S BR-25S	001-029S BR-23S
C			001-012C BR-46C	001-014C BR-41C	001-016C BR-40C	001-018C BR-31C	001-021C BR-28C	001-023C BR-26C	001-025C BR-25C	001-029C BR-23C
F			001-012F BR-46F	001-014F BR-41F	001-016F BR-40F	001-018F BR-31F	001-021F BR-28F	001-023F BR-26F		
EF			001-012EF BR-46EF	001-014EF BR-41EF	001-016EF BR-40EF	001-018EF BR-31EF	001-021EF BR-28EF	001-023EF BR-26EF		

Ball , Round /BR

FG 314 Shank	1.2 22.0 697 (801L)	1.4 22.0 697 (801L)	1.6 22.0 697 (801L)	1.8 22.0 697 (801L)	1.2/2.3 19.0 002 (802)	1.4/2.3 19.0 002 (802)	1.6/3.5 19.0 002 (802)	1.8/2.3 19.0 002 (802)
M	697-012M BR-L46	697-014M BR-L41	697-016M BR-L40	697-018M BR-L31	002-012M BC-43	002-014M BC-42	002-016M BC-32	002-018M BC-31
S			697-016S BR-L40S	697-018S BR-L31S				
C	697-012C BR-L46C	697-014C BR-L41C	697-016C BR-L40C	697-018C BR-L31C				

Round with Long Neck /BR

Round with Collor /BC

FG 314 Shank	1.0(0.8)/1.0 19.0 010 (805)	1.2(0.9)/1.2 19.0 010 (805)	1.4(1.0)/1.6 19.0 010 (805)	1.6(1.1)/1.8 19.0 010 (805)	1.4(1.1)/4.0 19.0 225 (807)	1.6(1.2)/4.0 19.0 225 (807)	1.8(1.3)/5.0 19.0 225 (807)
M	010-010M SI-45	010-012M SI-46	010-014M SI-47	010-016M SI-48	225-014M SI-50	225-016M —	225-018M SI-51
S				010-016S SI-48S			
C		010-012C SI-46C	010-014C SI-47C				

Inverted Conical / SI

FG 314 Shank							
	M	019-010M DI-41	019-014M DI-42	038-032M EX-11	039-035M EX-12	044-045M WR-44	067-042M WR-11
S			038-032S EX-11S	039-035S EX-12S			
C			038-032C EX-11C	039-035C EX-12C			068-042C WR-13C

Double Conical











Wheel









FG 314 Shank										
	M	109-010M SF-41	109-012M SF-31	109-014M SF-42	109-016M —	110-012M SF-20	110-014M SF-21	110-016M SF-15	111-012M SF-11	111-014M SF-12
S		109-012S SF-31S	109-014S SF-42S		110-014S SF-21S	110-016S SF-15S	111-012S SF-11S	111-014S SF-12S	111-016S SF-13S	
C		109-012C SF-31C	109-014C SF-42C	109-016C —	110-012C SF-20C	110-014C SF-21C	110-016C SF-15C	111-012C SF-11C	111-014C SF-12C	111-016C SF-13C
F	109-010F SF-41F	109-012F SF-31F			110-012F SF-20F	110-014F SF-21F	110-016F SF-15F	111-012F SF-11F	111-014F SF-12F	111-016F SF-13F
EF					110-014EF SF-21EF			111-012EF SF-11EF	111-014EF SF-12EF	111-016EF SF-13EF

Flat End Cylinder











FG 314 Shank						
	M	130-012M CP-11	130-014M CP-12	130-016M CP-13	131-012M —	131-014M —
C	130-012C CP-11C	130-014C CP-12C	130-016C CP-13C	131-012C —	131-014C —	131-016C —

Cylinder, end cone, pointed









FG 314 Shank	 1.0/4.0 19.0 139 (838)	 1.2/4.0 19.0 139 (838)	 1.4/4.0 19.0 139 (838)	 1.4/6.0 21.0 140 (880)	 1.2/8.0 22.0 141 (881)	 1.4/8.0 22.0 141 (881)	 1.6/8.0 22.0 141 (881)	 1.4/10.0 23.0 142 (882)	 1.6/8.0 23.0 142 (882)	 1.2/0.2 21.0 150 (839)
M	139-010M SR-41	139-012M SR-31	139-014M SR-42	140-014M SR-21	141-012M SR-11	141-014M SR-12	141-016M SR-13	150-012M EX-18		
S					141-012S SR-11S	141-014S SR-12S	141-016S SR-13S			
C				140-014C SR-21C	141-012C SR-11C	141-014C SR-12C	141-016C SR-13C	142-014C —	142-016C —	
F	139-010F SR-41F	139-012F SR-31F	139-014F SR-42F	140-014F SR-21F	141-012F SR-11F	141-014F SR-12F	141-016F SR-13F	150-012F EX-18F		
EF	139-012EF SR-31EF		140-014EF SR-21EF		141-012EF SR-11EF	141-014EF SR-12EF	141-016EF SR-13EF			
	Round End Cylinder							End Cut		

FG 314 Shank	 1.2/6.0 21.0 164 (852)	 1.2/8.0 22.0 165 (858)	 1.4/8.0 22.0 165 (858)	 1.0/10.0 22.0 166 (859)	 1.2/10.0 22.0 166 (859)	 1.4/10.0 22.0 166 (859)	 1.6/10.0 22.0 166 (859)	 1.8/10.0 22.0 166 (859)
M	164-012M TC-26	165-014M TC-21		166-010M TC-27	166-012M TC-28	166-014M TC-10	166-016M TC-11	166-018M TC-16
S			165-014S TC-21S			166-014S TC-10S	166-016S TC-11S	166-018S TC-16S
C			165-014C TC-21C			166-014C TC-10C	166-016C TC-11C	166-018C TC-16C
F	164-012F TC-26F	165-012F —	165-014F TC-21F	166-010F TC-27F	166-012F TC-28F	166-014F TC-10F	166-016F TC-11F	166-018F TC-16F
EF	164-012EF TC-26EF	165-012EF —	165-014EF TC-21EF	166-010EF TC-27EF	166-012EF TC-28EF	166-014EF TC-10EF	166-016EF TC-11EF	166-018EF TC-16EF
	Needle/TC							











FG 314 Shank	 1.4/11.5 24.0 167 (859L)	 1.6/11.5 24.0 167 (859L)	 1.8/11.5 24.0 167 (859L)
C	167-014C —	167-016C —	167-018C —
	Needle/TC		

FG 314 Shank										
	1.0(0.6)/3.0 19.0	1.2(0.7)/4.0 19.0	1.4(0.8)/4.0 19.0	1.6(0.9)/4.0 19.0	1.8(1.0)/5.0 20.0	2.1(1.5)/5.0 20.0	1.4(0.7)/6.5 21.0	1.6(0.8)/6.5 21.0	1.0(0.6)/8.0 22.0	1.2(0.7)/8.0 22.0
M	169-010M TF-41	170-012M TF-42	170-014M TF-43	170-016M TF-31	170-018M TF-23	170-021M TF-22	171-014M TF-20	171-016M TF-21	172-010M TF-07	172-012M TF-08
S									171-016S TF-21S	
C	170-014C TF-43C						171-014C TF-20C			
F	170-014F TF-43F						171-014F TF-20F	171-016F TF-21F	172-012F TF-08F	
EF									171-016EF TF-21EF	

Flat End Cone

FG 314 Shank								
	1.4(0.7)/8.0 22.0	1.6(0.8)/8.0 22.0	1.8(0.9)/8.0 22.0	2.3(1.3)/9.0 22.0	1.4(0.7)/10.0 24.0	1.6(0.8)/10.0 22.0	1.8(0.9)/10.0 22.0	
M	172-014M TF-09	172-016M TF-10	172-018M TF-56	172-023M TF-14	173-014M TF-11	173-016M TF-12	173-018M TF-13	
S	172-014S TF-09S	172-016S TF-10S			173-014S TF-11S	173-016S TF-12S	173-018S TF-13S	
C	172-014C TF-09C	172-016C TF-10C	172-018C TF-56C	172-023C TF-14C	173-014C TF-11C	173-016C TF-12C	173-018C TF-13C	
F	172-014F TF-09F	172-016F TF-10F	172-018F TF-56F			173-014F TF-11F	173-016F TF-12F	173-018F TF-13F
EF	172-016EF TF-10EF				173-014EF TF-11EF	173-016EF TF-12EF	173-018EF TF-13EF	

Flat End Cone

FG 314 Shank										
	1.0(0.6)/4.0 19.0	1.2(0.7)/4.0 19.0	1.4(0.8)/4.0 19.0	1.6(0.9)/4.0 19.0	2.0(1.0)/5.0 19.0	1.2(0.7)/6.5 21.0	1.4(0.7)/6.5 21.0	1.6(0.8)/6.5 21.0	1.8(1.0)/6.5 21.0	2.0(1.1)/6.5 21.0
M	196-010M CR-41	196-012M CR-31	196-014M CR-42	196-016M CR-12	196-020M CR-11	197-012M —	197-014M TR-20	197-016M TR-21	197-018M TR-62	197-020M TR-63
S									197-016S TR-21S	
C							197-014C TR-20C	197-016C TR-21C	197-018C TR-62C	
F	196-012F CR-31F		196-016F CR-12F		196-020F CR-11F	197-012F —	197-014F TR-20F	197-016F TR-21F	197-018F TR-62F	
EF				196-016EF CR-12EF	196-020EF CR-11EF	197-012EF —	197-014EF TR-20EF	197-016EF TR-21EF	197-018EF TR-62EF	

Round End Cone

FG 314 Shank	1.2(0.7)/8.0 22.0 198 (856)	1.4(0.8)/8.0 22.0 198 (856)	1.6(0.9)/8.0 22.0 198 (856)	1.8(1.0)/8.0 22.0 198 (856)	1.2(0.6)/10.0 22.0 199 (850)	1.4(0.7)/10.0 22.0 199 (850)	1.6(0.8)/10.0 22.0 199 (850)	1.8(0.9)/9.0 22.0 199 (850)	2.2(1.3)/9.0 22.0 199 (850)	2.2(1.3)/11.0 24.0 200 (850L)
	M	198-012M —	198-014M TR-25	198-016M TR-24	198-018M TR-23	199-012M —	199-014M TR-11	199-016M TR-12	199-018M TR-13	199-022M TR-14
S		198-014S TR-25S	198-016S TR-24S			199-014S TR-11S	199-016S TR-12S	199-018S TR-13S		
C		198-014C TR-25C	198-016C TR-24C	198-018C TR-23C		199-014C TR-11C	199-016C TR-12C	199-018C TR-13C	199-022C TR-14C	
F	198-012F —	198-014F TR-25F	198-016F TR-24F	198-018F TR-23F	199-012F —	199-014F TR-11F	199-016F TR-12F	199-018F TR-13F	199-022F TR-14F	
EF	198-012EF —	198-014EF TR-25EF	198-016EF TR-24EF	198-018EF TR-23EF	199-012EF —	199-014EF TR-11EF	199-016EF TR-12EF	199-018EF TR-13EF		









Round End Cone

FG 314 Shank	2.4(1.4)/11.0 24.0 200 (850L)	1.0(0.8)/2.8 19.0 233 (808)	1.4(1.1)/4.0 19.0 234 (808L)	1.8(1.3)/5.0 19.0 237 (808R)	2.1(1.6)/5.0 19.0 237 (808R)	3.2(1.8)/5.0 19.0 237 (808R)
	M	200-024M TR-19	233-010M EX-41	234-014M EX-31	237-018M EX-20	237-021M EX-21
S				237-018S EX-20S	237-021S EX-21S	
F			234-014F EX-31F	237-018F EX-20F	237-021F EX-21F	
EF			234-014EF EX-31EF	237-018EF EX-20EF	237-021EF EX-21EF	








Pear

FG 314 Shank	1.0/4.3 23.5 540 (889)	1.2/6.0 21.0 248 (861)	1.4/6.0 21.0 248 (861)	1.4/8.0 22.0 249 (862)	1.6/8.0 22.0 249 (862)	1.2/10.0 24.0 250 (863)	1.4/10.0 24.0 250 (863)	1.6/10.0 24.0 250 (863)	1.8/9.5 21.0 190 (---)
	M	248-012M FO-41	248-014M FO-20	249-014M FO-21	249-016M FO-22	250-012M FO-11	250-014M FO-12	250-016M FO-13	
S	248-012S FO-41S	248-014S FO-20S	249-014S FO-21S	249-016S FO-22S	250-012S FO-11S	250-014S FO-12S	250-016S FO-13S		
C			249-014C FO-21C	249-016C FO-22C	250-012C FO-11C	250-014C FO-12C	250-016C FO-13C	190-018C FO-54C	
F		248-012F FO-41F	248-014F FO-20F	249-014F FO-21F	249-016F FO-22F	250-012F FO-11F	250-014F FO-12F	250-016F FO-13F	
EF	540-010EF FO-40EF	248-012EF FO-41EF	248-014EF FO-20EF	249-014EF FO-21EF	249-016EF FO-22EF	250-012EF FO-11EF	250-014EF FO-12EF	250-016EF FO-13EF	

Flame








	 1.6/3.5 19.0 257 (368,830)	 1.8/3.6 19.0 257 (368,830)	 2.1/5.0 19.0 257 (368,830)	 2.3/5.0 19.0 257 (368,830)	 2.5/5.0 19.0 257 (368,830)	 2.8/5.0 19.0 257 (368,830)	 3.0/5.0 19.0 257 (368,830)	 3.2/5.0 19.0 257 (368,830)
FG 314 Shank								
M	257-016M FO-30	257-018M FO-32	257-021M —	257-023M FO-34	257-025M FO-24	257-028M FO-25	257-030M FO-26	257-032M FO-27
S		257-018S FO-32S	257-021S —	257-023S FO-34S	257-025S FO-24S	257-028S FO-25S	257-030S FO-26S	257-032S FO-27S
C		257-018C FO-32C	257-021C —	257-023C FO-34C	257-025C FO-24C	257-028C FO-25C		
F	257-016F FO-30F	257-018F FO-32F	257-021F —	257-023F FO-34F	257-025F FO-24F	257-028F FO-25F	257-030F FO-26F	257-032F FO-27F
EF	257-016EF FO-30EF	257-018EF FO-32EF	257-021EF —	257-023EF FO-34EF	257-025EF FO-24EF	257-028EF FO-25EF	257-030EF FO-26EF	257-032EF FO-27EF

Bud

	 1.6/3.2 19.0 277 (379,833)	 1.8/3.5 19.0 277 (379,833)	 2.0/3.9 19.0 277 (379,833)	 2.3/4.5 19.0 277 (379,833)	 3.0/5.0 19.0 277 (379,833)	 1.6/5.0 19.0 465 (820)	 3.1/3.5 19.0 465 (820)
FG 314 Shank							
M	277-016M —	277-018M —	277-020M TR-22	277-023M —	277-030M TR-28	465-016M —	
S			277-020S TR-22S		277-030S TR-28S		
F	277-016F —	277-018F —	277-020F TR-22F	277-023F —	277-030F TR-28F	465-016F —	465-031F —
EF	277-016EF —	277-018EF —	277-020EF TR-22EF	277-023EF —	277-030EF TR-28EF	465-016EF —	

Egg

Interdental

	 1.2/6.0 21.0 288 (867,877)	 1.2/8.0 22.0 289 (868,878)	 1.4/8.0 22.0 289 (868,878)	 1.6/8.0 22.0 289 (868,878)	 1.2/10.0 24.0 290 (869,879)	 1.4/10.0 24.0 290 (869,879)	 1.6/10.0 24.0 290 (869,879)
FG 314 Shank							
M	288-012M SO-20	289-012M —	289-014M SO-21	289-016M —	290-012M —	290-014M —	290-016M —
S			289-014S SO-21S				
C		289-012C —	289-014C SO-21C	289-016C —	290-012C —	290-014C —	290-016C —
F	288-012F SO-20F	289-012F —	289-014F SO-21F	289-016F —			
EF	288-012EF SO-20EF		289-014EF SO-21EF				

Torpedo



FG 314 Shank						
	298 (878K)	298 (878K)	299 (879K)	299 (879K)	115 (842SP)	178 (848SP)
M	298-016M —	298-018M —	299-016M —	299-018M —	115-014M BC-11	178-016M BC-12
S	298-016S —		299-016S —			
C	298-016C —	298-018C —	299-016C —	299-018C —		

Torpedo, Conical


FG 314 Shank								
	552 (834)	552 (834)	552 (834)	544 (845KR)	545 (846KR)	546 (847KR)	553 (848KR)	553 (848KR)
M	552-016M VP-20	552-018M VP-21	552-021M VP-22	544-018M RS-31/EX-38	545-018M RS-21/EX-29	546-016M —	553-018M —	553-019M RS-11/EX-17

Depth Marking


Taper, Round Edge





FG Surgical **001-X010M** BR-X45 **001-X012M** BR-X46 **001-X014M** BR-X41 **001-X016M** BR-X40 **001-X018M** BR-X31 **010-X012M** SI-X46 **111-X012M** SF-X11 **111-X014M** SF-X12




111-X016M SF-X13 **166-X016M** TC-X11 **173-X014M** TF-X11 **173-X016M** TF-X12 **173-X018M** TF-X13 **199-X016M** TR-X12 **200-X022M** TR-X15 **249-X014M** FO-X21 **249-X016M** FO-X22




001-X016S BR-X40S **001-X018S** BR-X31S **001-X014C** BR-X41C **001-X016C** BR-X40C **001-X018C** BR-X31C




FG Short **001-S010M** BR-S45 **001-S012M** BR-S46 **001-S014M** BR-S41 **010-S012M** SI-S46 **010-S016M** SI-S48 **165-S014M** TC-S21



169-S010M TF-S41 **170-SS016M** TF-SS31 **170-S016M** TF-S31 **170-S018M** TF-S23 **170-S021M** TF-S22 **171-S016M** TF-S21 **171-S014M** TF-S20




197-S014M TR-S20 **197-S016M** TR-S21 **199-S018M** TR-S13 **249-S014M** FO-S21



M	001-R012M BR-R46	001-R014M BR-R41	001-R016M BR-R40	001-R018M BR-R31	001-R023M BR-R26	010-R010M SI-R45	010-R012M SI-R46	010-R014M SI-R47	010-R016M SI-R48
F			001-R016F BR-R40F	001-R018F BR-R31F	001-R023F BR-R26F				
EF			001-R016EF BR-R40EF	001-R018EF BR-R31EF	001-R023EF BR-R26EF				

Ball , Round /BR


Inverted Conical / SI



109-R010M SF-R41	109-R012M SF-R31	109-R014M SF-R42	111-R012M SF-R11	111-R014M SF-R12	111-R016M SF-R13	141-R012M SR-R11	141-R014M SR-R12
----------------------------	----------------------------	----------------------------	----------------------------	----------------------------	----------------------------	----------------------------	----------------------------

Flat End Cylinder / SF

Round End Cylinder / SR



M	165-R014M TC-R21	166-R016M TC-R11	169-R010M TF-R41	170-R012M TF-R42	198-R018M TR-R23	199-R016M TR-R12	257-R018M FO-R32
F	165-R014F TC-R21F						257-R018F FO-R32F

Needle

Flat End Cone /TF

Round End Cone/TR

Flame / FO




Diamond Ortho-strips

金剛石锯弓



Creating additional space by interproximal enamel reduction (IPR) :

When opening the interdental space and reducing, finishing and polishing enamel in orthodontics, care must be taken to avoid grooves and scratches. It's important to proceed step by step, following a coarse-to-fine sequence.



Separating

OS40

0.40 mm



Reducing

OS30

0.30 mm




Contouring

OS25

0.25 mm

Item No.  1


Thickness (mm)



Finishing

OS20

0.20 mm



Pre-polishing

OS15

0.15 mm



Polishing

OS10


0.10 mm



No-Diamond Coated
with serrated edge

OS05

0.05 mm



Diamond finishing strips

























金刚石抛光条



Perforated Diamond finishing strips with and without serrated edge ;

Double side Coated / Single side Coated ;

with or without honeycomb design .

- 
45 μm Length x Width x Thickness : 148 x 3.75 x 0.16mm No. : **SWS37**

Double side Coated
- 
45 μm Length x Width x Thickness : 148 x 3.75 x 0.13mm No. : **WS37**

Single side Coated
- 
30 μm Length x Width x Thickness : 148 x 3.75 x 0.12mm No. : **SWS37F**

Double side Coated
- 
30 μm Length x Width x Thickness : 148 x 3.75 x 0.10mm No. : **WS37F**

Single side Coated
- 
15 μm Length x Width x Thickness : 148 x 3.75 x 0.10mm No. : **SWS37EF**

Double side Coated
- 
15 μm Length x Width x Thickness : 148 x 3.75 x 0.08mm No. : **WS37EF**

Single side Coated
- 
45 μm Length x Width x Thickness : 148 x 3.75 x 0.16mm No. : **SDS37**

Double side Coated
- 
45 μm Length x Width x Thickness : 148 x 3.75 x 0.13mm No. : **DS37**

Single side Coated
- 
30 μm Length x Width x Thickness : 148 x 3.75 x 0.12mm No. : **SDS37F**

Double side Coated
- 
30 μm Length x Width x Thickness : 148 x 3.75 x 0.10mm No. : **DS37F**

Single side Coated
- 
15 μm Length x Width x Thickness : 148 x 3.75 x 0.10mm No. : **SDS37F**

Double side Coated
- 
15 μm Length x Width x Thickness : 148 x 3.75 x 0.08mm No. : **DS37F**

Single side Coated



10 pcs of each per pack
or 10 pcs mixed 2● + 4● + 4●


Tungsten Carbide Bur

钨钢车针



Advantages

1. Strictly comply with ISO Standard
2. Sharper and More Efficient
3. Durable and Valuable
4. FG, FG Short, FG Long, RA, RA Long etc



Ball, Plain Cut

ISO 500 ... 001	001	005	006	008	010	012	014	016	018	021	023	025
FG 314	FG 1/4	FG 1/2	FG 1	FG 2	FG 3	FG 4	FG 5	FG 6	FG 7	FG 8	FG 9	
FG S 313			FG S1	FG S2	FG S3	FG S4	FG S5					
FG X 316			FG X1	FG X2	FG X3	FG X4	FG X5	FG X6	FG X7	FG X8		
RA 204		RA 1/2	RA 1	RA 2	RA 3	RA 4	RA 5	RA 6	RA 7	RA 8		
RA X 205				RA X2	RA X3	RA X4	RA X5	RA X6	RA X7	RA X8		



Inverted Cone

ISO 500 ... 010	001	008	010	012	014	016	018	021	023		
FG 314		FG 34	FG 35	FG 36	FG 37	FG 38	FG 39				
RA 204		RA 34	RA 35	RA 36	RA 37	RA 38	RA 39	RA 40	RA 41		



Cylinder, Plain Cut

ISO 500 ... 107	006	008	009	010	012	014	016			
Working Length/mm		4.0	4.0	4.0	4.0	4.0	4.0			
FG 314		FG 55	FG 56	FG 57	FG 58	FG 59	FG 60			
FG X 316				FG X57	FG X58					




Flat End Taper, Plain Cut

ISO 500 ... 168	006	008	009	010	012	016	009	010	012	016
Working Length/mm		4.0	4.0	4.0	4.0	4.0	6.0	6.0	6.0	6.0
FG 314		FG 168	FG 169	FG 170	FG 171	FG 172	FG 169L	FG 170L	FG 171L	FG 172L
FG X 316				FG X170	FG X171					



Pear Plain Cut



ISO 500 ... 233 001	009	012	006	008	010	012	010	012		
Working Length/mm	2.5	2.9	1.7	1.8	2.0	2.2	4.1	4.1		
FG 314	FG 245	FG 246	FG 329	FG 330	FG 331	FG 332	FG 331L	FG 332L		
FG S 313	FG S245									
RA 204	RA 245									




Cylinder, Cross Cut




ISO 500 ... 107 007	008	009	010	012	014	016	018	021	023	
Working Length/mm	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	
FG 314	FG 555	FG 556	FG 557	FG 558	FG 559	FG 560				
FG S 313		FG S556	FG S557							
FG X 316			FG X557	FG X558	FG X559					
RA 204		RA 556	RA 557	RA 558	RA 559	RA 560	RA 561	RA 562	RA 563	
RA X 205			RA X557							



Cylinder, Cross Cut










ISO 500 ... 110 007	009	010	012	014						
Working Length/mm	6.0	6.0	6.0	6.0						
FG 314	FG 556L	FG 557L	FG 558L	FG 559L						
















Flat End Taper, Cross Cut




















ISO 500 ... 168 007	008	009	010	012	016	021	023	009	010	012	016
Working Length/mm	4.0	4.0	4.0	4.0	4.0	4.0	4.0	6.0	6.0	6.0	6.0
FG 314	FG 698	FG 699	FG 700	FG 701	FG 702			FG 699L	FG 700L	FG 701L	FG 702L
FG X 316			FG X700	FG X701	FG X702						
RA 204		RA 669	RA 700	RA 701	RA 702	RA 703	RA 704				
RA X 205				RA X701							











						
ISO 500 ... 137 007	008	009	010	012	014	016
Working Length/mm	4.0	4.0	4.0	4.0	4.0	4.0
FG 314	FG 1155	FG 1156	FG 1157	FG 1158	FG 1159	FG 1160
FG S 313	FG S1157					











							
ISO 500 ... 194 006	009	010	012	016	ISO 500 ... 194 007	012	016
Working Length/mm	4.0	4.0	4.0	4.0	Working Length	4.0	4.0
FG 314	FG 1169	FG 1170	FG 1171	FG 1172	FG 314	FG 1701	FG 1702

				
ISO 500 ... 137 007	009	010	012	014
Working Length/mm	4.0	4.0	4.0	4.0
FG 314	FG 1556	FG 1557	FG 1558	FG 1559
FG X 316	FG X1557	FG X1558		











							
ISO 500 ...	009	012	ISO 500 ... 468 ...	014	ISO 500 ... 150 001	010	012
Working Length/mm	3.0	5.5	Working Length/mm	4.0	Working Length/mm	0.2	0.2
FG 314	ET3	ET5	FG 314	FG 468	FG 314	FG 957	FG 958










								
ISO 500 ... 237.008	010	012	ISO 500 ... 137.008	010	012	ISO 500 ... 107 008	010	012
Working Length/mm	2.0	2.2	Working Length/mm	4.0	4.0	Working Length/mm	4.0	4.0
FG 314	FG 1931	FG 1932		FG 1957	FG 1958		FG 2057	FG 2058







									
Round End Taper	1.6(0.9)/11 23.0 199	1.6(0.9)/11 25.0 199	1.6(0.9)/11 28.0 199		1.6(1.0)/10.0 25.0 408		1.6(1.0)/10.0 25.0 408	1.2(0.7)/6.0 28.0 415	1.2(0.7)/6.0 34.0 415
	151	X151	XL151	Bone Cutter	161	Bone Cutter	162	H253E	H254E

									
Flat End Taper, Cylinder	1.6(1.2)/8.0 25.0 172	1.6(1.2)/8.0 28.0 172	1.6(1.2)/8.0 32.0 172	1.6/8.0 25.0 111	1.6/8.0 28.0 111	Endo, safe End	1.6(0.9)/9.0 21.0 210	1.6(0.9)/9.0 23.0 210	1.6(0.9)/9.0 25.0 210
	EC25	EC28	EC32	ES25	ES28	Round End Taper	152	X152	XL152



Trimming & Finishing Carbide Burs

									
Round	1.4 19.0 001	1.6 19.0 001	1.8 19.0 001		1.4/9.0 23.0 184	1.6/9.0 23.0 184		1.0/4.2 19.0 159	1.4/6.0 21.0 164
	FG 7004	FG 7005	FG 7006	Flat End Taper	FG 7204	FG 7205	Pointed Taper	FG 7611	FG 7612



								
Egg	1.4/3.3 19.0 277	1.8/3.5 19.0 277		0.9/3.5 19.0 168	1.0/5.5 21.0 170	1.4/9.0 23.0 172		1.6(1.0)/8.0 22.0 198
	FG 7404	FG 7406	Flat End Taper	FG 7114	FG 7214	FG 7714	Round End Taper	FG 7675

					
8 - 12 Blades		0.9/3.6 19.0 496	1.0/3.6 19.0 496	1.2/3.6 19.0 496	1.2/9.0 23.0 250
	Flame	FG 7901	FG 7902	FG 7903	FG 7903L


White Stone 白车石 Finish, Polish Filling Composite 去树脂, 填充物及抛光。



Green Stone 绿车石 Grind Ceramics, Precious Metal 研磨烤瓷, 贵金属等。






Diamond Stones 陶瓷金刚车石 Finish Zirconia, Lithium Disilicate, Ceramics . 研磨氧化锆、玻璃陶瓷、烤瓷。





Diamond Rubber Polishers 橡胶金刚石抛光磨头

Universally used to polish Zirconia, Lithium Disilicate, Ceramics, Composite etc.
广泛的用于抛光氧化锆、玻璃陶瓷、烤瓷、树脂等。



Cleaning Burs after debonding (脱胶后)洁牙磨头

Remove Calculus or Stains , No damage to the enamel.



Silicon 矽粒子




Twin-Color Polishers for Composite

双色·树脂专用抛光磨头



Composite, Acrylic teeth's Polishing,
Polishing after remove Calculus or Stains , No damage to
the enamel.
Polishing after remove the debonding



Item No.  12

Tr103C

Tr104C

Tr105C

Tr106C

Thickness (mm)

5 x 10.5mm

10 x 1 mm

10 x 2.0 (0.7) mm

6 x 8 mm



Item No.  12

Tr103M

Tr104M

Tr105M

Tr106M

Thickness (mm)

5 x 10.5mm

10 x 1 mm

10 x 2.0 (0.7) mm

6 x 8 mm



Item No.  12

Tr103F

Tr104F

Tr105F

Tr106F

Thickness (mm)

5 x 10.5mm

10 x 1 mm

10 x 2.0 (0.7) mm

6 x 8 mm

Silicon Polisher

For Ceramics

硅胶磨头
烤瓷抛光



White, Coarse

Cf101C

Cf103C

Cr101C

Cr103C

Cr104C

Cr105C

Cr106C

Cr108C

Silicon Polisher

For Ceramics

硅胶磨头
烤瓷抛光



Pink, Medium

Cf101M

Cf103M

Cr101M

Cr103M

Cr104M

Cr105M

Cr106M

Cr108M

Silicon Polisher

For Ceramics, Composite

硅胶磨头
烤瓷、树脂抛光



Blue, Fine

Cf101F

Cf103F

Cr101F

Cr103F

Cr104F

Cr105F

Cr106F

Cr108F

Silicon Polisher

For Metal, Alloy

硅胶磨头
金属、合金抛光



Black, Coarse

Af101C

Af103C

Ar101C

Ar103C

Ar104C

Ar105C

Ar106C

Ar108C

Silicon Polisher

For Metal, Alloy

硅胶磨头
金属、合金抛光



Brown, Medium

Af101M

Af103M

Ar101M

Ar103M

Ar104M

Ar105M

Ar106M

Ar108M

Silicon Polisher

For Metal, Alloy,
Composite

硅胶磨头
金属、合金、树脂抛光



Fine, Light Grey

Af101F

Af103F

Ar101F

Ar103F

Ar104F

Ar105F

Ar106F

Ar108F

Silicon Polisher

For Composite

硅胶磨头
树脂抛光



Fine, Yellow

Rf101F

Rf103F

Rr101F

Rr103F

Rr104F

Rr105F

Rr106F

Rr108F

Polishing Brushes

Nature Material, No hurt to teeth
Final polishing composite,
nature teeth or Ceramics
天然毛质、不伤牙
适用于树脂、真牙、烤瓷等



Felt
毛毡

R1Ns



Leather
羊皮

R1Ry



Goat Hair
羊毛

R1G



Thread
白棉线

R1T

Polishing Brushes

Abrasive Fiber
磨料丝 (含碳化硅
或氧化铝)

For Composite,
Ceramics

With Al₂O₃



R1AI



R4AI



R5AI



R7AI

With Silicon Carbide



R1SiC



R4SiC



R5SiC



R7SiC



White Bristle

R4Dw



White Nylon

R4Cw



Clear Nylon

R4Cc



Blue Nylon

R4Cb



Pink Nylon

R4Cr



Purple Nylon

R4Cp




Yellow Nylon

R4Cy



White Goat Hair

R4G



White Bristle

R7Dw




Clear Nylon

R7Cc



White Goat Hair

R7G




White Bristle

R5Dw



White Nylon

R5Cw



Clear Nylon

R5Cc




Blue Nylon

R5Cb



Pink Nylon

R5Cr



Purple Nylon

R5Cp



Yellow Nylon

R5Cy



White Goat Hair

R5G



4 Angles, Soft

R01W



6 Angles, Hard

R02W

Mandrels

夹 针



31RS



31RSL
RA X Long shank



35RS



52RS



53RS




26RS
Adapter FG into RA



51R
Disposable use
made of steel



No. 201
for FG burs * 15



No. 211
for 10*FG + 5*RA



No. 221
for 5*FG + 10*RA



No. 241
for RA burs * 12



No. 202
for Root canal files * 18



No. 212
For HP burs * 18



No. 015A
for 18*FG



No. 015C
for 12*FG + 6*RA



No. 015E
for 18*RA



No. 015D
for 20*FG + 10*RA



No. 013E
for 16*FG + 9*RA



No. 022D
for 18*RA



No. 016B
for 8*HP



No. 023
132 * 107 * 65 mm
for FG, RA, HP, Files Mixed

Alluminum Blocks, Sterilisable

铝制消毒盒

Plastic Blocks, Sterilisable

塑料消毒盒

KIT 套装

Provide kinds of kits for clinic use , which offer the smartest operation ;
 Whatever for Ceramics, Zirconia , Lithium Disilicate, Composite, Metal or Alloy ;
 From Preparation to Final polishing ;
 High Efficiency to shining, No need Glaze after polishing .



BR1901

BR-49, BR-45, BR-46, BR-41, BR-40,
 BR-31, BR-28, BR-26, BR-25, BR-23 .

Diamond burs of Ball shape Assorted in FG shank
 圆球状金刚石车针混装(高速)



BR1902

BR-X45, BR-X46, BR-X41, BR-X40, BR-X31,
 BR-X40S, BR-X31S, BR-X41C, BR-X40C, BR-X31C


Diamond burs of Ball shape Assorted in FG LONG
 圆球状金刚石车针混装(高速加长)



BR1903

BR-R46, BR-R41, BR-R40, BR-R31, BR-R26,
 BR-R40F, BR-R31F, BR-R26F, BR-R40EF, BR-R26EF

Diamond burs of Ball shape Assorted in RA shank
 圆球状金刚石车针混装(低速)



4100

508T-014S, BR-41, 198-016S, 508T-016S, 508T-016F ;
 508T-014S, BR-540, 198-021S, 508T-021S, 508T-021F


Safe End Diamond Preparation
 前后牙预备(安全端金刚石车针)



4101

TF-21, TF-10, TF-12, TC-10, WR-13
 SR-11, TR-11, EX-18, TR-12F, TC-11F

Crown & Bridge Preparation for Anterior
 前牙桥体/冠体预备



4102

EX-20S, SR-21, FO-34, TR-62C, TR-21
 TR-24, SO-21, EX-18, TR-21F, EX-21F

Crown & Bridge Preparation for Posterior
 后牙桥体/冠体预备



18041V

SI-45 x 2 ; SI-46 x 3,
 SI-47 x 3, SI-48 x 2 .


Diamond burs of Inverted Cone Assorted in FG shank
 常用倒锥金刚石车针混装(高速)



1805TA

TR-11 x 2, TR-12 x 2, TF-11 x 2 ;
 TF-12, TC-10, TC-27, TC-28 x 1


Regular Diamond burs of Taper Assorted in FG shank
 常用锥形金刚石车针混装 (高速)



1806

TC-11EF, 820-016EF, 820-031F,
 820-016F, TC-10F

Interproximal Enamel Reduction (IPR) for Ortho
 邻面去釉套装



4103

BR-45, BR-40, BC-32, EX-31
 TF-20, SF-41, SF-21, SI-48

Cavity Preparation, Restoratives
 备洞



4104

SI-48, DI-42, TF-31, TF-22, SF-21
 EX-18, TF-21F, SF-21F, FO-22EF, EX-21EF

Inlay & Onlay Preparation
 嵌体/高嵌体预备



4105

BR-49, SF-41, SR-41, TC-26, CR-41
 EX-41, FO-40EF / FG1/4, FG1/2, FG 1

Micro Invasive Surgery
 微创备牙



6000

BR-45, VP-20, VP-21, VP-22,
SR-41, TR-25, SO-20, TR-13F, CF101F

Porcelain Veneers' Preparation
瓷贴面备牙套装



6002

CD-50F, CD-51F, CD-52F, CD-53F, CD-54F
CD-55F, CD-56F, CD-57F, CD-58F, CD-59F

Children's Teeth Preparation
儿童牙预备



4106

BR-40EF, TC-11EF, TF-11EF, TF-12EF, TR-11EF,
EX-21EF, FO-40EF, FO-21EF, FO-22EF, FO-30EF


Ceramics / Composite Polishing
烤瓷牙/复合树脂抛光



FG008D

BR-49, BR-49, SI-49, SF-49, TF-49

Student or Beginner's Diamond FG 0.8mm
新手入门金刚石车针,高速



FG009D

001-009M, 001-009M, 010-009M,
109-009M, 170-009M

Student or Beginner's Diamond FG 0.9mm
新手入门金刚石车针,高速



RA008D

BR-R49, BR-R49, SI-R49, SF-R49, TF-R49

Student or Beginner's Diamond RA 0.8mm
新手入门金刚石车针,慢速



RA009D

001-R009M, 001-R009M, 010-R009M,
109-R009M, 170-R009M


Student or Beginner's Diamond RA 0.9mm
新手入门金刚石车针,慢速



TF7100

7004, 7404, 7214, 7714, 7903L


TC Trimming & Finishing burs, F6
钨钢精修车针, FG



1900 T

FG 1, FG 2, FG 3, FG 4, FG 5


Tungsten carbide burs of Ball shape Assorted in FG shank
圆球状钨钢车针混装(高速)



FG008T

FG 1, FG 1, FG 34, FG555, FG698

Tungsten Carbide of FG shank 0.8mm for Students
初学者用的钨钢车针 (头径0.8mm, 高速)



RA008T

RA 1, RA 1, RA 34, RA 555, RA 698

Tungsten Carbide of RA shank 0.8mm for Students
初学者用的钨钢车针 (头径0.8mm, 低速)



7109FW

FL2-Fw, CN1-Fw, RD1-Fw, RD2-Fw, TC1-Fw,

FG White Stone Burs, to Finish Composite
白车石, 高速



7109RW

FL2-Rw, CN1-Rw, RD1-Rw, RD2-Rw, TC1-Rw,

RA White Stone Burs, to Finish Composite
白车石, 低速



7109FG

FL2-Fg, CN1-Fg, RD1-Fg, RD2-Fg, TC1-Fg,

FG Green Stone burs, Finish Ceramics
绿车石, 高速



7109RG

FL2-Rg, CN1-Rg, RD1-Rg, RD2-Rg, TC1-Rg,

RA Green Stone burs, Finish Ceramics
绿车石, 低速



1906

Cr103C x 2, Cr104C, Cr106C, Cr103M, Cr104M, R4AL, R5AL; R4Cb, R5Cb, R4Cr, R5Cr

Composite Finish and Polish RA
树脂成型和抛光,弯机柄



1907

Cr103C, Cr104C, Cr106C; Cr103M, Cr104M, Cr106M, R4AL, R1AL, R5AL; R1Ry, R1G, R1T

Composite Finish and Polish RA
树脂成型和抛光,弯机柄



QR2101

2 step : Sr003F : Pro-Polishing
Sr003UF : Polishing

Composite Polish, RA
树脂抛光,弯机柄



QR2102

2 step : Sr304F : Pro-Polishing
Sr304UF, Sr003UF : Polishing

Composite Polish, RA
树脂抛光,弯机柄



QR2103

3 step : Sr304CM : Smooth;
Sr003F : Pro-Polishing; Sr003UF : Polishing

Composite Polish, RA
树脂抛光,弯机柄



QR2104

3 step : Sr003M : Smooth;
Sr003F : Pro-Polishing; Sr003UF x 2 : Polishing

Composite Polish, RA
树脂抛光,弯机柄



CP 6011

2 Step : Sr 204 M x 3 : Pro-polish;
Sr 204 F x 3 : Polish

Composite, Ceramic, Zirconia Polishers . RA
树脂、烤瓷、氧化锆抛光



CP 6001

3 Step: Sr 204 C x 2 : Smooth;
Sr 204 M x 2 : Pro-polish; Fine : Sr 204 F x 2 : Polish

Composite, Ceramic, Zirconia Polishers . RA
树脂、烤瓷、氧化锆抛光



7115

Smooth : DCR101, DCR102, DCR122, DCR105
Pro-polish: Sr101F, Sr103F, Sr105F, Sr106F
Polish: Sr101UF, Sr103UF, Sr105UF, Sr106UF

Diamond stones & polishers for Zirconia / Lithium Disilicate, 氧化锆、玻璃陶瓷研磨抛光



1904

X151, XL151, EC25, EC28, FG X6,
EX-28, BR-X31, TR-X12, TR-X15, TF-X13

Extraction Burs
拔阻生齿车针



1905

FG X2, FG X4, FG X6, FG X558, FG X701,
BR-X41, BR-X40, BR-X31, TF-X12, TR-X12

Oral Surgery burs FG Long
手术车针(高速加长)



4110V

Smooth: Rw01, Rw02 x 2
Pro-polish: Cr101M, Cr103M, Cr104M, Cr106M,
Polish: Cr101F, Cr103F, Cr104F, Cr106F


Composite Finish and Polish RA
树脂成型和抛光,弯机柄



4112

Smooth: Cr101C, Cr103C, Cr104C, Cr106C
Pro-polish: Cr101M, Cr103M, Cr104M, Cr106M
Polish: Cr101F, Cr103F, Cr104F, Cr106F

Porcelain / Natural Teeth Polishing RA
烤瓷牙,自然牙抛光,弯机柄



4114

Smooth: Ar101C, Ar103C, Ar104C, Ar106C
Pro-polish: Ar101M, Ar103M, Ar104M, Ar106M
Polish: Ar101F, Ar103F, Ar104F, Ar106F

Amalgam / Metal Polishing RA
银汞合金,金属抛光,弯机柄



4115

Smooth : Sr103M, Sr105M, Sr106M ; Pro-polish : Sr103F, Sr105F, Sr106F
Polish : Sr101EF, Sr103EF, Sr105EF, Sr106EF,
Final Polish: Sr101UF, Sr103UF


Diamond Polishers for Zirconia / Lithium Disilicate
氧化锆、玻璃陶瓷抛光,弯机柄

Crown & Bridge Preparation for Anterior
前牙桥体/冠体预备



4101A

TF-21, TF-10, TF-12 x 2, WR-13, TC-21,
TR-11, TC-10/EX-18, SR-11/TR-12F, TC-11F




Crown & Bridge Preparation for Posterior
后牙桥体/冠体预备



4102A

EX-11, EX-20S, TR-22S, BR-31C, TR-62C, FO-34/
TR-24, TR-21/EX-18, SO-21/EX-21F, TR-21F




Cavity Preparation, Restoratives
备洞



4103A

BR-45, BR-40, BR-46, BR-31, BR-41/BC-32,
SI-47, SI-48/SF-41, SF-21/EX-31, TF-20




Inlay/Onlay Preparation
嵌体/高嵌体预备



4104A

DI-42, SI-48, TF-22, TF-31 / TF-21F, SF-21F /
TF-21, SF-21, EX-18, BC-32 / EX-21EF, FO-22EF




Porcelain Veneer's Preparation
瓷贴面备牙



6000A

SR-41, BR-45 / VP-20 x 2, VP-21 x 2, VP-22 x 2/
SO-20, TR-25, TR-13F, TC-28EF




Trimming & Finishing Tungsten
Carbide burs FG 钨钢精修车针



6003A

7004, 7005, 7006, 7404, 7406, 7114,
7214, 7714, 7901, 7902, 7903, 7903L




Zirconia, Lithium Disilicate Polishing kit, RA
氧化锆, 玻璃陶瓷抛光(低速)



7115A

Smooth : DCR101 , DCR102, DCR122, DCR105 ; Pro-polish: Sr101F, Sr103F, Sr105F, Sr106F
Polish: Sr101UF, Sr103UF, Sr105UF, Sr106UEF



Zirconia, Lithium Disilicate High Gloss polishing kit, RA
氧化锆抛光(低速)



4115A

Smooth : Sr103M, Sr105M, Sr106M ; Pro-polish : Sr103F, Sr105F, Sr106F
Polish: Sr101EF, Sr103EF, Sr105EF, Sr106EF, Final Polish: Sr101UF, Sr103UF



Composite or filling material Polisher RA
美学树脂、填充材料抛光



CP6001A

3 Step: Sr 204 C x 2 : Smooth;
Sr 204 M x 2 : Pro-polish ; Fine : Sr 204 F x 2 : Polish



Composite Polishing kit , RA
树脂抛光套装(低速)



4110A2

Smooth: FL2-Rwx 2 , CN1-Rw x 2 ; Pro-polish: Cr101M, Cr103M, Cr104M, Cr106M,
Polish: Cr101F, Cr103F, Cr104F, Cr106F




Ceramics / Porcelain Teeth Polish , RA
烤瓷牙抛光(低速)



4112A

Smooth: Cr101C, Cr103C, Cr104C, Cr106C
Pro-polish : Cr101M, Cr103M, Cr104M, Cr106M
Polish: Cr101F, Cr103F, Cr104F, Cr106F



Amalgam, Alloy, Metal Polish , RA
银汞合金抛光(低速)




4114A

Smooth : Ar101C, Ar103C, Ar104C, Ar106C
Pro-polish : Ar101M, Ar103M, Ar104M, Ar106M
Polish: Ar101F, Ar103F, Ar104F, Ar106F



Micro Invasive Surgery Burs
微创手术用车针



4105A

BR-49 x 2, SR-41 x 2, SF-41, EX-41, TC-26,
CR-41, FG1/4, FG1/2, FG 1, FO-40EF

Extra Fine Diamond burs for polishing
特细粒度金刚砂抛光车针,高速



4106A

CR-11EF, BR-40EF, TC-27EF, TC-11EF, TF-12EF, TF-11EF,
FO-40EF, TR-11EF, FO-22EF, FO-21EF, FO-30EF, EX-21EF

Composite, Ceramics Finishing kit, FG
树脂成型(高速)



0302A

FL2-Fw x 3 ; CN1-Fw x 3
FL2-Fg x 3 ; CN1-Fg x 3

Composite, Ceramics Finishing kit, RA
树脂成型(低速)



0306A

FL2-Rw x 3 ; CN1-Rw x 3
FL2-Rg x 3 ; CN1-Rg x 3

White Stone Burs kit, FG
白车石(高速)



302F1

FL2-Fw x 2, CN1-Fw x 2, RD1-Fw x 2
RD2-Fw x 2, TC1-Fw x 2, IC2-Fw x 2

White Stone Burs kit, RA
白车石(低速)



306R1

FL2-Rw x 2, FL3-Rw x 2, CN1-Rw x 2,
RD1-Rw x 2, RD2-Rw x 2, TC1-Rw x 2 .

HP Kit to adjust Zirconia
氧化锆修整椅旁套装(HP)



Z31

ZF33, DY001EF to Smoothing
D203F for Pre-polishing ; D203EF for Polishing

HP Kit to adjust Lithium Disilicate
玻璃陶瓷修整椅旁套装(HP)



L31

ZF33, DY001EF to Smoothing
D203F for Pre-polishing ; D203UF for Polishing

Samples Collection
For Clinic Items

样品册



Flip-Cart Plastic Pages ;
Smart, Easily fill all burs ;
Economic and Recyclable ;
Nice-looking for showing to Customers ;
Convenient to take to anywhere .



No. 170B5

Empty Collection Wallet
样品本(不带车针)



4 Colors Available ,
100 holes per page,
5 pages per set,
Smart to FG or RA Burs



No. 1701D

Diamond Burs Collection Wallet
金刚石车针样品本



More than 300 specification ,
Diamond burs ,
FG, FG XL, FG 2XL,
FG Short, RA, RA Long



No. 1702T

Tungsten Carbide Collection Wallet
钨钢车针样品本



Nearly 200 specification ,
TC burs
FG, FG XL, FG Short, RA, RA Long
T & F Gold, Endo z etc.



No. 1703P

Polishing burs Collection Wallet
抛光器械样品本



Nearly 150 specifications ,
Silicon Rubber burs,
Diamond Abrasives & polishers,
Polishing brushes etc



Four Colors Available



Brown

Black

Blue

Yellow





深圳市永昌源科技开发有限公司公司

ShenzhenYongchangyuan Technology Development Co., Ltd

地址: 广东省深圳市龙岗区平湖街道辅城坳社区金城路4号盛通云谷C座3楼

Address : 3rd Floor, Block C, ShengTong YunGu, JinCheng Rd., FuChengAo,

PingHu, LongGang Distr., 518000, Shenzhen, Guangdong Province, China

网站(Web): www.kexinn.com ; 邮箱(Email): inof@kexinn.com

电话(Tel.): +86-755-89309291

手机(Mobile, Wechat, Whatsapp): +8613823370303 +8613149941313