

Qingdao Shuimu Induction Equipment Co.,Ltd

Add: C25-401, U-Valley, No.869, Rd Huaguan Qingdao, China 266112 Tel: +86-532-89980348E-mail: service@cmheat.com Web: [Http://www.cmheat.com](http://www.cmheat.com)

MYD PWHT Equipment for Rapid Preheat and PWHT (20-800KW)



MYD-20KW



MYD-40,60,80KW



MYD-200,400,600,800KW

Kinds of Induction coil:

- Blanket coil: weld joint Preheat
- Clamp coil: pipeline coating heating
- Soft cable coil: PWHT and thermal Assembly
- C-shape coil: Rotating Roll, Pipeline and tank
- Circle coil: Pipeline, Bearing, Gear, Motor, Roll, Coupling and Shaft
- Coil customization: As the metal parts size and heating required details
- Water cooling Soft cable coil or copper tube coil for higher temperature

Technical Data Sheet:

- Air cooling system
- Power size: 20-800KW
- Thermocouple: K Type
- Max Temperature: 900 °C
- Frequency Range: 3-15KHz
- Power supply: 340-420V 50/60Hz
- Induction heating equipment with soft cable coil

Main Features:

- Heating Curve
- Quick direct heat
- Uniform heat $\pm 1^{\circ}\text{C}$
- Energy Saving 30-80%
- Working conditions: $-10-50^{\circ}\text{C}$
- Rapid Connectors connection
- Temperature recorder to print



Qingdao Shuimu Induction Equipment Co.,Ltd

Add: C25-401, U-Valley, No.869, Rd Huaguan Qingdao, China 266112 Tel: +86-532-89980348E-mail: service@cmheat.com Web: [Http://www.cmheat.com](http://www.cmheat.com)

Applications:

-Thermal Assembly and Disassembly-Bearing,Gear, Motor, Roll, Coupling and Shaft

-Weld Preheat and PWHT - Pipeline, Pressure Vessel, Roll, Heavy Steel Structure, Shipbuilding, Onshore & Offshore Platform, Mining and Construction machinery

No.	10020	10040	10060	10080	10200	10400	10600	10800
Type	MYD-20KW	MYD-40KW	MYD-60KW	MYD-80KW	MYD-200KW	MYD-400KW	MYD-600KW	MYD-800KW
Soft Coil Length (Preheat /PWHT)	20m	25m	30m	40m	80m 2channels	100m 2channels	100m 3channels	100m 4channels
Blanket coil/Sleeve Length (300mm width for Preheat)	0.3-2m	0.3-4m	0.5-6m	0.5-6m	4-10m	4-20m	6-30m	8-40m
	1m*2pcs	1m*4pcs	1m*6pcs	1m*6pcs	2m*5pcs 2channels	2m*5pcs 2channels	2m*5pcs 3channels	2m*5pcs 4channels
Extent Cable for coil	5m				5m 2channels	5m 2channels	5m 3channels	5m 4channels
	10m				10m 2channels	10m 2channels	10m 3channels	10m 4channels
Thermocouple K type(Preheat /PWHT)	5m				5m 2channels	5m 2channels	5m 3channels	5m 4channels
	10m				10m 2channels	10m 2channels	10m 3channels	10m 4channels
Thermalcouple Extent cable	5m 2channels	5m 6channels			2pcs 5m*6channels	2pcs 5m*6channels	2pcs 5m*6channels	2pcs 5m*6channels
	10m 2channels	10m 6channels			2pcs 10m*6channels	2pcs 10m*6channels	2pcs 10m*6channels	2pcs 10m*6channels
Insulation Blanket (Preheat)	2000*400*2mm				2000*400*2mm	2000*400*2mm	2000*400*2mm	2000*400*2mm
Insulation Blanket (PWHT)	900*600*50mm				2000*600*50mm	2000*600*50mm	2000*600*50mm	2000*600*50mm
	1500*600*50mm							
	2000*600*50mm							
Power Cooling Way	Air cooling				Water cooling			
Coil Cooling Way	Air cooling				Air cooling			
Heating Power size and weight	60*32*40cm 36kg	58*84*109cm 106kg	58*84*109cm 115kg	58*84*109cm 135kg	97*80*120cm 198kg	97*80*120cm 216kg	97*80*120cm 235kg	97*80*120cm 260kg



Qingdao Shuimu Induction Equipment Co.,Ltd

Add: C25-401, U-Valley, No.869, Rd Huaguan Qingdao, China 266112 Tel: +86-532-89980348E-mail: service@cmheat.com Web: [Http://www.cmheat.com](http://www.cmheat.com)

MYD Induction heating accessories:



Soft cable coil



Blanket coil



Coil connector



Extent cable for coil



Thermocouple K



thermocouple connector 6pcs



Insulation blanket for preheat



Insulation blanket for PWHT



Magnetic Holders



Blanket coil Sleeve



Cable Sleeve



Chino recorder 6/12channels

Field Heating Samples:

Thermal Assembly and Disassembly-Bearing,Gear, Motor, Roll, Coupling and Shaft



Weld Preheat and PWHT - Pipeline, Pressure Vessel, Roll, Heavy Steel Structure, Shipbuilding, Onshore & Offshore Platform, Mining and Construction machinery



Web



Wechat



WhatsApp

