

HITECDAD


Reading Lamp for Project

2023 Version

www.hitecdad.com





Recessed Series 01



Cutout size : L130 x W40 x H50mm

Code : HTD-BH-001
Input : AC100~240V
LED : CREE XPE 1~3W
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120lm
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired or custom wall plug
Installation : Recessed into wall/headboard
Switch : Dock switch under head
Finish : Matt black, matt white, chrome, satin nickel
matt nickel, brushed brass, black bronze etc.




Cutout size : L130 x W40 x H50mm Unit:mm

Code : HTD-BH-006
Input : AC100~240V
LED : CREE XPE 1~3W
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120lm
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired or custom wall plug
Installation : Recessed into wall/headboard
Switch : Dock switch under head
Finish : Matt black, matt white, chrome, satin nickel
matt nickel, brushed brass, black bronze etc.




Recessed Series 02



Cutout size: L160 x W40 x H60mm Unit:mm

Code : HTD-BH-011
Input : AC100~240V
LED : CREE XPE 1~3W
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120lm
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired or custom wall plug
Installation : Recessed into wall/headboard
Switch : Metal push switch on plate
Finish : Matt black, matt white, chrome, satin nickel
matt nickel, brushed brass, black bronze etc.




Cutout size:L160xW40xH60mm Unit:mm

Code : HTD-BH-016
Input : AC100~240V
LED : CREE XPE 1~3W
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120lm
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired or custom wall plug
Installation : Recessed into wall/headboard
Switch : Metal push switch on plate
Finish : Matt black, matt white, chrome, satin nickel
matt nickel, brushed brass, black bronze etc.




Recessed Series 03



Cutout size : L130 x W40 x H42mm Unit:mm

Code : HTD-BH-002
Input : AC100~240V
LED : CREE XPE 1~3W
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120lm
USB Outle : 5V 2.1A fast charger
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired or custom wall plug
Installation : Recessed into wall/headboard
Switch : Dock switch under head
Finish : Matt black, matt white, chrome, satin nickel
matt nickel, brushed brass, black bronze etc.




Cutout size : L160 x W40 x H60mm Unit:mm

Code : HTD-BH-017
Input : AC100~240V
LED : CREE XPE 1~3W
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120lm
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired or custom wall plug
Installation : Recessed into wall/headboard
Switch : Metal push switch on plate
USB Outlet : 5V 2.1A fast charger
Finish : Matt black, matt white, chrome, satin nickel
matt nickel, brushed brass, black bronze etc.




Recessed Series 04



Cutout size : L95xW65 xH50mm Unit:mm

Code : HTD-BH-028
Input : AC100~240V
LED : CREE XPE 1~3W
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120lm
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired or custom wall plug
Installation : Recessed into wall/headboard
Switch : Metal push switch on plate
USB Outle : 5V 2.1A fast charger
Finish : Matt black, matt white, chrome, satin nickel
matt nickel, brushed brass, black bronze etc.



Cutout size : L155 x W55 x H40mm Unit:mm


Code : HTD-BH-035
Input : AC100~240V
LED : CREE XPE 1~3W
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120lm
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired or custom wall plug
Installation : Recessed into wall/headboard
Switch : Toggle switch on plate
USB Outle : 5V 2.1A fast charger
Finish : Matt black, matt white, chrome, satin nickel
matt nickel, brushed brass, black bronze etc.




Recessed Series 05



Code : HTD-BH-029
Input : AC100~240V
LED : CREE XPE 1~3W
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120lm
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired or custom wall plug
Installation : Recessed into wall/headboard
Switch : Toggle switch on plate
Finish : Matt black, matt white, chrome, satin nickel
matt nickel, brushed brass, black bronze etc.



Cutout size : L95 x W60 x H40mm Unit:mm



Cutout size : L155 x W55 x H40mm Unit:mm


Code : HTD-BH-034
Input : AC100~240V
LED : CREE XPE 1~3W
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120lm
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired or custom wall plug
Installation : Recessed into wall/headboard
Switch : Toggle switch on plate
Finish : Matt black, matt white, chrome, satin nickel
matt nickel, brushed brass, black bronze etc.



Recessed Series 06




Code : HTD-BH-030
Input : AC100~240V
LED : CREE XPE 1~3W
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120lm
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired or custom wall plug
Installation : Recessed into wall/headboard
Switch : Toggle switch on plate
Finish : Matt black, matt white, chrome, satin nickel
matt nickel, brushed brass, black bronze etc.



Cutout size : D70 x H50mm



Code : HTD-BH-059
Input : AC100~240V
LED : CREE XPE 1~3W
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120lm
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired or custom wall plug
Installation : Recessed into wall/headboard
Switch : Metal push switch on plate
Finish : Matt black, matt white, chrome, satin nickel
matt nickel, brushed brass, black bronze etc.





Cutout size : D50 x H50mm



Recessed Series 07




Code : HTD-BH-041
Input : AC100~240V
LED : CREE XPE 1~3W
CCT : 2700K/3000K/4000K **Switch**
Beam Angle : 30°or customized
Lumen : 120lm
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired or custom wall plug
Installation : Recessed into wall/headboard
Switch : Dock switch under head
Finish : Matt black, matt white, chrome, satin nickel
matt nickel, brushed brass, black bronze etc.




Cutout size : L150 x W55 x H45mm Unit:mm




Surfaced Series 08




Code : HTD-BH-019
Input : AC100~240V
LED : CREE XPE 1~3W
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120lm
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired or custom wall plug
Installation : Surface mounted
Switch : BJB Switch on plate
USB Outle : 5V 2.1A fast charger
Finish : Matt black, matt white, chrome, satin nickel
matt nickel, brushed brass, black bronze etc.





Code : HTD-BH-021
Input : AC100~240V
LED : CREE XPE 1~3W
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120lm
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired or custom wall plug
Installation : Surface mounted
Switch : BJB Switch on plate
Finish : Matt black, matt white, chrome, satin nickel
matt nickel, brushed brass, black bronze etc.



Sursaced Series 09




Code : HTD-BH-026
Input : AC100~240V
LED : CREE XPE 1~3W
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120lm
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired or custom wall plug
Installation : Surface mounted
Switch : Push switch on head
USB Outle : 5V 2.1A fast charger
Finish : Matt black,brushed brass ,chrome, satin nickel



Code : HTD-BH-027
Input : AC100~240V
LED : CREE XPE 1~3W
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120lm
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired or custom wall plug
Installation : Surface mounted
Switch : rocker switch on plate
Finish : Matt black, matt white, chrome, satin nickel matt nickel, brushed brass, black bronze etc.



Sursaced Series 10





Code : HTD-BH-063
Input : AC100~240V
LED : CREE XPE 1~3W
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120lm
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired or custom wall plug
Installation : Surface mounted
Switch : Slim rocker switch on plate
Finish : Matt black, matt white, chrome, satin nickel matt nickel, brushed brass, black bronze etc.





Backlight Series 11





Code : HTD-BH-064
Input : AC100~240V
LED : CREE XPE 1~3W / 6W SMD back mood
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120 lm for reading light
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired or custom wall plug
Installation : Surface mounted
Switch : Twin BJB switch on plate
USB Outlet : Twin 5V 2.1A fast charger
Finish : Matt black, matt white, chrome, wood grain, satin nickel, matt nickel, brushed brass, etc.



Backlight Series 12




Code : HTD-BH-066/067
Input : AC100~240V
LED : CREE XPE 1~3W / 6W SMD back mood
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120 lm for reading light
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired or custom wall plug
Installation : Surface mounted
Switch : Twin BJB switch on plate
Finish : Matt black, matt white, chrome, wood grain, satin nickel, matt nickel, brushed brass, etc.



Code : HTD-BH-070
Input : AC100~240V
LED : CREE XPE 1~3W
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120lm
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired or custom wall plug
Installation : Surface mounted
Switch : Twin BJB switch on plate
USB Outlet : 5V 2.1A fast charger
Finish : Matt black, matt white, chrome, satin nickel




Soft wand Series 13




Unit:mm
Cutout size : D40 x H50mm

Code : HTD-BH-050
Input : AC100~240V
LED : CREE XPE 1~3W
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120lm
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired
Installation : Recessed
Switch : No switch
Finish : Matt black, matt white, chrome, satin nickel, matt nickel, etc.



Unit:mm
Cutout size : D50 x H50mm

Code : HTD-BH-051
Input : AC100~240V
LED : CREE XPE 1~3W
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120lm
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired
Installation : Recessed
Switch : Metal push switch on plate
Finish : Matt black, matt white, chrome, satin nickel, matt nickel, etc.





Unit:mm

Code : HTD-BH-052
Input : AC100~240V
LED : CREE XPE 1~3W
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120lm
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired
Installation : Surface mounted
Switch : Toggle switch on plate
Finish : Matt black, matt white, chrome, satin nickel, matt nickel, etc.




Soft wand Series 14





Unit:mm
Cutout size : D40 x H50mm

Code : HTD-BH-054
Input : AC100~240V
LED : CREE XPE 1~3W
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120lm
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired
Installation : Recessed
Switch : No switch
Finish : Matt black, matt white, chrome, satin nickel, matt nickel, etc.



Unit:mm
Cutout size : D50 x H50mm

Code : HTD-BH-055
Input : AC100~240V
LED : CREE XPE 1~3W
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120lm
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired
Installation : Recessed
Switch : Metal push switch on plate
Finish : Matt black, matt white, chrome, satin nickel, matt nickel, etc.



Unit:mm

Code : HTD-BH-056
Input : AC100~240V
LED : CREE XPE 1~3W
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120lm
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired
Installation : Surface mounted
Switch : Toggle switch on plate
Finish : Matt black, matt white, chrome, satin nickel, matt nickel, etc.




Soft wand Series 15



Code : HTD-BH-057
Input : AC100~240V
LED : CREE XPE 1~3W
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120lm
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired
Installation : Surface mounted
Switch : Slim rocker switch on plate
Finish : Matt black, matt white, chrome, satin nickel, matt nickel, brushed brass, black bronze etc.

CE ⚡ F ⚡ IP20




Unit:mm



Code : HTD-BH-058
Input : AC100~240V
LED : CREE XPE 1~3W
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120lm
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired
Installation : Surface mounted
Switch : Toggle switch on plate
Finish : Matt black, matt white, chrome, satin nickel, matt nickel, brushed brass, black bronze etc.


CE ⚡ F ⚡ IP20



Unit:mm

Cutout size : L100x30 x30mm


Soft wand Series 16



Unit:mm

Code : HTD-BH-037
Input : AC100~240V
LED : CREE XPE 1~3W
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120lm
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired or custom wall plug
Installation : Surface mounted
Switch : BJB Switch on plate
Finish : Brushod brass,black bronze etc

CE ⚡ F ⚡ IP20 90° 350°



Unit:mm

Code : HTD-BH-049 /050
Input : AC100~240V
LED : CREE XPE 1~3W
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120lm
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired
Installation : Surface mounted
Switch : BJB Switch on plate
Finish : Matt black, matt white, chrome,satin nickel, matt nickel, brushed brass, black bronze etc.
USB Outle : 5V 2.1A fast charger



CE ⚡ F ⚡ IP20

Soft wand Series 17

Soft wand Series 18




HTD-BH-042




HTD-BH-043

Code : HTD-BH-042/043
Input : AC100~240V
LED : CREE XPE 1~3W
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120lm
Mood Light : 1x E27 lamp max 40W
Shade : Fabric TBA
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired
Installation : Surface mounted
Switch : Single metal push switch on plate
Finish : Chrome, satin nickel,
black chrome, etc.
CE ⚡ F ⚡ IP20




HTD-BH-042

Unit:mm




HTD-BH-043



Unit:mm


Code : HTD-BH-046
Input : AC100~240V
LED : CREE XPE 1~3W
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120lm
Mood Light : 1x E27 lamp max 40W
Shade : Fabric TBA
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired
Installation : Surface mounted
Switch : Single rocker switch for Reading
Finish : Chrome, satin nickel,
black chrome, etc.

CE ⚡ F ⚡ IP20



Unit:mm

HTD-BH-061




Unit:mm

HTD-BH-062

Code : HTD-BH-061/062
Input : AC100~240V
LED : CREE XPE 1~3W
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120lm
Mood Light : 1x E27 lamp max 40W
Shade : Fabric TBA
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired
Installation : Surface mounted
Finish : Chrome, satin nickel,
black chrome, etc.

CE ⚡ F ⚡ IP20 90° 350°

Wall Shelf Series 19



Unit:mm

Code : HTD-BH-065
Input : AC100~240V
LED : CREE XPE 1~3W / 6W SMD back mood
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120 lm for reading light
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired or custom wall plug
Installation : Surface mounted
Switch : Round rocker switch on plate
USB Outlet : Twin 5V 2.1A fast charger
Shelf : 5V 1A Wireless charger
Finish : Matt black, matt white, chrome, wood grain, satin nickel, matt nickel, brushed brass, etc.



INTIMATE DESIGN, TWO-WAY OPTIONAL



left



right

Wall Shelf Series 20




Wall Shelf Series 21



Code : HTD-BH-071
Input : AC100~240V
LED : CREE XPE 1~3W
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120lm
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired or custom wall plug
Installation : Recessed into wall/headboard
Switch : Metal push switch on plate
 BJB switch on plate
USB Outlet : 5V 2.1A fast charger
Finish : Matt black, matt white, chrome, satin nickel




Wall Shelf Series 22



Code : HTD-BH-072
Input : AC100~240V
LED : CREE XPE 1~3W
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120lm
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired or custom wall plug
Installation : Recessed into wall/headboard
Switch : Metal push switch on plate
 Twin BJB switch on plate
USB Outlet : 5V 2.1A fast charger
Finish : Matt black, matt white, chrome, satin nickel




Wall Shelf Series 23




Code : HTD-BH-073
Input : AC100~240V
LED : CREE XPE 1~3W
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120lm
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired or custom wall plug
Installation : Recessed into wall/headboard
Switch : Metal push switch on plate
 Push switch on head
USB Outlet : 5V 2.1A fast charger
Finish : Matt black, matt white, chrome, satin nickel
Wireless charger : 5W on shelf

CE    IP20  90°  350° 



Wall Shelf Series 24



Code : HTD-BH-074
Input : AC100~240V
LED : CREE XPE 1~3W
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120lm
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired or custom wall plug
Installation : Surface mounted
Switch : Metal push switch on plate
 Touch sensor switch is available
USB Outlet : 5V 2.1A fast charger
Finish : Matt black, matt white, chrome, satin nickel

CE    IP20  90°  350° 



Wall Shelf Series 25



Code : HTD-BH-075

Input : AC100~240V

LED : CREE XPE 1~3W

CCT : 2700K/3000K/4000K

Beam Angle : 30° or customized

Lumen : 120lm

Driver : UL/SAA/TUV/CE listed


Plug : Hard wired or custom wall plug

Installation : Recessed into wall/headboard


Switch : Metal push switch on plate
Twin BJB switch on plate

USB Outlet : 5V 2.1A fast charger


Finish : Matt black, matt white, chrome, satin nickel




Main View



Side View



Wall Shelf Series 26



Collection Series 27



W:150MM S:210MM H:245MM

Code : HTD-CL-W01
Input : AC100~240V
LED : CREE XPE 1~3W
Lamp : E27 Max 60W
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120lm
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired or custom wall plug
Installation : Surface Mounted
Switch : Twin Rocker Switch
Material: stainless steel lamp body
 +Linen fabric shade

CE ⚡ F IP20



D:240MM H:500MM

Code : HTD-CL-T01
Input : AC100~240V
LED : CREE XPE 1~3W
Lamp : E27 Max 60W
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120lm
Driver : UL/SAA/TUV/CE listed
Plug : EU/US/UK etc. wall plug lead
Installation : Recessed into wall/headboard
Switch : Twin rocker switch on base
Finish : Bright polished or custom make
Material: stainless steel lamp body
 +Linen fabric shade

CE ⚡ F IP20 90° 350°

Collection Series 28



Code : HTD-CL-F01
Input : AC100~240V
LED : CREE XPE 1~3W
Lamp : 2700K/3000K/4000K
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120lm
Driver : UL/SAA/TUV/CE listed
Plug : EU/US/UK etc. wire lead wall plug
Installation : Recessed into wall/headboard
Switch : Foot switch in line
Finish : Bright polished or custom make
Material: stainless steel lamp body
 +Linen fabric shade

CE ⚡ F IP20

D:320MM H:1550MM



Collection Series 29



Code : HTD-CL-W02
Input : AC100~240V
Lamp : E27 Max 60W
Plug : Hard wired or custom wall plug
Installation : Surface Mounted
Switch : Rocker Switch on plate
Finish : Bright polished or custom make
Material: stainless steel lamp body
+Linen fabric shade



W:180MM L:190MM H:330MM




Code : HTD-CL-T02
Input : AC100~240V
Lamp : E27 Max 60W
Plug : EU/US/UK etc. wire lead wall plug
Switch : on/off switch in line
Finish : Bright polished or custom make
Material: stainless steel lamp body
+Linen fabric shade



W:180MM L:120MM H:500MM

Collection Series 30



Code : HTD-CL-F02
Input : AC100~240V
Plug : EU/US/UK etc. wire lead wall plug
Switch : Foot switch in line
Finish : Bright polished or custom make
Material: stainless steel lamp body
+Linen fabric shade



W:300MM L:180MM H:1500MM



Collection Series 31



Code : HTD-CL-W03
Input : AC100~240V
LED : CREE XPE 1~3W
Lamp: E27 Max 60W
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120lm
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired or custom wall plug
Installation : Surface Mounted
Switch : Twin Rocker Switch on plate
Finish : Bright polished or other custom make color
Material: stainless steel lamp body
 +Linen fabric shade

CE ⚡ ⚠ ⏚ IP20

W:250MM L:150MM H:360MM



Code : HTD-CL-T03
Input : AC100~240V
LED : CREE XPE 1~3W
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120lm
Driver : UL/SAA/TUV/CE listed
Plug : EU/US/UK etc. wire lead wall plug
Switch : Twin Rocker Switch on base
Finish : Bright polished or other custom make color
Material: stainless steel lamp body
 +Linen fabric shade

CE ⚡ ⚠ ⏚ IP20

W:250MM L:150MM H:500MM

Collection Series 32



Code : HTD-CL-F03
Input : AC100~240V
LED : CREE XPE 1~3W
Lamp : E27 Max 60W
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120lm
Driver : UL/SAA/TUV/CE listed
Plug : EU/US/UK etc. wire lead wall plug
Switch : Foot switch in line
Finish : Bright polished or other custom make color
Material: stainless steel lamp body
 +Linen fabric shade

CE ⚡ ⚠ ⏚ IP20

W:380MM L:230MM H:1550MM



Collection Series 33



Code : HTD-CL-W04
Input : AC100~240V
Lamp: E27 Max 60W
Plug : Hard wired or custom wall plug
Installation : Surface Mounted
Switch : Rocker Switch on plate
Finish : Bright polished or other custom make color
Material: stainless steel lamp body
+Linen fabric shade

CE ⚡ F ⚡ IP20

W:150MM S:210MM H:245MM



Code : HTD-CL-T04
Input : AC100~240V
Lamp : E27 Max 60W
Plug : EU/US/UK etc. wire lead wall plug
Switch : Rocker Switch on base
Finish : Bright polished or other custom make color
Material: stainless steel lamp body
+Linen fabric shade

CE ⚡ F ⚡ IP20

D:240MM H:500MM

Collection Series 34



Code : HTD-CL-F04
Input : AC100~240V
Lamp : E27 Max 60W
Plug : EU/US/UK etc. wire lead wall plug
Switch : Foot switch in line
Finish : Bright polished or custom make color
Material: stainless steel lamp body
+Linen fabric shade

CE ⚡ F ⚡ IP20

D:320MM H:1550MM



Fabric Shade Series 35



Code : HTD-BH-81
Input : AC100~240V
Lamp : E26/E27/B22 Max 60W
Plug : Hard wired or custom wall plug
Installation : Surface Mounted
Switch : Rocker Switch on plate
Material: stainless steel lamp body
 +beige linen Shade

CE ⚡ F ⚡ IP20



Code : HTD-BH- 82
Input : AC100~240V
LED : CREE XPE 1~3W
Lamp : E26/E27/B22 Max 60W
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120lm
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired or custom wall plug
Installation : Surface Mounted
Switch : Twin Rocker Switch on plate
Material: stainless steel lamp body
 +beige linen Shade

CE ⚡ F ⚡ IP20

Fabric Shade Series 36



Code : HTD-BH-83
Input : AC100~240V
Lamp : E26/E27/B22 Max 60W
Plug : Hard wired or custom wall plug
Installation : Surface Mounted
Switch : No Switch
Material: stainless steel lamp body
 +Linen fabric shade

CE ⚡ F ⚡ IP20



Code : HTD-BH-84
Input : AC100~240V
LED : CREE XPE 1~3W
Lamp : E26/E27/B22 Max 60W
CCT : 2700K/3000K/4000K
Beam Angle : 30°or customized
Lumen : 120lm
Driver : UL/SAA/TUV/CE listed
Plug : Hard wired or custom wall plug
Installation : Surface Mounted
Switch : Twin Rocker Switch on plate
USB Outlet : 5V 2.1A fast charger
Material: stainless steel lamp body
 +Linen fabric shade

CE ⚡ F ⚡ IP20

Fabric Shade Series 37



Code : HTD-BH-85
Input : AC100~240V
Lamp : E27 Max 40W
Plug : Hard wired or custom wall plug
Installation : Surface Mounted
Switch : Chain Pull Switch
Finish : Bright polished
Material: stainless steel lamp body
 +Glass Shade

CE
 

 IP20



Code : HTD-BH-86
Input : AC100~240V
Lamp : E27 Max 40W
Plug : Hard wired or custom wall plug
Installation : Surface Mounted
Switch : Chain Pull Switch
Finish : Bright polished
Material: stainless steel lamp body
 +Glass Shade

CE
 

 IP20

Fabric Shade Series 38

