



Guangzhou JunChen Display Technology Co.,Ltd

Address:303A, No.6-2 ,Yagang Middle Road, ShiMen Street, Baiyun District Guangzhou City, Guangdong Province, China.

Contact: Eileen Tel/whatsapp/Mob:+86 199 2759 1662 Webiste:www.jcdisplay.com

Proforma Invoice

Invoice No.:CJ25082616
Date:2025.08.26

Bill To:

Address:

Contact:

Email:

Item	Picture	Description	Unit price (USD)	Quantity (pcs/set)	Total amount (USD)
1		p2.5 Taxi led screen King Light 3840hz 960*320mm Cabinet resolution: 384*128 Including GPS, Wi-Fi, and 4G functions.	\$:929/set	1pcs	\$:929
2		wooden case (free for printing logo)	\$:60	1pcs	\$:60
3	Free spare parts	1.10pcs IC 2.50pcs LEDs			
4	Freight fees				\$:
5	Trade term	EXW		TOTAL	\$: 989

Notes:

- 1.Warranty: 3 years , free spare parts & free technical support
- 2.Lead time: 12 days after initial payment deposited
- 3.Payment term: 30% T/T for deposit,70% T/T balance before shipment
- 4.Payment method: TT, Western Union
- 5.Certificates:ISO, CE, Rosh
- 6.Package: flight case/wooden case/carton box

T/T Bank Information: (For USD/ERU)

Beneficiary's Name: Guangzhou JunChen Display Technology Co.,LTD

Beneficiary Address: 18/F, 20/F, 22-29/F, CHATER HOUSE, 8 CONNAUGHT ROAD CENTRAL, HONG KONG

Bank Name: JPMorgan Chase Bank N.A., Hong Kong Branch

Account No: 63007959364

BIC/SWIFT: CHASHKHH (CHASHKHHXXX * If 11 characters are required)



Item	LED Display Specifications		Cabine Pictures
1	Pixel pitch	2.5mm	
2	Package mode	SMD1921	
3	Cabinet size	960x320mm	
4	Overall Size	1036(L)*386(H)*139(W)mm	
5	Pixel resolution	384*128 *2side	
6	Pixel density	160000dots/m2	
7	Cabinet Weight	18kg	
8	Brightness	≥4500nits	
9	Ave.Power (≤W/ set)	100W	
10	Max.Power (≤W/set)	350W	
11	Cabinet		
12	Cabinet Material	Aluminum/Metal Cabinet	
13	Cabinet Color	Black/White	
14	Power supply and wire		
15	With over-current, over-voltage protection and reverse connection protection function		
16	Input Voltage	DC 9 ~ 36V	
17	Output Voltage	DC 5V	
18	Wire	5m Pure copper cable	
19	Control mode		
20	Control system	Android+4G+API+WiFi+GPS+8GB Flash	
21	Control Mode	4G wireless transmission	
22	Supported Formats	JPG、GIF、BMP、WMF、MP4	
23	Product Performance		
24	Life span	≥100,000 hours	
25	IP rating(Front/Rear)	IP65	
26	View Angle	160°(W) 140°(H)	
27	Temperature-operating	-35°C~+85°C	
28	Humidity-operating	10%-95%	
29	Protective Performance	Dust against, moisture against, high temperature against , anti-static and anti	