TaixunPOS
Since 2007,POS Machine Manufacturer



TX-A1503KDS

15-32 inch Kitchen Display System

FANLESS
Silent Cooling Design


Aluminum Alloy Body

15–32-inch
multi-screen options available

Built for KDS

Liquid-Proof Housing

CE RoHS FC






·All-aluminum enclosure, fanless, anti-static KDS



·Fully Enclosed Design Without Vent Holes
Waterproof & Dustproof



·24/7 Non-stop Operation for Commercial Kitchens



Standard VESA Mount
Flexible Installation & Space-saving

APPLCATION


Model Name	TX-A1503KDS	
Processors	Intel® N95(6M Cache, up to 3.40 GHz)	Intel® Core™ i3-1215U(10M Cache, up to 4.40 GHz) Intel® Core™ i5-1235U(12M Cache, up to 4.40 GHz)
Memory	8GB Standard, DDR4 SO-DIMM, 2666MHz(Max.32GB)	
Storage	256GB Standard,M.2 KEY-M 2280(SATA3.0&NVME) (Max.1TB)	
Operating Systems	Windows 10/Windows 11/Linux	
LCD	15" TFT LCD	
Resolution	1024*768	
Brightness	350 cd/m²	
Touch	Multi-point Projected Capacitive Touch Screen	
Speaker	2 x 2W(Stereo)	
COM	2x RS232	
USB	2x USB3.0 4x USB 2.0	
LAN	1 x Realtek® 1Gbps PCIe Ethernet Controller, RJ45	
VGA	1x HDMI	
Audio	1 x Line-out&Mic-in 2-in-1	
Power	1 x 12V Power Input Connector	
Peripherals	Fingerprint Reader(USB)	
	Dallas i-Button Reader(USB)	
	Magnetic Stripe Reader(USB,Support 1&2&3 Track)	
Housing Material	Aluminum Die Casting Alloys	
VESA Compatibility	75*75mm	
Color	Black	

I/O port

COM*2, DC*1, HDMI, VGA, USB 2.0*4, USB3.0*2, LAN, Audio



Dimension



Contact Us
+86 13549227108
info@taixunpos.com
www.taixunpos.com