


# AF66




## 3 LEVEL FLAME 680MM INSERT

|                         |                                   |
|-------------------------|-----------------------------------|
| Flame height regulation | 3 stages                          |
| Tank capacity           | 7.8 L                             |
| Maximum operation time  | 26 hours                          |
| Remote Control          | YES                               |
| Fuel                    | 95% Bioethanol                    |
| Power supply            | 100-240V, 50 Hz                   |
| Max Output              | 3750 Watts                        |
| Finish                  | Black Electroplate Finish         |
| Top Plate               | 3mm Thickness 304 Stainless Steel |



Housing Size:




In: mm  
[inch]

# AF80




## 3 LEVEL FLAME 820MM INSERT

|                         |                                   |
|-------------------------|-----------------------------------|
| Flame height regulation | 3 stages                          |
| Tank capacity           | 10 L                              |
| Maximum operation time  | 25 hours                          |
| Remote Control          | YES                               |
| Fuel                    | 95% Bioethanol                    |
| Power supply            | 100-240V, 50 Hz                   |
| Max Output              | 4250 Watts                        |
| Finish                  | Black Electroplate Finish         |
| Top Plate               | 3mm Thickness 304 Stainless Steel |



Housing Size:



In: mm  
[inch]




# AF90




## 3 LEVEL FLAME 920MM INSERT

|                         |                                   |
|-------------------------|-----------------------------------|
| Flame height regulation | 3 stages                          |
| Tank capacity           | 12 L                              |
| Maximum operation time  | 23 hours                          |
| Remote Control          | YES                               |
| Fuel                    | 95% Bioethanol                    |
| Power supply            | 100-240V, 50 Hz                   |
| Max Output              | 5200 Watts                        |
| Finish                  | Black Electroplate Finish         |
| Top Plate               | 3mm Thickness 304 Stainless Steel |




Housing Size:




In: mm  
[inch]

# AF 100




## 3 LEVEL FLAME 1020MM INSERT

|                         |                                   |
|-------------------------|-----------------------------------|
| Flame height regulation | 3 stages                          |
| Tank capacity           | 13.5 L                            |
| Maximum operation time  | 22 hours                          |
| Remote Control          | YES                               |
| Fuel                    | 95% Bioethanol                    |
| Power supply            | 100-240V, 50 Hz                   |
| Max Output              | 6200 Watts                        |
| Finish                  | Black Electroplate Finish         |
| Top Plate               | 3mm Thickness 304 Stainless Steel |



Housing Size:



In: mm  
[inch]




# AF 120




## 3 LEVEL FLAME 1220MM INSERT

|                         |                                   |
|-------------------------|-----------------------------------|
| Flame height regulation | 3 stages                          |
| Tank capacity           | 16 L                              |
| Maximum operation time  | 21hours                           |
| Remote Control          | YES                               |
| Fuel                    | 95% Bioethanol                    |
| Power supply            | 100-240V, 50 Hz                   |
| Max Output              | 7500 Watts                        |
| Finish                  | Black Electroplate Finish         |
| Top Plate               | 3mm Thickness 304 Stainless Steel |



Housing Size:




In: mm  
[inch]

# AF 150




## 3 LEVEL FLAME 1520MM INSERT

|                         |                                   |
|-------------------------|-----------------------------------|
| Flame height regulation | 3 stages                          |
| Tank capacity           | 19.5 L                            |
| Maximum operation time  | 20 hours                          |
| Remote Control          | YES                               |
| Fuel                    | 95% Bioethanol                    |
| Power supply            | 100-240V, 50 Hz                   |
| Max Output              | 9000 Watts                        |
| Finish                  | Black Electroplate Finish         |
| Top Plate               | 3mm Thickness 304 Stainless Steel |



Housing Size:

In: mm  
[inch]







# AF 180



## 3 LEVEL FLAME 1820MM INSERT

|                         |                                   |
|-------------------------|-----------------------------------|
| Flame height regulation | 3 stages                          |
| Tank capacity           | 23 L                              |
| Maximum operation time  | 19 hours                          |
| Remote Control          | YES                               |
| Fuel                    | 95% Bioethanol                    |
| Power supply            | 100-240V, 50 Hz                   |
| Max Output              | 10500 Watts                       |
| Finish                  | Black Electroplate Finish         |
| Top Plate               | 3mm Thickness 304 Stainless Steel |



In: mm  
[inch]

Housing Size: