



METAL DRAWER BOX

A

骑马抽系列

PAGE - 012-037



Today, with the rapid development of hardware industry, the home furnishing market put forward higher requirement for the hardware.

Aosite always stand in a new industry perspective, using excellent and innovative technology to build the new hardware quality standard.

超薄款骑马抽


SLIM DRAWER BOX T-UP11 86mm



主要材质:镀锌钢板
最大承重:40kg
滑轨厚度:1.5*1.5*1.8mm
产品功能:静音效果,内置缓冲装置使抽屉关闭轻柔安静

Main material: Galvanized steel
Loading capacity: 40kg
Thickness: 1.5*1.5*1.8mm
Product Features: Silent system.The built-in damper makes the door close gentle and quietly

产品信息/ Product information



订购编号/ Model: T-UP11

A 滑轨 / Drawer slide L/R
承重: 40kg/ Loading capacity: 40kg
规格 / NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm



B 侧帮 / Side wall L/R
2种颜色 - Two colors
规格 / NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm



C 后接码 / Back panel connector L/R
2种颜色 - Two colors



E 前接码 / Front connector




AOSITE®


METAL DRAWER BOX
骑马抽系列

A


安装/ Mounting




轨道安装尺寸/ Drawer slide installation dimensions



背/底板裁切尺寸/ Cutting dimensions



所需空间/ Space required



超薄款骑马抽


SLIM DRAWER BOX T-UP22 118mm



主要材质:镀锌钢板
最大承重:40kg
滑轨厚度:1.5*1.5*1.8mm
产品功能: 静音效果, 内置缓冲装置使抽屉关闭轻柔安静

Main material: Galvanized steel
Loading capacity: 40kg
Thickness: 1.5*1.5*1.8mm
Product Features: Silent system.The built-in damper makes the door close gentle and quietly

产品信息/ Product information



订购编号/ Model: T-UP22

A 滑轨 / Drawer slide L/R
承重: 40kg/ Loading capacity: 40kg
规格 / NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm



B 侧帮 / Side wall L/R
2种颜色 - Two colors
规格 / NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm



C 后接码 / Back panel connector L/R
2种颜色 - Two colors



E 前接码 / Front connector




AOSITE®

METAL DRAWER BOX
骑马抽系列


A

安装/ Mounting


柜体所需空间
Cabinet space requirements




前接码面板安装尺寸
Front connector panel installation dimensions





面板钻孔尺寸
Front panel drilling dimensions




背板安装尺寸
Back panel installation dimensions




轨道安装尺寸/ Drawer slide installation dimensions



背/底板裁切尺寸/ Cutting dimensions



所需空间/ Space required



超薄款骑马抽


SLIM DRAWER BOX T-UP33 167mm



主要材质:镀锌钢板
最大承重:40kg
滑轨厚度:1.5*1.5*1.8mm
产品功能: 静音效果, 内置缓冲装置使抽屉关闭轻柔安静

Main material: Galvanized steel
Loading capacity: 40kg
Thickness: 1.5*1.5*1.8mm
Product Features: Silent system.The built-in damper makes the door close gentle and quietly

产品信息/ Product information



订购编号/ Model: T-UP33

A 滑轨 / Drawer slide L/R
承重: 40kg/ Loading capacity: 40kg
规格 / NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm

B 侧帮 / Side wall L/R
2种颜色 - Two colors
规格 / NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm

C 后接码 / Back panel connector L/R
2种颜色 - Two colors


E 前接码 / Front connector

AOSITE®


METAL DRAWER BOX
骑马抽系列

A


安装/ Mounting




轨道安装尺寸/ Drawer slide installation dimensions



背/底板裁切尺寸/ Cutting dimensions



所需空间/ Space required



超薄款骑马抽


SLIM DRAWER BOX T-UP44 199mm



主要材质:镀锌钢板
最大承重:40kg
滑轨厚度:1.5*1.5*1.8mm
产品功能: 静音效果, 内置缓冲装置使抽屉关闭轻柔安静

Main material: Galvanized steel
Loading capacity: 40kg
Thickness: 1.5*1.5*1.8mm
Product Features: Silent system.The built-in damper makes the door close gentle and quietly

产品信息/ Product information



订购编号/ Model: T-UP44

A 滑轨 / Drawer slide L/R
承重: 40kg/ Loading capacity: 40kg
规格 / NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm



B 侧帮 / Side wall L/R
2种颜色 - Two colors
规格 / NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm



C 后接码 / Back panel connector L/R
2种颜色 - Two colors



E 前接码 / Front connector




AOSITE®


METAL DRAWER BOX
骑马抽系列

A


安装/ Mounting




轨道安装尺寸/ Drawer slide installation dimensions



背/底板裁切尺寸/ Cutting dimensions



所需空间/ Space required



豪华款骑马抽 (圆杆)


METAL DRAWER BOX (ROUND BAR) H-UP11 84mm



主要材质:镀锌钢板
最大承重:40kg
滑轨厚度:1.5*1.5*1.8mm
产品功能: 静音效果, 内置缓冲装置使抽屉关闭轻柔安静

Main material: Galvanized steel
Loading capacity: 40kg
Thickness: 1.5*1.5*1.8mm
Product Features: Silent system.The built-in damper makes the door close gentle and quietly

产品信息/ Product information



订购编号/ Model: H-UP11

A 滑轨 / Drawer slide L/R
承重: 40kg/ Loading capacity: 40kg
规格 / NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm



B 侧帮 / Side wall L/R
四种颜色 - Four colors
规格 / NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm



C 后接码 / Back panel connector L/R
四种颜色 - Four colors



E 前接码 / Front connector




AOSITE®


METAL DRAWER BOX
骑马抽系列

A


安装/ Mounting




轨道安装尺寸/ Drawer slide installation dimensions



背/底板裁切尺寸/ Cutting dimensions



所需空间/ Space required



豪华款骑马抽 (圆杆)


METAL DRAWER BOX (ROUND BAR) H-UP55 135mm



主要材质: 镀锌钢板
最大承重: 40kg
滑轨厚度: 1.5*1.5*1.8mm
产品功能: 静音效果, 内置缓冲装置使抽屉关闭轻柔安静

Main material: Galvanized steel
Loading capacity: 40kg
Thickness: 1.5*1.5*1.8mm
Product Features: Silent system. The built-in damper makes the door close gentle and quietly

产品信息 / Product information



订购编号 / Model: H-UP55

- A** 滑轨 / Drawer slide L/R
承重: 40kg / Loading capacity: 40kg
规格 / NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm
- B** 侧帮 / Side wall L/R
四种颜色 - Four colors
规格 / NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm
- C** 后接码 / Back panel connector L/R
四种颜色 - Four colors


- E** 前接码 / Front connector
- 侧圆加高杆 / Side round railings
四种颜色 - Four colors
规格 / NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm
- N**

AOSITE®


METAL DRAWER BOX
骑马抽系列

A


安装 / Mounting




轨道安装尺寸 / Drawer slide installation dimensions



背/底板裁切尺寸 / Cutting dimensions



所需空间 / Space required



豪华款骑马抽 (圆杆)


METAL DRAWER BOX (ROUND BAR) H-UP66 167mm



主要材质: 镀锌钢板
最大承重: 40kg
滑轨厚度: 1.5*1.5*1.8mm
产品功能: 静音效果, 内置缓冲装置使抽屉关闭轻柔安静

Main material: Galvanized steel
Loading capacity: 40kg
Thickness: 1.5*1.5*1.8mm
Product Features: Silent system. The built-in damper makes the door close gentle and quietly

产品信息 / Product information



订购编号 / Model: H-UP66

- A** 滑轨 / Drawer slide L/R
承重: 40kg / Loading capacity: 40kg
规格 / NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm
- B** 侧帮 / Side wall L/R
四种颜色 - Four colors
规格 / NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm
- C** 后接码 / Back panel connector L/R
四种颜色 - Four colors


- E** 前接码 / Front connector
- 侧圆加高杆 / Side round railings
四种颜色 - Four colors
规格 / NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm
- N**

AOSITE®


METAL DRAWER BOX
骑马抽系列

A


安装 / Mounting




轨道安装尺寸 / Drawer slide installation dimensions



背/底板裁切尺寸 / Cutting dimensions



所需空间 / Space required



豪华款骑马抽 (圆杆)

METAL DRAWER BOX (ROUND BAR) H-UP77B 199mm



主要材质: 镀锌钢板
最大承重: 40kg
滑轨厚度: 1.5*1.5*1.8mm
产品功能: 静音效果, 内置缓冲装置使抽屉关闭轻柔安静

Main material: Galvanized steel
Loading capacity: 40kg
Thickness: 1.5*1.5*1.8mm
Product Features: Silent system. The built-in damper makes the door close gentle and quietly


AOSITE®

METAL DRAWER BOX
骑马抽系列


A

安装 / Mounting


柜体所需空间
Cabinet space requirements




前接码面板安装尺寸
Front connector panel installation dimensions




面板钻孔尺寸
Front panel drilling dimensions




背板安装尺寸
Back panel installation dimensions




轨道安装尺寸 / Drawer slide installation dimensions




背/底板裁切尺寸 / Cutting dimensions



所需空间 / Space required



产品信息 / Product information



订购编号 / Model: H-UP77B

- A** 滑轨 / Drawer slide L/R
承重: 40kg / Loading capacity: 40kg
规格 / NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm
- B** 侧帮 / Side wall L/R
四种颜色 - Four colors
规格 / NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm
- C** 后接码 / Back panel connector L/R
四种颜色 - Four colors

- E** 前接码 / Front connector
- 侧圆加高杆 / Side round railingsx2
四种颜色 - Four colors
规格 / NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm
- N**

豪华款骑马抽(方杆)


METAL DRAWER BOX (SQUARD BAR) H-UP11 84mm



主要材质:镀锌钢板
最大承重:40kg
滑轨厚度:1.5*1.5*1.8mm
产品功能: 静音效果, 内置缓冲装置使抽屉关闭轻柔安静

Main material: Galvanized steel
Loading capacity: 40kg
Thickness: 1.5*1.5*1.8mm
Product Features: Silent system.The built-in damper makes the door close gentle and quietly

产品信息/ Product information



订购编号/ Model: H-UP11

A

滑轨 / Drawer slide L/R

承重: 40kg/ Loading capacity: 40kg

规格 / NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm



B

侧帮 / Side wall L/R

四种颜色 - Four colors

规格 / NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm



C

后接码 / Back panel connector L/R

四种颜色 - Four colors



E

前接码 / Front connector




AOSITE®

METAL DRAWER BOX
骑马抽系列


A

安装/ Mounting


柜体所需空间
Cabinet space requirements




前接码面板安装尺寸
Front connector panel installation dimensions



面板钻孔尺寸
Front panel drilling dimensions



背板安装尺寸
Back panel installation dimensions



轨道安装尺寸/ Drawer slide installation dimensions

270

300


350

400


450

500

550




柜子前沿
The cabinet front




外置抽屉
Drawer

NL: 标称长度
Nominal length

背/底板裁切尺寸/ Cutting dimensions




后背板
Back panel



底板
Bottom panel

木底板
Wood
NL-24mm




KB: 柜体宽度 / Cabinet width

LW: 柜体净宽 / Internal cabinet width

NL: 标称长度 / Nominal length

所需空间/ Space required



豪华款骑马抽(方杆)


METAL DRAWER BOX (SQUARD BAR) H-UP22 135mm



主要材质:镀锌钢板
最大承重:40kg
滑轨厚度:1.5*1.5*1.8mm
产品功能: 静音效果, 内置缓冲装置使抽屉关闭轻柔安静

Main material: Galvanized steel
Loading capacity: 40kg
Thickness: 1.5*1.5*1.8mm
Product Features: Silent system.The built-in damper makes the door close gentle and quietly

产品信息/ Product information



订购编号/ Model: H-UP22

- A** 滑轨 / Drawer slide L/R
承重: 40kg/ Loading capacity: 40kg
规格 / NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm
- B** 侧帮 / Side wall L/R
四种颜色 - Four colors
规格 / NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm
- C** 后接码 / Back panel connector L/R
四种颜色 - Four colors


- E** 前接码 / Front connector
- 方加高杆 / Side rectangular railings
四种颜色 - Four colors
规格 / NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm
- M**

AOSITE®


METAL DRAWER BOX
骑马抽系列

A


安装/ Mounting




轨道安装尺寸/ Drawer slide installation dimensions



背/底板裁切尺寸/ Cutting dimensions



所需空间/ Space required



豪华款骑马抽(方杆)


METAL DRAWER BOX (SQUARD BAR) H-UP33 167mm



主要材质:镀锌钢板
最大承重:40kg
滑轨厚度:1.5*1.5*1.8mm
产品功能: 静音效果, 内置缓冲装置使抽屉关闭轻柔安静

Main material: Galvanized steel
Loading capacity: 40kg
Thickness: 1.5*1.5*1.8mm
Product Features: Silent system.The built-in damper makes the door close gentle and quietly

产品信息/ Product information



订购编号/ Model: H-UP33

- A** 滑轨 / Drawer slide L/R
承重: 40kg/ Loading capacity: 40kg
规格 / NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm
- B** 侧帮 / Side wall L/R
四种颜色 - Four colors
规格 / NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm
- C** 后接码 / Back panel connector L/R
四种颜色 - Four colors


- E** 前接码 / Front connector
- 方加高杆 / Side rectangular railings
四种颜色 - Four colors
规格 / NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm
- M**

AOSITE®


METAL DRAWER BOX
骑马抽系列

A


安装/ Mounting




轨道安装尺寸/ Drawer slide installation dimensions




背/底板裁切尺寸/ Cutting dimensions



所需空间/ Space required



METAL DRAWER BOX (SQUARD BAR) H-UP44A 199mm



E 前接码 / Front connector

方加高杆 / Side rectangular railings x 2
 四种颜色 - Four colors

M 规格 / NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm



The figure consists of four technical drawings illustrating the installation requirements for the front panel:

- 柜体所需空间 (Cabinet space requirements):** Shows the minimum height of the cabinet opening required for the front panel. The total height is 224 mm, with a minimum clearance of 199 mm above the panel and 49 mm below it. The panel itself is 33 mm high.
- 前接码面板安装尺寸 (Front connector panel installation dimensions):** Shows the dimensions for the front connector panel. The total height is 199 mm, with a minimum clearance of 47.5 mm above the panel and 15.5 mm below it. The panel is 32 mm high.
- 面板钻孔尺寸 (Front panel drilling dimensions):** Shows the dimensions for the front panel drilling. The total height is 199 mm, with a minimum clearance of 47.5 mm above the panel and 15.5 mm below it. The panel is 32 mm high.
- 背板安装尺寸 (Back panel installation dimensions):** Shows the dimensions for the back panel installation. The total height is 199 mm, with a minimum clearance of 47.5 mm above the panel and 15.5 mm below it. The panel is 32 mm high.

Technical drawing of the E 320 cabinet system. The top part shows six front views of the cabinet with heights of 270, 300, 350, 400, 450, 500, and 550 mm. The bottom part shows a side view of the cabinet with dimensions: 37 mm for the cabinet front, 256 mm for the nominal length (NL), and 192 mm for the depth. The side view also shows the internal structure, including drawers and shelves. The label 'NL: 标称长度' (Nominal length) is present at the bottom right.

Technical drawing of the cabinet showing front, side, and isometric views with dimensions and labels.

Front View Dimensions:

- Top panel (B): 199mm height
- Bottom panel (A): NL-24mm height
- Top panel width: LW-87
- Bottom panel width: LW-75

Side View Dimensions:

- Back panel (B): 199mm height
- Bottom panel (A): NL-24mm height
- Bottom panel width: LW
- Bottom panel depth: KB

Isometric View Dimensions:

- Back panel (B): 199mm height
- Bottom panel (A): NL-24mm height
- Bottom panel width: LW
- Bottom panel depth: KB

Labels:

- 后盖板 (Back panel)
- 底板 (Bottom panel)
- 木底板 (Wood)
- NL-24mm

Legend:

- KB: 柜体宽度 / Cabinet width
- LW: 柜体净宽 / Internal cabinet width
- NL: 标称长度 / Nominal length

Nominal length(mm)

224

NL+3