

# Shenzhen CYX Inc

## Product Model

### Product Pictures



## Product

### Type

### Details

Product Form	Type
	Dimension
	Shell Material

## System hardware

### Type

### Details

CPU	Type
	Speed
GPU	Type
	Speed
	Resolution
Memory	Type
	Capacity
Storage	SSD
	HDD
Audio	Type

## Interent

Type	Details
WIFI	Type
	Agreement
Bluetooth	Type
	Agreement
3G	Type
4G	Type
Ethernet	LAN
<b>Exter</b>	
Type	Details
USB 3.0	USB3.0
USB 2.0	USB2.0
Type-C	USB2.0
HDMI	Audio/Video output
DP	Audio/Video output
VGA	/
RJ45	1000Mbps Etherent
Audio-in/out	Audio-in /out
DC IN	Power supply
<b>Othe</b>	
Type	Details
Watch dogs	
Off and On timer	
Wake on Lan	
<b>Software</b>	
Type	Details
OS	OS verison
<b>Envi</b>	
Type	Details
Environment	Working temperature
	Storage temperature
	Humidity
<b>Acc</b>	

Type	Details
Adaptor	wall-pluged type

# Industrial co.,Ltd

## Model NO(AM02)



Appearance	
<b>Standard Configuration</b>	
MINI-PC	
123.5x123.5x40mm	
Sheet metal	
Software configuration	
<b>Descriptions</b>	
AMD Athlon 300U	
CPU quadcore Octa threads, Basic frequency 2.40 GHz,Max frequency 3.30 GHz	
AMD Radeon™ Vega 3 Graphics	
1000MHz	
Up to 4096 x 2304 @ 60Hz	
SODIMM DDR4 2400MHz, x2	
SODIMM 8GB/16G/32G	
M.2 2280 SSD	
/	
Realtek ALC256, Line-in/Line-out 2 in 1	
Connections	

Descriptions
intel 3165 M.2 1216
WIFI 802.11(a/b/g/n/ac) frequency 2.4G+5.8G Dual frequency WIFI / Max Speed 433 Mbps
intel 3165 M.2 1216
4.2 (BLE)class1 transfer distance: 10m
/
/
10M/100M/1000Mbps Realtek 8168 GBE, support Wake On Lan

### Expansion Ports

Descriptions
USB3.0x3
USB2.0x1
USB2.0x1
HDMI 2.0 x1
DP x1
/
RJ45 x1
Line-in/out x1 2 in 1
12V 6A

### Power Function

Descriptions
optional
For Bios
For RJ45

### Configuration

Descriptions
Linux/Win10

### Environment

Descriptions
0~50°C
- 20~60 °C
95% @ 40 °C (No condensation)

### Accessories

<b>Descriptions</b>
output 12V/6A