

Model: GK3V Gemini lake



Processor	CPU	Intel® Celeron N4000/N4100 /J4005/J4125	intel® Pentium N5000/J5005 Processors
	BIOS	AMI Source Code	
	Chipset	SOC	
Memory	Type	LPDDR4 -2400MHZ	
	Socket	Onboard 8GB / 1 x SO-DIMM	
	Max Size	8GB	
Graphics	GPU	Intel® UHD Graphics 600	
	Graphics Engine	DirectX 12.0, OpenGL 4.3, OpenCL 2.0	
	HDMI	2 x HDMI (Max. 3840 x 2160 @60Hz)	
	VGA	1 x VGA (Max. 1920 x 1080 @30Hz)	
	DP	/	
Network	Controller #1	Realtek 8111F Gigabit Ethernet	
	Interface	1 x RJ45	
I/O	USB	2 x USB 3.0, 2 x USB 2.0	
	Display Interface	2 x HDMI, 1 x VGA	
	LAN	1 x RJ45	
	Serial Port	/	
	Audio	1 x MIC-IN, 1 x AUDIO-OUT	
	Mini-PCle #1	1 x SO-DIMM, Or Onboard 8GB	
	JAHC Switch	1	
	SIM	0 x SIM Slot	
	LED Indicators	1 x Sleep LED, 1 x Power LED	
Storage	SATA	1 x 2.5" SATA	
	mSATA	/	
	M.2	1 x M.2 (2242/2280) for SSD	
JAHC Tech	WatchDog	Timer 0~255 Second Time Out Support	
	Auto Power On	Power Activated Automatically Start	
	RTC	Set Up Independently Every day, A Week as a Cycle	
	Remote Control	/	
	Wake On Lan	Supported	
Operation System	Windows	Windows 10 (64 bit)	
	Linux	Supported	
Power	Power Type	DC-In	
	Power Adapter	12V/2.5A	

Mechanical	Dimensions (W x D x H)	223mm*153mm*69mm
	Fanless	NO
	Construction	<input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic
	Mounting(Optional)	Desk/Wall Mounting and VESA Mounting Kit
	Color	Black
Environment	Environment	0°C ~ 40°C (32 °F ~ 104 °F) at 0.7m/s Air Flow
	Relative Humidity	95% @ 40°C (non-condensing)
Certification	Certification	CE, FCC Class B, CCC