



DC Brushless Barrier Gate

Part No.: RPH-201



Technical Parameters:

Part Number:	RPH-201
Supply Voltage:	AC 220V ±10% 50Hz
Chassis Thickness	1.5mm
Motor Power	DC brushless 100W
Brake Lever Length:	Straight rod ≤4.5m (DC 1.5~6S) Straight rod 4m-6m (DC 3~6 S) Fence pole ≤5m (DC 3~6S)
Degree of Protection	IP44
Rated Capacitance	6uF/450V
Motor Power	80W, 120W
Remote Control Distance	30M
Chassis Size	1030*340*260
Number of Hits	5 million Times

Email: Tina@realpark.com.cn Customer Service Line: +86-13501586176

Office Add: A310, 3rd FL, Political Commercial Center, No. 2229, Longhua Avenue, Longhua District, Shenzhen, Guangdong Province, China 518000

Factory Add: 3rd FL, BLD B, Yongtai Industrial Park, Zhangge Zhongxing Rd, Fucheng Street, Longhua District, Shenzhen, Guangdong Province, China 518000




Product Features:


1. DC brushless movement, multi-stage adjustable speed, independent adjustment of lifting and closing speed;
2. 4-stage deceleration, large torque, no spring can lift 5M fence pole;
3. The springless movement is equipped with a spring;
4. 1M straight rod to 6M straight rod, 1M fence to 5M fence, one movement can be done, and there is no need to change the spring when changing the rod;
5. Tempered glass blue LED backlight, traffic light display, optional traffic light luminous brake lever;
6. Safety: 24V DC power supply ensures personal safety;
7. Standard mobile phone Bluetooth debugging;
8. Energy saving: static power less than 2 watts;
9. Support open-to-position close-to-position output;
10. Open gate counting function;
11. No ground sense signal delay closing function;
12. The remote control opens the gate and directly enters the fleet mode;
13. Support small angle to close the sense of ground

Boom Type:


Straight Boom



Folding Boom




Fence Boom



Email: Tina@realpark.com.cn Customer Service Line: +86-13501586176

Office Add: A310, 3rd FL, Political Commercial Center, No. 2229, Longhua Avenue, Longhua District, Shenzhen, Guangdong Province, China 518000

Factory Add: 3rd FL, BLD B, Yongtai Industrial Park, Zhangge Zhongxing Rd, Fucheng Street, Longhua District, Shenzhen, Guangdong Province, China 518000



Products Material List:

Material name	Mode of Production	Quantity	Specification and model
Chassis	Self-control	1	1030*340*260MM
Movement	Outsourcing	1	Six generations DC brushless
Switching power supply	Outsourcing	1	24V/8.5A
Air switch	Outsourcing	1	Two 10A
Remote control	Outsourcing	2	Frequency 430
Expansion bolt	Outsourcing	4	M12*100
Instruction manual	Self-control	1	Two-dimensional code

Email: Tina@realpark.com.cn Customer Service Line: +86-13501586176

Office Add: A310, 3rd FL, Political Commercial Center, No. 2229, Longhua Avenue, Longhua District, Shenzhen, Guangdong Province, China 518000

Factory Add: 3rd FL, BLD B, Yongtai Industrial Park, Zhangge Zhongxing Rd, Fucheng Street, Longhua District, Shenzhen, Guangdong Province, China 518000