



Diamond Polishing Pad



Johnson Tools Manufactory Co.,Ltd.

Suzhou Johnson Import and Export Co.,Ltd. No.11009, Building 8, K-Land
Manhattan Square, No.5 Weihua Road, SIP. Suzhou, Jiangsu, China, 215000

Tel:+86-512-62524550,62521716

Fax:+86-512-62524564

<http://www.johnsontoolsen.com>

E-Mail:sales@johnsontoolscn.com

MF/Whatsapp:+86-18936085316

OEM/ODM
100% Export to More Than 80 Countries
20+ years' manufacturing experience
Win MPA, SGS, TUV Certification



Since 2000 year, our company Johnson Tools Manufactory Co.,Ltd started to manufacture and export diamond tools for stone working and construction industry for worldwide countries. Since 2005 year, we established our own import and export company, named Johnson Import and Export Co.,Ltd.

We enjoy good reputation among customers with trustworthy product quality and creditable service. Provide good quality diamond tools on sawing, drilling, grinding and polishing, profiling industry.

! Experience ||| Customize

20+ years producing experience focus on diamond tools products. One stop solution for stone and construction tools.

Focus on customer experience and provide customized solutions. One-Stop OEM/ODM solution for Diamond tools fields.

📶 Equipment ↑ Team

With a number of multi-functional advanced production equipment and testing equipment, with a certain scale of production and testing capacity.

Has a professional quality team and new product research and development team, based on continuous innovation, to meet customer needs.

DIAMOND TOOL SOLUTIONS

CONTACT US

We take pride in introducing our high-quality product line of diamond polishing pads. These pads come in a wide range of specifications, varying from 75mm to 400mm. They find primary applications in stone polishing and concrete surface grinding, catering to a multitude of needs. Furthermore, we offer various types of polishing pads tailored to meet specific customer requirements, including wet polishing, dry polishing, and bowl polishing, along with a variety of compatible adapters.

“Global Leading Diamond Tool Manufacturer.”



Dry Polishing Pads

Features:

- 1. Super flexible, fast speed, high-gloss finish
- 2. Dry for a variety of different granite marble stone products
- 3. 7steps: matt & color / shine & color / shine & white

Item No.	Size	Thickness	Grit	Use type
JSDP01	3"	1.1mm	#50,#100,#200,#400,#800, #1500,#3000	Dry use
JSDP01	4"	1.1mm	#50,#100,#200,#400,#800, #1500,#3000	Dry use
JSDP01	5"	1.1mm	#50,#100,#200,#400,#800, #1500,#3000	Dry use
JSDP01	7"	1.1mm	#50,#100,#200,#400,#800, #1500,#3000	Dry use

Features:

- 1. Super flexible, fast speed, high-gloss finish
- 2. Dry for a variety of different granite marble stone products
- 3. Color

Item No.	Size	Thickness	Grit	Use type
JSDP02	3"	1.1mm	#50,#100,#200,#400,#800, #1500,#3000	Dry use
JSDP02	4"	1.1mm	#50,#100,#200,#400,#800, #1500,#3000	Dry use

Features:

- 1. Super flexible, fast speed, high-gloss finish
- 2. Dry for granite,marble
- 3. Color

Item No.	Size	Thickness	Grit	Use type
JSDP03	5", 6", 9"	1.1mm	#50,#100,#200,#400,#800, #1500,#3000	Dry use

Dry Polishing Pads

Features:

- 1. Super flexible, fast speed, high-gloss finish
- 2. Dry for a variety of different granite marble stone products
- 3. Color

Item No.	Size	Thickness	Grit	Use type
JSDP04	3"	1.1mm	#50,#100,#200,#400,#800, #1500,#3000	Dry use
JSDP04	4"	1.1mm	#50,#100,#200,#400,#800, #1500,#3000	Dry use
JSDP04	5"	1.1mm	#50,#100,#200,#400,#800, #1500,#3000	Dry use

Features:

- 1. Super flexible, fast speed, high-gloss, finish
- 2. Dry for a variety of different granite marble stone products
- 3. Green or White

Item No.	Size	Thickness	Grit	Use type
JSDP05	3"	1.1mm	#50,#100,#200,#400,#800, #1500,#3000	Dry use
JSDP05	4"	1.1mm	#50,#100,#200,#400,#800, #1500,#3000	Dry use
JSDP05	5"	1.1mm	#50,#100,#200,#400,#800, #1500,#3000	Dry use

Features:

- 1. Super flexible, fast speed, high-gloss finish
- 2. Dry for a variety of different granite marble stone products
- 3. Floor Polishing Pad

Item No.	Size	Grit	Use type
JSDP06	4"	Coarse, A1, A2, A3, Hi gloss	Dry use

Dry Polishing Pads



Features:

- 1. Super flexible, fast speed, high-gloss finish
- 2. Dry for a variety of different granite marble stone products
- 3. Color



Item No.	Size	Thickness	Grit	Use type
JSDP07	4"	1.1mm	3steps: #1,#2,#3	Dry use



Features:

- 1. Concrete floor polishing pads
- 2. Aggressive, durable and high-gloss finish
- 3. Dry use

Item No.	Size	Thickness	Grit	Use type
JSDP08	5"	5mm	5steps: #1, #2, #3, #4, #5 #50, #100, #200, #400, #800, #1500, #3000	Dry use




The body is soft and bendable

The disc body is soft and can be bent appropriately, which is convenient for grinding and polishing various special shapes and arcs. There are no dead corners in polishing and high efficiency.



Dry Polishing Pads



Features:

- 1. Concrete floor polishing pads
- 2. Aggressive, durable and high-gloss finish
- 3. Dry use

Item No.	Size	Thickness	Grit	Use type
JSDP09	6"	5mm	#50,#100,#200,#400,#800, #1500,#3000	Dry use



Features:

- 1. Super flexible, fast speed, high-gloss, finish
- 2. Dry for a variety of different granite marble stone products
- 3. Green or White

Item No.	Size	Thickness	Grit	Use type
JSDP10	3"	11mm	#50,#100,#200,#400,#800, #1500,#3000 BUFF(black or white)	Dry use



Features:

- 1. New generation High gloss ceramic mixed bond floor polishing pads for concrete
- 2. Sharp type, very aggressive, remove scratch very quickly and easily
- 3. High gloss finish, never color the concrete floor
- 4. Dry use

Item No.	Size	Thickness	Grit	Use type
JSDP11	3"	8mm	#50,#100,#200,#400,#800, #1500,#3000	Dry use

Dry Polishing Pads



Features:

- 1. New generation High gloss ceramic mixed bond floor polishing pads for concrete
- 2. Conventional resin sheets cannot remove scratches, but this ceramic sheet is sharper and can remove scratches well.
(Good removal of deep scratches left by metal tip products)
- 3. High gloss finish, never color the concrete floor
- 4. Dry use


Item No.	Size	Thickness	Grit	Use type
JSDP12	3"	10mm	#30, #50,#100,#200	Dry use



Features:

- 1. New generation High gloss ceramic mixed bond floor polishing pads for concrete
- 2. Conventional resin sheets cannot remove scratches, but this ceramic sheet is sharper and can remove scratches well.
(Good removal of deep scratches left by metal tip products)
- 3. High gloss finish, never color the concrete floor
- 4. Dry use

Item No.	Size	Thickness	Grit	Use type
JSDP13	3"	10mm	#30, #50,#100,#200	Dry use




Features:

- 1. Resin bond fine-grit dot is white and can be applied to polish granite, marble, concrete and other types of stone.
- 2.It never leaves dye on the surface of stone during working and has a good polishing efficiency. It can be used for dry.

Item No.	Size	Grit	Use type
JSDP14	78x78mm	#30, #50,#100,#200	Dry use


Wet Polishing Pads



Features:

- 1. Position "1" removes deep scratches
- 2. Fast speed, flexible, save polishing time
- 3. Super diamond concentration removes four polishing steps
- 4. Wet polishing only for granite


Item No.	Size	Thickness	Grit	Use type
JSDP15	4"	3.0mm	3step: #1, #2, #3	Wet use



Features:

- 1. 3step white resin polishing pad.
- 2. Fast speed, flexible, save polishing time, high finish.
- 3. Wet polishing only for marble, engineered stone and granite.


Item No.	Size	Thickness	Grit	Use type
JSDP16	4"	3.0mm	3step: #1, #2, #3	Wet use



Features:

- 1. Top quality wet polishing pads, Super flexible very aggressive
- 2. Fast speed, save polishing time.Incredible polish performance
- 3.Wet polishing for granite


Wet Polishing Pads



Features:

- 1. Top quality wet polishing pads, Super flexible,very aggressive.
- 2. Fast speed, save polishing time. Incredible polish performance.
- 3. Wet polishing for granite.
- 4. 5''(125mm) is also avilable

Item No.	Size	Thickness	Grit	Use type
JSDP18	4"	2.5mm	#50,#100,#200,#400,#800,#1500,#3000	Wet use
			Other grits: #30,#150,#300	
			#500 ,#1000,#2000,#3000,#6000,#10000	



Features:

- 1. Top quality wet polishing pads, Super flexible,very aggressive.
- 2. Fast speed, save polishing time. Incredible polish performance.
- 3. Wet polishing for granite.
- 4. 5''(125mm) is also avilable

Item No.	Size	Thickness	Grit	Use type
JSDP19	4"	3.0mm	#50,#100,#200,#400,#800,#1500,#3000	Wet use
			Other grits: #30,#150,#300,#500,#1000,	
			#2000,#3000,#6000,#10000	



Wet Polishing Pads



Features:

- 1. Top quality wet polishing pads, Super flexible very aggressive
- 2. Fast speed, save polishing time. Incredible polish performance
- 3.Wet polishing for granite, marble


Item No.	Size	Thickness	Grit	Use type
JSDP20	3"/4"/7"	3.0mm	#50,#100,#200,#400,#800, #1500,#3000	Wet use



Features:

- 1. Top quality wet polishing pads, Super flexible very aggressive
- 2. Fast speed, save polishing time. Incredible polish performance
- 3.Wet polishing for granite, marble

Item No.	Size	Thickness	Grit	Use type
JSDP21	5"	3.0mm	#50,#100,#200,#400,#800,# 1500,#3000	Wet use



Features:

- 1. Top quality wet polishing pads, Super flexible very aggressive
- 2. Fast speed, save polishing time. Incredible polish performance
- 3.Wet polishing for granite, marble

Item No.	Size	Thickness	Grit	Use type
JSDP22	9"	3.0mm	#50,#100,#200,#400,#800,# 1500,#3000	Wet use

Wet Polishing Pads



Features:

- 1. Top quality wet polishing pads, Super flexible very aggressive
- 2. Fast speed, save polishing time. Incredible polish performance
- 3.Wet polishing for granite, marble


Item No.	Size	Thickness	Grit	Use type
JSDP23	4"	3.0mm	#1, #2, #3, #4	Wet use



Features:

- 1. Top quality wet polishing pads, Super flexible very aggressive
- 2. Fast speed, save polishing time. Incredible polish performance
- 3.Wet polishing for granite, marble

Item No.	Size	Thickness	Grit	Use type
JSDP24	4"	3.0mm	#1, #2, #3	Wet use




Features:

- 1. Top quality 3 colors wet polishing pads
Super flexible, Fast speed, save polishing time
- 2. Wet polishing for granite

Item No.	Size	Thickness	Grit	Use type
JSDP25	4"	2.5mm	#50,#100,#200,#400,#800,#1 500,#3000 other grits: #30,#150,#300,#500,#1000, #2000,#3000,#6000,#10000	Wet use

Wet Polishing Pads




- Features:**
- 1. Final polish quickly and high gloss finish.
 - 2.Wet polishing for granite

Item No.	Size	Thickness	Grit	Use type
JSDP26	4"	2.5mm	Buff (White or Black)	Wet use




- Features:**
- 1.For Ogee and concave edge, such as bowl sinks.
 - 2.Wet polishing for granite

Item No.	Size	Thickness	Grit	Use type
JSDP27	4"	3.0mm	#50,#100,#200,#400,#800,#1500,#3000	Wet use




Wet/Dry Polishing Pads




- Features:**
- 1. Both dry & wet use, simple work, match with heavy-duty polishing machine
 - 2. Long life span, high sharpness with good polishing performance

Item No.	Size	Thickness	Grit	Use type
JSDP28	4"	6/8mm	#50,#100,#200,#400,#800,#1500,#3000	Wet/Dry use



- Features:**
- 1. Hybrid white resin polishing pads
 - 2. Top quality, Super flexible, Fast speed, High-gloss finish
 - 3. Both wet and dry polishing for marble,engineered stone and some granite

Item No.	Size	Thickness	Grit	Use type
JSDP29	4"	3mm	#50,#100,#200,#400,#800,#1500,#3000	Wet/Dry use



- Features:**
- 1. Diamond electroplated polijsten pad
 - 2. Designed for grinding of previously leveled stone materials, mould and other materials quickly
 - 3. Both wet and dry can be used, and the wet effect is better

Item No.	Size	Thickness	Grit	Use type
JSDP30	3"\"4\"5\"6\"7"	1.1mm	#50,#100,#200,#400,#800,#1500,#3000	Wet/Dry use

Hand Polishing Pads

Features:

- 1. User-friendly design of slot on the side, comfortable for hand-holding
- 2. Flexible base cloth, dots particle will not fall off.
- 3. Independent dots, good flexibility
- 4. More patterns /designs available

Item No.	Size	Grit	Use type
JSDP31	100 x 60 x 40mm	Resin Bond: #800, #1800, #3500, #7000	Wet/Dry use

Features:

- 1. Good heat dissipation, not easy to damage the working layer
- 2. Strong water resistance
- 3. High efficiency for partial flat surface grinding
- 4. No deformation on working layer
- 5. Patterns of working layer can be ordered

Item No.	Size	Grit	Use type
JSDP32	90 x 55 x 28mm	Electroplated bond: #30, #60,#120,#200,#400,#600	Wet/Dry use

Features:

- 1. Good heat dissipation, not easy to damage the working layer
- 2. Strong water resistance
- 3. High efficiency for partial flat surface grinding
- 4. No deformation on working layer
- 5. Patterns of working layer can be ordered

Item No.	Size	Grit	Use type
JSDP33	100 x 60 x 40mm	Electroplated bond #60, #120, #200, #400	Wet/Dry use

Features:

- 1, curved design, more comfortable grip
- 2, the use of elastic base cloth, solid particles are not easy to fall
- 3. Single particle, good softness
- 4, provide a variety of patterns, shapes

Item No.	Size	Grit	Use type
JSDP34	100x55x29mm	Electroplated bond #800, #1800, #3500, #7000	Wet/Dry use

Features:

- 1. Ideal for polishing granite,marble,glass and concrete
- 2. It never leaves dye on the surface of stone during working and has good polishing efficiency
- 3. Diamond hand polishing pads/blocks are used to perform light on-site polishing/recovering of scratches and other hand polishing jobs, for 1-1/4" or 30mm full bullnose edges

Item No.	Size	Work Thickness	Grit	Use type
JSDP34	90 x 55 x 40mm V20	0.5mm	Resin bond #800, #1500, #3000, #7000	Wet/Dry use
JSDP34	90 x 55 x 40mm V20	0.5mm	Resin bond #800, #1500, #3000, #7000	Wet/Dry use

Features:

- 1. Aggressive electroplating diamond abrasive grains, preferably diamond, the substrate is resistant to compression and does not deform, and is finely ground and polished.
- 2. High-speed grinding is easy and labor-saving, more suitable for hand-held, reducing fatigue. It has the advantages of sharp grinding, fast polishing and high brightness.
- 3. Mainly used for polishing brittle and hard materials such as slate, stone, ceramic tile, glass, metal, wood, etc.

Item No.	Size	Grit	Use type
JSDP36	90 x 55 mm V20	Electroplating bond #30, #50, #60, #80, #100, #120, #150, #200, #230, #300,	Wet/Dry use
JSDP36	100 x 55mm V30	Electroplating bond #30, #50, #60, #80, #100, #120, #150, #200, #230, #300,	Wet/Dry use

Polishing Pad Rubber Backing for Diamond Polishing Pad Holder with Hook and Loop Connectors, 5/8" 11 Thread



Features:

This copper connector with a 5/8"-11 thread is rust-proof and suitable for wet polishing with most polishers or power tools.

It has wide applications and can be used with wet/dry polishing pads, sanding pads, wool buffers, and foam polishing buffers.

Size: 75mm(3"), 100mm(4")

Aluminum Backer Head Polishing Pad Connector



Features:

The Aluminum Backer Head features a 5/8"-11 thread and is rust-proof. It is suitable for wet polishing and can be used with most polishers or power tools.

It has a wide range of applications and can be used with wet/dry polishing pads, sanding pads, wool buffers, and foam polishing buffers.

Size: 75mm(3"), 100mm(4"), 125mm(5"), 150mm(6"), 175mm(7")

Snail Lock Diamond Floor Polishing Pads



Features:

1. High quality polish on Bullnose and other profiles
2. Requires very low pressure which reduces stress on spindle heads.
3. Faster polishing with superior finishing.
4. Longer useful life than other polishing pads.
5. For engineered stone and granite, marble.
6. Available in 4" 5" and 6" diameter.

Diamond cups: Ceramic high speed edging



Features:

#50, #100, #200, #400, M14 / 5/8"-11Thread

- Super ceramica cup wheels
- Edge polishing for concrete, very aggressive, scratch removal quickly, never burn the floor, never shaking and polish smoothly, save time, best choice for craftman
- RPM: 4", 5": 11000, 7": 7700

Diamond floor polishing pad



Features:

For polishing terrazzo, marble, granite, vinyl, epoxy and concrete floors.

Size: 3", 4", 5", 7", 9", 11", 13", 15", 17", 20", 27"

Grit: #1(#150), #2(#400), 3 #(#800), 4 #(#1500), 5 #(#3000), #0(#50)

Diamond Polishing Drums



Features:

For polishing terrazzo, marble, granite, vinyl, epoxy and concrete floors.

Size: 3", 4", 5", 7", 9", 11", 13", 15", 17", 20", 27"

Grit: #1(#150), #2(#400), 3 #(#800), 4 #(#1500), 5 #(#3000), #0(#50)

MPA, CE CERTIFICATION

Our product passed quality standards with MPA and CE certifications, ensuring international compliance.

MPA certification involves testing in specialized German laboratories, covering cutting speed, wear resistance, and safety.

Ecertification signifies adherence to European market standards, providing users with reliable assurance.

These certifications affirm our commitment to quality and customer trust.

We will persist in enhancing product quality to meet the high standards and demand for top-notch product from our customers.



Wet polishing pads

Dry polishing pads

Diamond hand pads

Wet polishing, dry polishing, and bowl polishing, along with a variety of compatible adapters.

For porcelain tile granite marble concrete

