



APEX REFRIGERATION EQUIPMENT LIMITED

Address: 1#601, Honghui New Industrial Park, NO.65 Guiping Zhong Rd. Nanhai Dst.
Foshan, P.R.China, 528200

Tel: +86 0757-81781221 Mail: info@apexcool.com Web: www.apexcool.com

COOLING DISPLAY EQUIPMENT OEM&ODM MANUFACTURER



Reaching the APEX of Commercial Refrigeration Equipment

Apex Refrigeration Equipment Limited was founded in 2010 as a professional manufacturer of commercial refrigeration equipment.

Within our 4 main product ranges of Beverage Cooler, Back Bar Cooler, Kitchen Refrigerator and Supermarket Equipment, we annually export more than 150000 units.

APEX upright cooler and freezer are completely export-oriented designed re-developed. Attribute to the international leading concept of commercial refrigeration, and reliable quality,

Our products have been widely sold in the USA, Canada, England, France, Spain, Norway, Finland, Saudi, UAE, Australia, South Africa etc. more than 50 countries.



YEAR 2010

Since We Launch

300+ CLIENTS

From Food & Beverage Industries

500+ STAFF

Apex Family

50+ COUNTRY

Exporting to over 50 Countries

150,000 UNITS

Annual Production Quantity

FOCUS

Focus on commercial display refrigeration for more than a decade

EFFICIENT

200K units annual capacity, 7x24 sales response

QUALITY

International quality standard, CE, CB, ETL, NSF certificate, PEPSI Trust

ECO FRIENDLY

Prioritize environmental protection, advocate green management





1 Horeca Solution

Upright Cooler	03
Back Bar Cooler	09
Cooler&Freezer for US Market	13
Cake Showcase Chiller	15
Flower & Meat Chiller	17
Ice Cream Freezer	19



2 Beverage Solution

Slim Upright Cooler	23
Can Cooler	25
Minibar Cooler&Freezer	27
Cooler for Beverage Brands	29

3 Retail Solution

Full Glass Door Upright Cooler	31
C Store Bottom Mounted	35
C Store Top Mounted	37
Cashier Cooler	39
Combine-Island Freezer	40
Open Chiller	41

Optional Features	43
-------------------	----



UPRIGHT COOLER



BACK BAR COOLER



ETL SERIES

SPECIALTY DISPLAY CASES








Single Door Upright Cooler

VS - Standard models



Model	VS-360	VS-400	VS-550	VS-600
Capacity	357L / 12.6cuft	410L / 14.5cuft	550L / 19.4cuft	580L / 20.5cuft
Net/Gross Weight (kg)	75 / 78	82 / 86	90 / 95	93 / 99
Capacity (330ml can)	490 cans	560 cans	720 cans	900 cans
Unit size (mm)	560×610×1985	625×610×1985	685×740×1985	765×695×1985
Package size (mm)	610×655×2020	670×655×2020	735×785×2020	815×740×2020
Shelf Qty	4	4	4	4
Loading Qty (20/40/40 HQ)	27/ 54/ 76	27/ 54/ 71	23/ 47/ 47	21/ 44/ 44



CLIENT CASE







* Shelf Price Bar does NOT included in standard specification.
Product is with standard 4 Shelves and additional shelves are optional.

Single Door Upright Cooler

US - Deluxe models



Model	US-360	US-400	US-550	US-600
Capacity	357L / 12.6cuft	410L / 14.5cuft	550L / 19.4cuft	580L / 20.5cuft
Net/Gross Weight (kg)	75 / 78	82 / 86	90 / 95	93 / 99
Capacity (330ml can)	490 cans	560 cans	720 cans	900 cans
Unit size (mm)	560×610×1985	625×610×1985	685×740×1985	765×695×1985
Package size (mm)	610×655×2020	670×655×2020	735×785×2020	815×740×2020
Shelf Qty	5	5	5	5
Loading Qty (20/40/40 HQ)	27/ 54/ 76	27/ 54/ 71	23/ 47/ 47	21/ 44/ 44



CLIENT CASE



Double Door Upright Cooler


VD - Standard models

ST,
0~10°C
32~50 °F

220V 50/60HZ
110V 60HZ

R290

Model	Hinge Sliding	VD-650 VDS-650	VD-800 VDS-800	VD-850 VDS-850	VD-1000 VDS-1000	VD-1250 VDS-1250	VD-1450 VDS-1450
Capacity		523L / 21.2cuft	819L / 28.9cuft	826L / 29.2cuft	983L / 34.7cuft	1241L / 43.8cuft	1388L / 49.0cuft
Net/Gross Weight (kg)		110 / 118	124 / 136	123 / 136	135 / 148	150 / 155	173 / 195
Capacity (330ml can)		910 cans	1170 cans	1200 cans	1350 cans	1710 cans	2090 cans
Unit size (mm)		1000×560×1985	1000×720×1985	1110×650×2025	1110×750×2025	1375×750×2025	1375×814×2025
Package size (mm)		1050×605×2020	1040×750×2100	1150×680×2100	1150×770×2100	1415×770×2100	1415×850×2100
Shelf Qty		8 (4×2)	8 (4×2)	8 (4×2)	8 (4×2)	8 (4×2)	8 (4×2)
Loading Qty (20/40/40 HQ)		20/41/41(52)	16/34/34	17/34/34	15/30/30	12/24/24	10/22/22

- Fin type evaporator
frost free dynamic cooling system
- Customized advertising
lightbox and side stickers
- Self-closing door with
double layers safty tempered glass
- Self-evaporation water tray
- Energy saving LED lighting
- Maintaince-free steel wire condenser
- Lock & key for safety concerns
- Digital Temperature Controller
- Adjustable heavy-duty shelf


CLIENT CASE



* Shelf Price Bar does NOT included in standard specification.
Product is with standard 4 Shelves and additional shelves are optional.

Double Door Upright Cooler


UD - Deluxe models

ST,
0~10°C
32~50 °F

220V 50/60HZ
110V 60HZ

R290

Model	Hinge Sliding	UD-650 UDS-650	UD-800 UDS-800	UD-850 UDS-850	UD-1000 UDS-1000	UD-1250 UDS-1250	UD-1450 UDS-1450
Capacity		623L / 21.2cuft	819L / 28.9cuft	826L / 29.2cuft	983L / 34.7cuft	1241L / 43.8cuft	1388L / 49.0cuft
Net/Gross Weight (kg)		110 / 118	124 / 136	123 / 136	135 / 148	150 / 155	173 / 195
Capacity (330ml can)		910 cans	1170 cans	1200 cans	1350 cans	1710 cans	2090 cans
Unit size (mm)		1000×560×1985	1000×720×1985	1110×650×2025	1110×750×2025	1375×750×2025	1375×814×2025
Package size (mm)		1050×605×2020	1040×750×2100	1150×680×2100	1150×770×2100	1415×770×2100	1415×850×2100
Shelf Qty		10 (5×2)	10 (5×2)	10 (5×2)	10 (5×2)	10 (5×2)	10 (5×2)
Loading Qty (20/40/40 HQ)		20/41/41(52)	16/34/34	17/34/34	15/30/30	12/24/24	10/21/21

- Fin type evaporator
frost free dynamic cooling system
- Canopy integrated
round corner glass door design
- Self-closing door with
double layers safty tempered glass
- Self-evaporation water tray
- LED double vertical lights
integrated glass door
- Maintaince-free steel wire condenser
- Lock & key for safety concerns
- Digital Temperature Controller
- Adjustable heavy-duty shelf

CLIENT CASE



Triple Door Upright Cooler

VT - Standard models



ST, 0~10°C 32~50 °F
220V 50/60HZ 110V 60HZ
R290

Model	VT-1600	VT-1850	VT-2050
Capacity	1422L / 50.2cuft	1820L / 64.3cuft	2070L / 73.1cuft
Net/Gross Weight (kg)	197 / 207	200 / 222	300 / 322
Capacity (330ml can)	2070 cans	2800 cans	3080 cans
Unit size (mm)	1635×711×2010	1800×720×2010	1980×720×2010
Package size (mm)	1675×750×2100	1840×750×2100	2020×750×2100
Shelf Qty	12 (4×3)	12 (4×3)	12 (4×3)
Loading Qty (20/40/40 HQ)	10 / 21/ 21	9 /19/ 19	8 /17/ 17

- 

Fin type evaporator frost free dynamic cooling system
- 

Customized advertising lightbox and side stickers
- 

Self-closing door with double layers safty tempered glass
- 

Self-evaporation water tray
- 

Energy saving LED lighting
- 

Maintaince-free steel wire condenser
- 

Lock & key for safety concerns
- 

Digital Temperature Controller
- 

Adjustable heavy-duty shelf

CLIENT CASE



* Shelf Price Bar does NOT included in standard specification.
Product is with standard 4 Shelves and additional shelves are optional.

Triple Door Upright Cooler


UT - Deluxe models

ST, 0~10°C 32~50 °F
220V 50/60HZ 110V 60HZ
R290

Model	UT-1600	UT-1850	UT-2050
Capacity	1422L / 50.2cuft	1820L / 64.3cuft	2070L / 73.1cuft
Net/Gross Weight (kg)	197 / 207	200 / 222	300 / 322
Capacity (330ml can)	2070 cans	2800 cans	3080 cans
Unit size (mm)	1635×711×2010	1800×720×2010	1980×720×2010
Package size (mm)	1675×750×2100	1840×750×2100	2020×750×2100
Shelf Qty	15 (5×3)	15 (5×3)	15 (5×3)
Loading Qty (20/40/40 HQ)	10 / 21/ 21	9 /19/ 19	8 /17/ 17



- 

Fin type evaporator frost free dynamic cooling system
- 

Canopy integrated round corner glass door design
- 

Self-closing door with double layers safty tempered glass
- 

Self-evaporation water tray
- 

LED double vertical lights integrated glass door
- 


Maintaince-free steel wire condenser
- 

Lock & key for safety concerns
- 

Digital Temperature Controller
- 

Adjustable heavy-duty shelf

CLIENT CASE



BACK BAR COOLER

Space is everything. Apex designs display coolers to fit all kinds of places, in bar,convenience store,coffee shop or restaurant. Within the compatible cooler body, environmentally friendly components are being used to save energy while improving overall functionality and performance.



Back Bar Cooler

BS - Single door

ST,
0~10℃
32~50 ℉

220V 50/60HZ
110V 60HZ

R290/R600a

Model	BS-133	BS-136	BS-139
Capacity	123L / 4.34cuft	130L / 4.59cuft	136L / 4.8cuft
Net/Gross Weight (kg)	37 / 39	37 / 39	38 / 40
Capacity (330ml can)	210 cans	210 cans	210 cans
Unit size (mm)	600×530×835	600×530×865	600×530×895
Package size (mm)	645×575×890	645×575×920	645×575×950
Shelf Qty	2 Chromed Shelves		
Loading Qty (20/40/40 HQ)	72/144/212	72/144/194	72/144/192



Fin type evaporator
frost free dynamic cooling system

Digital Temperature Controller

Self-closing door with
double layers safty tempered glass

Self-evaporation water tray

Lock & key for safety concerns

Maintaince-free steel wire condenser

CLIENT CASE



Back Bar Cooler

BD - Double door



ST, 0~10°C 32~50 °F
220V 50/60HZ 110V 60HZ
R290/R600a

Model	Hinge door	BD-213	BD-216	BD-219
	Sliding door	BDS-213	BDS-216	BDS-219
Capacity		194L / 6.85cuft	204L / 7.2cuft	214L / 7.56cuft
Net/Gross Weight (kg)		51 / 54	51 / 54	52 / 55
Capacity (330ml can)		360 cans	360 cans	360 cans
Unit size (mm)		900×530×835	900×530×865	900×530×895
Package size (mm)		945×575×890	945×575×920	945×575×950
Shelf Qty		4 (2×2) Chromed Shelves		
Loading Qty (20/40/40 HQ)		48 / 96/ 148	48 / 100/ 124	48 / 100/ 124

- Fin type evaporator frost free dynamic cooling system
- Digital Temperature Controller
- Self-closing door with double layers safty tempered glass
- Self-evaporation water tray
- Lock & key for safety concerns
- Maintaince-free steel wire condenser

PRODUCT PICTURE



Back Bar Cooler

BT - Triple door



ST, 0~10°C 32~50 °F
220V 50/60HZ 110V 60HZ
R290/R600a

Model	Hinge door	BT-323	BT-326	BT-329
	Sliding door	BTS-323	BTS-326	BTS-329
Capacity		300L / 10.60cuft	316L / 11.16cuft	332L / 11.72cuft
Net/Gross Weight (kg)		71 / 76	71 / 76	72 / 77
Capacity (330ml can)		540 cans	540 cans	540 cans
Unit size (mm)		1350×530×835	1350×530×865	1350×530×895
Package size (mm)		1395×575×890	1395×575×920	1395×575×950
Shelf Qty		6 (2×3) Chromed Shelves		
Loading Qty (20/40/40 HQ)		32 / 66 / 98	32 / 66 / 82	32 / 66 / 82

- Fin type evaporator frost free dynamic cooling system
- Digital Temperature Controller
- Self-closing door with double layers safty tempered glass
- Self-evaporation water tray
- Lock & key for safety concerns
- Maintaince-free steel wire condenser

PRODUCT PICTURE



Cooler for US Market

GC - Cooler models



G1C



G2C

- Fin type evaporator
frost free dynamic cooling system
- Customized advertising
lightbox and side stickers
- Self-closing door with
double layers safty tempered glass
- Self-evaporation water tray
- Energy saving LED lighting
- Maintaince-free steel wire condenser
- Lock & key for safety concerns
- Digital Temperature Controller
- Adjustable heavy-duty shelf

ST,
0~10°C
32~50 °F

110V 60HZ

R290

Model	Capacity	Gross Weight (kg)	Unit size (mm)	Package size (mm)	Shelf Qty	Loading Qty (40/40 HQ)
G1C24H	383L/13.5cuft	100	620×610×1975	670×630×2030	5	71
G1C27H	580L/20.5 cuft	135	700×760×2005	740×790×2060	5	45
G1C32H	670L/23.7cuft	150	800×750×2100	850×790×2140	5	42
G2C44H	750L/26.5cuft	178	1120×610×1975	1170×630×2030	10 (5×2)	36
G2C44S	730L/25.8cuft	178	1120×610×1975	2040×830×2040	10 (5×2)	36
G2C52H	1186L/41.9cuft	200	1330×760×2005	1370×790×2060	10 (5×2)	23
G2C52S	1136L/40.1cuft	200	1330×760×2005	1370×790×2060	10 (5×2)	23
G3C78H	1817L/64.2cuft	365	1985×760×2005	2020×790×2060	15 (5×3)	15
G3C78S	1790L/63.3cuft	365	1985×760×2005	2020×790×2060	15 (5×3)	15

Upright Freezer

GF - Freezer models



G1F



G3F

- Fin type evaporator
frost free dynamic cooling system
- Customized advertising
lightbox and side stickers
- Self-closing door
triple layers tempered glass with heater
- Self-evaporation water tray
- Energy saving LED lighting
- Maintaince-free steel wire condenser
- Lock & key for safety concerns
- Digital Temperature Controller
- Adjustable heavy-duty shelf

ST
-22~-18°C
-7.6~-0.4°F

110V 60HZ

R290

Model	Capacity	Gross Weight (kg)	Unit size (mm)	Package size (mm)	Shelf Qty	Loading Qty (40/40 HQ)
G1F24H	383L/13.5cuft	100	620×610×1975	670×630×2030	5	71
G1F27H	580L/20.5cuft	135	700×760×2005	740×790×2060	5	45
G1F32H	670L/23.7cuft	150	800×750×2100	850×790×2140	5	42
G2F52H	1186L/41.9cuft	200	1330×760×2005	1370×790×2060	10 (5×2)	23
G3F78H	1817L/64.2cuft	365	1985×760×2005	2020×790×2060	15 (5×3)	15

Cake Showcase


3 Shelf Type



FCD3-S

FCD3-C

- 

Fin type evaporator
frost free dynamic cooling system
- 

Digital Temperature Controller
- 

Automatic defrost
- 

Self-evaporation water tray
- 

Lock & key for safety concerns
- 

Maintenance-free steel wire condenser

ST,
0~10°C
32~50 °F

220V 50/60HZ
110V 60HZ

R134a

3 Shelf Type (S-Square Type, C-Curve Type)

Model	FCD3-S0.9 FCD3-C0.9	FCD3-S1.2 FCD3-C1.2	FCD3-S1.5 FCD3-C1.5	FCD3-S1.8 FCD3-C1.8	FCD3-S2.0 FCD3-C2.0
Capacity (Liter)	275 238	382 327	490 415	596 503	668 562
Net/Gross Weight (kg)	180 / 200 170 / 190	220 / 245 210 / 235	260 / 290 250 / 280	300 / 335 290 / 325	345 / 385 335 / 375
Unit size (mm)	900×680×1200	1200×680×1200	1500×680×1200	1800×680×1200	2000×680×1200
Package size (mm)	970×720×1330	1270×720×1330	1570×720×1330	1870×720×1330	2070×720×1330
Shelf Qty	2+bottom shelf	2+bottom shelf	2+bottom shelf	2+bottom shelf	2+bottom shelf
Loading Qty (20/40/40 HQ)	18/ 36/ 72	13/ 27/ 54	11/ 23/ 46	9/ 18/ 36	8/ 17/ 34

Cake Showcase

4 Shelf Type



FCD4-S

FCD4-C

- 

Fin type evaporator
frost free dynamic cooling system
- 

Digital Temperature Controller
- 

Automatic defrost
- 

Self-evaporation water tray
- 

Lock & key for safety concerns
- 

Maintenance-free steel wire condenser

ST,
0~10°C
32~50 °F

220V 50/60HZ
110V 60HZ

R134a

4 Shelf Type (S-Square Type, C-Curve Type)

Model	FCD4-S0.9 FCD4-C0.9	FCD4-S1.2 FCD4-C1.2	FCD4-S1.5 FCD4-C1.5	FCD4-S1.8 FCD4-C1.8	FCD4-S2.0 FCD4-C2.0
Capacity (Liter)	360 308	492 422	626 536	759 650	848 726
Net/Gross Weight (kg)	220 / 240 215 / 235	260 / 285 250 / 280	300 / 330 290 / 325	345 / 380 340 / 375	380 / 420 370 / 415
Unit size (mm)	900×680×1380	1200×680×1200	1500×680×1380	1800×680×1380	2000×680×1380
Package size (mm)	1020×740×1500	1320×740×1500	1620×740×1500	1920×740×1500	2120×740×1500
Shelf Qty	3+bottom shelf	3+bottom shelf	3+bottom shelf	3+bottom shelf	3+bottom shelf
Loading Qty (20/40/40 HQ)	17/ 34/ 34	12/ 27/ 27	10/ 21/ 21	9/ 18/ 18	8/ 16/ 16

Flower Showcase




- 

Fin type evaporator
frost free dynamic cooling system
- 

Self-closing double glazing
door with and front electric heater
- 

Carbon filter air purify
- 

Digital Temperature Controller
- 

LED double vertical lights
integrated glass door
- 

Maintaince-free steel wire condenser



ST
2~15℃
35.6~59 °F



220V 50/60HZ
110V 60HZ



R290

Model	FLS-70S	FLS-137D	FLS-210T
Capacity	672L	1422L	2240L
Gross Weight (kg)	115kg	195kg	315kg
Unit size (mm)	700×850×2300	1375×800×2300	2100×800×2300
Package size (mm)	780×880×2360	1455×880×2360	2180×880×2360
Air Purify	Carbon Filter		
Ethylene removal	Ti-O2 UV Ethylene removal system		
Shelf Qty	4 adjustable flower shelf system		
Wheels	4 wheels with adjustable feet	4 wheels with adjustable feet	6 wheels with adjustable feet
Loading Qty (40 HQ)	39	21	13

Deli Showcase



ST
0~10℃
32~50 °F



220V 50/60HZ
110V 60HZ



R290

Model	DSC-4BS DSS-4BS	DSC-5BS DSS-5BS	DSC-6BS DSS-6BS	DSC-8BS DSS-8BS
Capacity	212L	270L	361L	451L
Gross Weight (kg)	160 / 180	235 / 255	285 / 305	365 / 385
Unit size (mm)	1330×1050×1190	1525×1050×1193	1980×1050×1190	2455×1050×1190
Package size (mm)	1430×1150×1325	1625×1150×1325	2078×1150×1325	2650×1150×1325
Cooling Type	Static Gravity cool system			
Loading Qty (20/40 HQ)	8 / 36	7 / 28	6 / 24	4 / 16



DSC (Curved)



DSS (Square)



ST
-2~8℃
28.4~46.4 °F



220V 50Hz



R290

Model	MCS-72S	MCS-144D
Net/Gross Weight (KG)	90 / 100	160 / 175
Unit size (mm)	720×800×2023	1440×800×2023
Package size (mm)	770×850×2100	1490×850×2100
Wheels	4 wheels with adjustable feet	
Cooling Type	Static evaporator with fan cooling WOT condensor	
Loading Qty (20/40/40 HQ)	20 / 42 / 42	10 / 22 / 22



Meat Chiller

ICE CREAM SHOWCASE

When reliable freezing system meets innovative advertising display, our ice cream display freezer will make the consumer buy instantly, as it displays products at customers' eye level.



- 

Fin type evaporator
frost free dynamic cooling system
- 

Changeable stainless steel pans
- 

Front and side heating glass
- 

Self-evaporation water tray
- 

Energy saving LED lighting
- 

Maintaince-free steel wire condenser
- 

4 strong universal wheels
- 

Digital Temperature Controller
- 

Rear sliding glass doors
for easy access



ST
< -18℃
< -0.4 °F



220V 50/60HZ
110V 60HZ



R404a

QD Series


Model	QD-BB-8	QD-BB-10	QD-BB-12	QD-BB-14	QD-BB-16
Capacity	247L / 8.72cuft	307L / 10.84cuft	367L / 12.96cuft	427L / 15.07cuft	487L / 17.19cuft
Unit size (mm)	880×1093×1350	1050×1093×1350	1220×1093×1350	1390×1093×1350	1560×1093×1350
Package size (mm)	950×1140×1480	1120×1140×1480	1290×1140×1480	1460×1140×1480	1630×1140×1480
1/3 Pan Qty	8	10	12	14	16
Loading Qty (20/40/40 HQ)	12/21/21	10/20/20	8/18/18	7/16/16	6/14/14

QW Series

Model	QW-BB-8	QW-BB-10	QW-BB-12	QW-BB-14	QW-BB-16
Capacity	227L / 8cuft	282L / 9.95cuft	338L / 11.94cuft	393L / 13.87cuft	448L / 15.82cuft
Unit size (mm)	842×1116×1267	1012×1116×1267	1182×1116×1267	1352×1116×1267	1522×1116×1267
Package size (mm)	915×1156×1400	1085×1156×1400	1255×1156×1400	1425×1156×1400	1595×1156×1400
1/3 Pan Qty	8	10	12	14	16
Loading Qty (20/40 HQ)	12 /24	10 / 20	8 / 18	8 / 16	6 / 14

QV Series

Model	QV-BB-8	QV-BB-10	QV-BB-12	QV-BB-14	QV-BB-16
Capacity	247L / 8.72cuft	307L / 10.84cuft	367L / 12.96cuft	427L / 15.07cuft	487L / 17.19cuft
Unit size (mm)	880×1140×1300	1050×1140×1300	1220×1140×1300	1390×1140×1300	1560×1140×1300
Package size (mm)	950×1180×1430	1120×1180×1430	1290×1180×1430	1460×1180×1430	1630×1180×1430
1/3 Pan Qty	8	10	12	14	16
Loading Qty (20/40 HQ)	12 /24	10 / 20	8 / 18	8 / 16	6 / 14



SLIM UPRIGHT COOLER



MINI BAR COOLER & FREEZER



CAN COOLER



COOLER FOR BEVERAGE BRANDS




SLIM UPRIGHT COOLER






With special design and innovation technology, Apex upright coolers are outstanding in this field. Our high impact graphics and custom illuminated logo display increase your brand awareness effectively.



Slim Upright Cooler & Freezer



Model		SR-155 USR-155	SR-215 USR-215
Capacity		155L / 5.5 cuft	225L / 8cuft
Net/Gross weight (kg)	SR	57 / 60	75 / 80
	USR	52 / 55	63 / 68
Capacity (330ml/11.2oz can)		240 cans	240 cans
Unit size (mm)	SR	390×490×1885	440×540×1890
	USR	390×490×1915	440×540×1925
Package size (mm)	SR	445×530×1915	490×575×1925
	USR	445×530×1930	490×575×1940
Shelf Qty		5	5
Loading Qty (20/40/40HQ)		55 / 110 / 139	48 / 96 / 120



Model		SF-175	USF-175
Capacity		185L / 6.5cuft	185L / 6.5cuft
Net/Gross Weight (kg)		72 / 74	75 / 80
Unit size (mm)		440×578×1895	440×578×1925
Package size (mm)		490×610×1930	490×610×1943
Shelf Qty		5	5
Loading Qty (20/ 40 / 40 HQ)		42 / 91 / 115	42 / 91/ 115



PROMOTION COOLER

Apex popular promotion coolers are the perfect marketing tool to display the drinks in some specific promotional scenes, like bars, game centers, and outdoor events. Also, the inner led strip could be customized in various colors to match your brand identity.



360-degree movable display at onsite sports events



High impact sticker cooler to stand out your brand in any place



Can Cooler

ST,
0~10°C
32~50 °F

220V 50/60HZ
110V 60HZ

R600a

Model	CC-40G	CC-65G	CC-80G	CC-85G
Capacity	43L / 1.52cuft	66L / 2.33cuft	76L / 2.68cuft	90L / 3.18cuft
Net/Gross Weight (kg)	18 / 20	19 / 21	20 / 22	22 / 24
Capacity (330ml/11.2oz can)	60 cans	70 cans	126 cans	126 cans
Unit size (mm)	φ 445×735	φ 445×960	φ 445×1060	φ 565×836
Package size (mm)	460×460×790	460×460×1015	460×460×1115	580×580×890
Basket	2 pcs (Optional parts)			
Loading Qty (20/40/40 HQ)	180 / 375 / 375	120 / 250 / 250	120 / 250 / 250	80 / 160 / 240

- 4 strong rollers, could endure at least 4 km outdoor moving
- CFC-free green gas R600a, no harm to ozone
- Strong injection plastic door frame with double layers safty tempered glass
- Self-evaporation water tray
- Energy saving LED lighting
- Rich experiences in the energy drink and beverage promotion



CC-40G CC-65G CC-80G CC-85G

Minibar Cooler

Need cool vibes in tight spaces? Apex has you covered with our sleek display coolers. Perfect for bars, convenience stores, coffee shops, and restaurants, our coolers fit anywhere. Plus, they're eco-friendly, saving energy while delivering top-notch performance.

 ST,
0~10°C
32~50 °F

 220V 50/60HZ
110V 60HZ

 R600a

Model	MB-20	MB-50	MB-70	MB-100	CT-25L	CT-55L	CT-80L
Capacity	21L / 0.74 cuft	52L / 1.84 cuft	70L / 2.47 cuft	98L / 3.46 cuft	25L / 0.88 cuft	55L / 1.94 cuft	80L / 2.83 cuft
Net/Gross Weight (kg)	15/ 16.5	19/ 21	24/ 26	30/ 33	16/ 17.5	23/ 25	29/ 32
Power (w)	76	76	76	103	76	76	103
Unit size (mm)	330×405×480	435×495×510	435×500×695	480×485×852	330×355×613	420×455×793	460×470×933
Package size (mm)	396×456×525	517×562×542	517×562×717	562×552×887	386×381×664	502×529×842	542×539×982
Shelf Qty	1	1	3	3	2	3	3
Loading Qty (20/40/40 HQ)	280/600/750	176/368/368	132/276/276	80/168/252	225/480/480	88/184/276	80/176/176



Mini size to fit any compact point of sales



Customized advertising lightbox and side stickers



Self-evaporation water tray



Self-closing door with double layers safty tempered glass

CLIENT CASE



Mini Bar Freezer

Freezer models

 ST
-22~-18°C
-7.6~-0.4°F

 220V 50/60HZ
110V 60HZ

 R290

Model	MBF-20	MBF-55	MBF-100
Capacity	21L / 0.74 cuft	55L / 1.94 cuft	98L / 3.46 cuft
Net/Gross Weight (kg)	22 / 24	34 / 37	51 / 55
Power (w)	115	115	210
Unit size (mm)	400×430×545	595×555×623	595×555×842
Package size (mm)	477×511×580	666×601×664	666×601×878
Shelf Qty	2	2	3
Loading Qty (20/40/40 HQ)	220/460/460	81/171/228	54/114 /171



Inner fan for even cooling



Self-closing door with double layers safty tempered glass



Adjustable heavy-duty shelf



Self-evaporation water tray



LED double vertical lights integrated glass door



Lock & key for safety concerns

 ST
-22~-18°C
-7.6~-0.4°F

 220V 50/60HZ
110V 60HZ

 R290

Model	CTF-50L
Capacity	50L/1.77cuft
Net/Gross Weight (kg)	30 / 33
Power (w)	115
Unit size (mm)	460×445×817
Package size (mm)	542×539×866
Shelf Qty	3
Loading Qty (20/40/40 HQ)	42 / 91 / 115



Cooler for Beverage Brands

Step type compressor



ST, 0~10°C
32~50 °F

220V 50/60HZ
110V 60HZ

R600a

Model	V1E620	V2E1120
Capacity	394 L / 13.9cuft	770 L / 27.2cuft
Gross Weight (kg)	100	178
Capacity (330ml can)	621 cans	976 cans
Unit size (mm)	620×635×1980	1120×635×1980
Package size (mm)	670×630×2030	1170×630×2030
Shelf Qty	5	10 (5×2)
Loading Qty (20/40 HQ)	27 / 71	18 / 37

- 

Fan assisted cooling for single door
Dyanamic cooling for double door
- 

Customized advertising
lightbox and side stickers
- 

Self-closing door with
double layers safty tempered glass
- 

Self-evaporation water tray
- 

Energy saving LED lighting
- 


Maintaince-free steel wire condenser

CLIENT CASE



RETAIL SOLUTIONS

We make it simple.



DELUXE FULL GLASS DOOR COOLER



Full glass door chiller is perfect for maximizing your beverage display.
Eye-catching streamline design with curve edge. Help you stand out from the competitors.

Deluxe Full Glass Door Cooler

VU-Deluxe models



Model	V1U540	V1U635	V2U1250	V3U1880	V4U2500
Capacity	295L / 10.4cuft	495L / 17.5cuft	1062L / 37.5cuft	1630L / 57.6cuft	2210L / 87cuft
Gross Weight (kg)	90	100	220	270	350
Door Qty	1	1	2	3	4
Unit size (mm)	540×560×1920	635×725×2050	1253×725×2050	1880×725×2050	2508×725×2050
Package size (mm)	580×620×1960	670×740×2090	1290×740×2090	1920×740×2090	2550×740×2090
Shelf Qty	5	5	10(5×2)	15(5×3)	20(5×4)
Loading Qty (20/40 HQ)	36/95	24/51	13/27	9/18	9/12

- Fin type evaporator frost free dynamic cooling system
- Round corner glass door design
- Self-closing door with double layers safety tempered glass
- Self-evaporation water tray
- Energy saving LED lighting
- Maintenance-free steel wire condenser
- Multicolor door frame and body options
- Digital Temperature Controller
- Adjustable heavy-duty shelf

FEATURE



Digital Control

With LED readout for inside temperature and automatic defrost timer



Round Corner Design

Round corner full glass door design, double layer glass and front tempered glass



Metal Handle

Metel handle, stronger than any plastic suitable for left or right-handed



Energy Saving LED Light

Extra big and bright for attraction, safe low-voltage LED lights



Dynamic Cooling System

The cold air is well-distributed from fin type evaporator to every corner of the cooler with no frost



Heavy Duty Shelves

Adjustable for merchandising 30kg load endurance shelf

PRODUCT PICS



V1U540

V1U635

V3U1880

V4U2240

FULL GLASS DOOR CHILLER

This high-end full glass vertical chiller in black is an ideal choice for placement in bars, high - end restaurants, hotel lobbies, and other such locations. It not only exudes a sense of modern elegance but also serves as a perfect display platform, effectively enhancing the overall aesthetic and functionality of the space.



FEATURE



Digital Control

With LED readout for inside temperature and automatic defrost timer



Aluminum Alloy Door Frame

Right angle aluminum alloy door frame, double layer glass and front tempered glass



Metal Handle

Metel handle, stronger than any plastic suitable for left or right-handed



Energy Saving LED Light

Extra big and bright for attraction, safe low-voltage LED lights



Dynamic Cooling System

The cold air is well-distributed from fin type evaporator to every corner of the cooler with no frost



Heavy Duty Shelves


Adjustable for merchandising 30kg load endurance shelf

Full Glass Door Chiller

VE - Standard models



Model	V1E620	V2E1120	V3E1680	V4E2240
Capacity	394L / 13.9cuft	770L / 27.2cuft	1190L / 42cuft	1611L / 56.9cuft
Gross Weight (kg)	100	178	225	250
Door Qty	1	2	3	4
Unit size (mm)	620×635×1980	1120×635×1980	1680×635×1980	2240×635×1980
Package size (mm)	670×630×2030	1170×630×2030	1730×630×2030	2290×630×2030
Shelf Qty	5	10(5×2)	15(5×3)	20(5×4)
Loading Qty (20/40 HQ)	27/71	18/37	10/20	9/18



Fin type evaporator
frost free dynamic cooling system



Full-length glass door perfect
for maximizing your beverage display




Self-closing door with
double layers safty tempered glass



Self-evaporation water tray



Energy saving LED lighting



Maintaince-free steel wire condenser



With a spacious interior,
can accommodate a vast amount of items



Digital Temperature Controller



Adjustable heavy-duty shelf

VEB - Deeper models



Model	V1E620B	V2E1120B	V3E1680B	V4E2240B
Capacity	430L / 15.2cuft	835L / 29.5cuft	1350L / 47.7cuft	1695L / 59.9cuft
Gross Weight (kg)	105	183	230	250
Door Qty	1	2	3	4
Unit size (mm)	620×680×1980	1120×680×1980	1680×680×1980	2240×680×1980
Package size (mm)	670×680×2000	1170×680×2030	1730×680×2030	2290×680×2030
Shelf Qty	5	10(5×2)	15(5×3)	20(5×4)
Loading Qty (20/40 HQ)	24/66	16/34	9/20	8/17

C Store Bottom Mounted Chiller

BMC models



ST
0~10°C
32~50 °F

220V 50/60HZ
110V 60HZ

R290

Model	BM1C635	BM1C800	BM2C1250	BM3C1880	BM4C2500
Capacity	478L / 16.9cuft	670L / 23.7cuft	1038L / 36.7cuft	1598L / 56.4cuft	2159L / 76.2cuft
Door Qty	1	1	2	3	4
Gross Weight (kg)	85	150	200	255	300
Unit size (mm)	635×710×2030	800×750×2030	1253×710×2030	1880×710×2030	2508×710×2030
Package size (mm)	670×740×2090	850×765×2090	1290×740×2090	1920×740×2090	2550×740×2070
Shelf Qty	5 pcs	5 pcs	10 (5×2) pcs	15 (5×3) pcs	20 (5×4) pcs
Loading Qty (20/40 HQ)	24 / 51	18 / 42	12 / 27	9 / 18	6 / 12

- Fin type evaporator
frost free dynamic cooling system
- Customized advertising side stickers
- Self-evaporation water tray
- Energy saving LED lighting
- Maintenance-free steel wire condenser
- Self-closing door with
double layers safty tempered glass

PRODUCT PICTURE



C Store Bottom Mounted Freezer

BMF models



ST
-22~-18°C
-7.6~-0.4°F


220V 50/60HZ
110V 60HZ

R290

Model	BM1F635	BM1F800	BM2F1250	BM3F1880	BM4F2500
Capacity	448L / 15.8cuft	620L / 21.9cuft	985L / 34.8cuft	1531L / 54cuft	2077L / 73.3cuft
Door Qty	1	1	2	3	4
Gross Weight (kg)	85	150	200	255	300
Unit size (mm)	635×710×2030	800×750×2030	1253×710×2030	1880×710×2030	2508×710×2030
Package size (mm)	670×740×2090	850×765×2090	1290×740×2090	1920×740×2090	2550×740×2070
Shelf Qty	5 pcs	5 pcs	10 (5×2) pcs	15 (5×3) pcs	20 (5×4) pcs
Loading Qty (20/40 HQ)	24 / 51	18 / 42	12 / 27	9 / 18	6 / 12

- Fin type evaporator
frost free dynamic cooling system
- Customized advertising side stickers
- Self-evaporation water tray
- Energy saving LED lighting
- Maintenance-free steel wire condenser
- Self-closing door with
triple layers safty tempered glass

PRODUCT DRAWING



C Store Top Mounted Chiller

TMC models



ST
0~10°C
32~50 °F

220V 50/60HZ
110V 60HZ

R290

Model	TM1C635	TM2C1250	TM3C1880	TM4C2500
Capacity	478L / 16.9cuft	1038L / 36.7cuft	1598L / 56.4cuft	2159 L / 76.2cuft
Door Qty	1	2	3	4
Gross Weight (kg)	85	200	255	300
Unit size (mm)	635×750×2080	1253×750×2080	1880×750×2080	2508×750×2080
Package size (mm)	670×760×2090	1290×760×2115	1920×760×2115	2550×760×2115
Shelf Qty	5 pcs	10 (5×2) pcs	15 (5×3) pcs	20 (5×4) pcs
Loading Qty (20/40 HQ)	24 / 51	13 / 27	9 / 18	6 / 12

- Fin type evaporator
frost free dynamic cooling system
- Customized advertising lightbox
and side stickers
- Self-evaporation water tray
- Energy saving LED lighting
- Maintenance-free steel wire condenser
- Self-closing door with
double layers safty tempered glass

PRODUCT PICTURE



C Store Top Mounted Freezer

TMF models



ST
-22~-18°C
-7.6~-0.4°F


220V 50/60HZ
110V 60HZ

R290

Model	TM1F635	TM2F1250	TM3F1880	TM4F2500
Capacity	448L / 15.8cuft	985L / 34.8cuft	1531L / 54cuft	2077L / 73.3cuft
Door Qty	1	2	3	4
Gross Weight (kg)	85	200	255	300
Unit size (mm)	635×750×2080	1253×750×2080	1880×750×2080	2508×750×2080
Package size (mm)	670×760×2090	1290×760×2115	1920×760×2115	2550×760×2115
Shelf Qty	5 pcs	10 (5×2) pcs	15 (5×3) pcs	20 (5×4) pcs
Loading Qty (20/40 HQ)	24 / 51	13 / 27	9 / 18	6 / 12


- Fin type evaporator
frost free dynamic cooling system
- Customized advertising lightbox
and side stickers
- Self-evaporation water tray
- Energy saving LED lighting
- Maintenance-free steel wire condenser
- Self-closing door with
triple layers safty tempered glass

PRODUCT DRAWING



Cashier Cooler

60inch height



Model	LGB-240	LGB-480	LGB-480S
Capacity	240L / 8.5cuft	580L / 20.5cuft	580L / 20.5cuft
Net/Gross Weight (kg)	65 / 68	108 / 112	108 / 112
Capacity (330ml can)	336 cans	896 cans	768 cans
Unit size (mm)	595×540×1537	1196×585×1537	1196×585×1537
Package size (mm)	640×585×1571	1235×625×1600	1235×625×1600
Shelf Qty	3	6 (3×2)	6 (3×2)
Loading Qty (20/40/40 HQ)	36 / 80 / 80	17 / 37 / 37	13 / 28 / 28



Fin type evaporator
frost free dynamic cooling system



Digital Temperature Controller



Self-closing door with
double layers safty tempered glass



Self-evaporation water tray




Adjustable heavy-duty shelf



Maintaince-free steel wire condenser

CLIENT CASE




Model	XLD-E185	XLD-L140	XLD-L210	XI D-L250
Capacity	700L / 24.7cuft	600L / 21.2cuft	900L / 31.8cuft	1000L / 35.3cuft
Net/Gross weight (kg)	135 / 150	145 / 160	150 / 170	175 / 195
Unit size (mm)	1865×870×760	1400×870×845	2100×870×845	2500×870×845
Package size (mm)	1890×910×785	1450×910×885	2150×910×885	2550×910×885
Cooling Type	Static+Auto Defrost	Static+Auto Defrost	Static+Auto Defrost	Static+Auto Defrost
Loading Qty (20/40/40 HQ)	12 / 26 / 39	16 / 32 / 48	12 / 26 / 39	8 / 16 / 24

Combine-Island Freezer






Open Chiller

C type



Model	LD3-2Z(C1)	LD3-2Z(C2)	LD3-2Z(C3)	LD3-2Z(C4)
Capacity	450L / 15.9cuft	700L / 24.7cuft	950L / 33.6cuft	640L / 22.6cuft
Net/Gross Weight (kg)	130 / 150	200 / 225	230 / 250	180 / 200
Unit size (mm)	700×720×2020	900×825×2045	1160×825×2070	1160×650×2070
Package size (mm)	780×810×2200	980×915×2200	1220×880×2200	1240×735×2200
Shelf Qty	4+bottom shelf	4+bottom shelf	4+bottom shelf	4+bottom shelf
Loading Qty (20/40/40 HQ)	21 / 45 / 45	12 / 26 / 26	10 / 22 / 22	13 / 28 / 28




CLIENT CASE







Open Chiller

Erina 900



Model	Erina 900
Capacity	315L / 11.1cuft
Net/Gross Weight (kg)	145 / 165
Unit size (mm)	925×775×1520
Package size (mm)	975×835×1650
Shelf Qty	3+bottom shelf
Controller	Digital Carel brand temperature control
Loading Qty (20/40/40 HQ)	14 / 28 / 28



PRODUCT PICTURE



Optional Features

Free Mock-up

We custom branding display fridges to stand out your food or drinks for more impulse sales. Send your design now and we will send you the mock-up for free.



Optional Features


Stainless Steel Material

Frame, Door handle, Shelf are can be stainless steel material. Stainless steel material makes the product more luxurious and advanced



Plug Types

Professional export for more than 15 years, exported to more than 30 countries around the world, can provide you with plug types for different countries




Logo & Asset label

Logo, asset lable is customizable in different materials, size and position to apply.



Crystal
滴塑



Aluminum
铝高光



Silkscreen Print
丝印




Chrome
电镀

Optional Features


LED Energy Lighting

T8 tube, Hard strip light, Flexible strip lights, RGB colorful light



Handle Type

We have different handle matching with different door frame



Customized Shelf

Price tag strip, Shelf partition, Roller Slides Shelf, Extra shelf



Optional Features

Different Frame Colors

Different color frame to match your design



Digital Controller



Smart Solution

Health Lock, Remote Control Lock, IOT solution

