

Wenzhou Huiyi Valve Technology Co.,Ltd

Add: No.2158,Binhai 1st Road,Economic and Technical Development Zone,Longwan Distric,Wenzhou City,Zhejiang Province,China
Tel:0086-577-86998027 Fax:0086-577-86998037 Mobile:0086-18057736259

Wenzhou Huiyi Valve Technology Co.,Ltd is a manufacturer and exporter in Wenzhou City,Zhejiang Province,China.We mainly supply tube fittings and valves,and we have been in this field for over 20 years,now there are 120 workers in our company,there are 5 engineers which have rich experience and been in this field for many years,we have our own development team and research team,most of our products are designed by ourselves,and some of them are designed as per customers' requirements.Our products have been exported to many countries.

Main products:

Tube fittings:compression tube fittings,double ferrules tube fittings,hydraulic connector,pneumatic connector,forging steel high pressure pipe fittings,casting steel screwed pipe fittings,butt weld pipe fittings.All the tube fittings can be made of different materials and as per ANSI,ASME,DIN,GB etc.

Valves:needle valve,ball valve,gate valve,check valve,globe valve,gauge valve,instrumentation valve,butterfly valve, valve manifold.The size is from DN6 to DN1200,the working pressure is 0-10000PSI,the working temperature is -180 degree to 580 degree,our valves could be made of stainless steel,carbon steel,brass,cast iron,alloy,duplex stainless steel,monel.The packing material are PTFE,graphite,NBR,EPDM,Viton,which can meet different customers' requirements.

If you are interested in our products,please feel free to contact us,we are looking forward to establishing a long term business relationship with you for our mutual benefits.



Wenzhou Huiyi Valve Technology Co.Ltd

Add:No.2158,Binhai 1st Road,Economic and Technical Development Zone,Longwan Distric,Wenzhou City,Zhejiang Province,China

Tel:0086-577-86998027

Fax:0086-577-86998037

Mobile:0086-18057736259

Email: sales@huiyivalve.com info@huiyivalve.com


Contact Person: Tony Zhang Skype: angelzhang880108 , huiyivalve Wechat: huiyivalve

Website: <http://www.huiyivalve.com> Website in Alibaba: <http://huiyivalve.en.alibaba.com> Website in Made in China: <https://huiyivalve.en.made-in-china.com/>

Wenzhou Huiyi Valve Technology Co.,Ltd

Add: No.2158,Binhai 1st Road,Economic and Technical Development Zone,Longwan Distric,Wenzhou City,Zhejiang Province,China
 Tel:0086-577-86998027 Fax:0086-577-86998037 Mobile:0086-18057736259

FEMALE THREAD ELBOW,90 DEGREE,MODEL NO.:HY-FTE90 ,HY-FTE90-M



Nominal Pipe Size 公称通径 (NPS)	Center to End elbow, tee, cross 中心到端部距离 A			Center to End 45 degree elbow 中心到端部距离 C			Outside Diameter of Band 外径 H			Minimum wall thickness 最小壁厚 G			Minimum Length of Thread 最小螺纹长度	
	2000	3000	6000	2000	3000	6000	2000	3000	6000	2000	3000	6000	B	L2
	1/8"	21	21	25	17	17	19	22	22	25	3.18	3.18	6.35	6.4
1/4"	21	25	28	17	19	22	22	25	33	3.18	3.30	6.60	8.1	10.2
3/8"	25	28	33	19	22	25	25	33	38	3.18	3.51	6.98	9.1	10.4
1/2"	28	33	38	22	25	28	33	38	46	3.18	4.09	8.15	10.9	13.6
3/4"	33	38	44	25	28	33	38	46	56	3.18	4.32	8.53	12.7	13.9
1"	38	44	51	28	33	35	46	56	62	3.68	4.98	9.93	14.7	17.3
1-1/4"	44	51	60	33	35	43	56	62	75	3.89	5.28	10.59	17.0	18.0
1-1/2"	51	60	64	35	43	44	62	75	84	4.01	5.56	11.07	17.8	18.4
2"	60	64	83	43	44	52	75	84	102	4.27	7.14	12.09	19.0	19.2
2-1/2"	76	83	95	52	52	64	92	102	121	5.61	7.65	15.29	23.6	28.9
3"	86	95	106	64	64	79	109	121	146	5.99	8.84	16.64	25.9	30.5
4"	106	114	114	79	79	79	146	152	152	6.55	11.18	18.67	27.7	33.0

GENERAL NOTES:

- (a) Dimensions are in millimeters
- (b) Pressure unit is in LB

Wenzhou Huiyi Valve Technology Co.Ltd

Add:No.2158,Binhai 1st Road,Economic and Technical Development Zone,Longwan Distric,Wenzhou City,Zhejiang Province,China

Tel:0086-577-86998027

Fax:0086-577-86998037

Mobile:0086-18057736259

Email: sales@huiyivalve.com info@huiyivalve.com


Contact Person: Tony Zhang Skype: angelzhang880108 , huiyivalve Wechat: huiyivalve

Website: <http://www.huiyivalve.com> Website in Alibaba: <http://huiyivalve.en.alibaba.com> Website in Made in China: <https://huiyivalve.en.made-in-china.com/>

Wenzhou Huiyi Valve Technology Co.,Ltd

Add: No.2158,Binhai 1st Road,Economic and Technical Development Zone,Longwan Distric,Wenzhou City,Zhejiang Province,China
 Tel:0086-577-86998027 Fax:0086-577-86998037 Mobile:0086-18057736259

SOCKET WELD ELBOW,90 DEGREE,MODEL NO.:HY-SWE90



NPS 公称通径 DN		Depth of Socket 承插孔深度	Wall Thickness 壁厚			Center to Bottom of Socket 中心到承口底		
A(mm)	B(in)	J (min)	3000LB SCH80	C(min) 6000LB SCH160	9000LB XXS	3000LB SCH80	G 6000 SCH160	9000 XXS
6	1/8"	10	3.2	4.0	-	11	11	-
8	1/4"	10	3.8	4.6	-	11	14	-
10	3/8"	10	4.0	5.1	-	14	16	-
15	1/2"	10	4.5	5.6	9.4	16	19	25
20	3/4"	13	5.0	7.0	9.8	19	22	29
25	1"	13	5.6	7.9	11.4	22	27	32
32	1-1/4"	13	6.3	7.9	12.2	27	32	35
40	1-1/2"	13	6.3	8.9	12.7	32	38	54
50	2"	16	7.0	11.0	13.9	38	41	-
65	2-1/2"	16	8.9	12.5	-	41	57	-
80	3"	16	10.0	13.8	-	57	64	-
100	4"	19	10.7	-	-	67	-	-

GENERAL NOTES:

(a) Dimensions are in millimeters

Wenzhou Huiyi Valve Technology Co.Ltd

Add:No.2158,Binhai 1st Road,Economic and Technical Development Zone,Longwan Distric,Wenzhou City,Zhejiang Province,China

Tel:0086-577-86998027

Fax:0086-577-86998037

Mobile:0086-18057736259

Email: sales@huiyivalve.com info@huiyivalve.com


Contact Person: Tony Zhang Skype: angelzhang880108 , huiyivalve Wechat: huiyivalve

Website: <http://www.huiyivalve.com> Website in Alibaba: <http://huiyivalve.en.alibaba.com> Website in Made in China: <https://huiyivalve.en.made-in-china.com/>

Wenzhou Huiyi Valve Technology Co.,Ltd

Add: No.2158,Binhai 1st Road,Economic and Technical Development Zone,Longwan Distric,Wenzhou City,Zhejiang Province,China
 Tel:0086-577-86998027 Fax:0086-577-86998037 Mobile:0086-18057736259

SOCKET WELD ELBOW,45 DEGREE,MODEL NO.:HY-SWE45



NPS 公称通径 DN		Depth of Socket 承插孔深度	Wall Thickness 壁厚			Center to Bottom of Socket 中心到承口底		
A(mm)	B(in)	J (min)	3000LB SCH80	C(min) 6000LB SCH160	9000LB XXS	3000LB SCH80	G 6000 SCH160	9000 XXS
6	1/8"	10	3.2	4.0	-	8	8	-
8	1/4"	10	3.8	4.6	-	8	8	-
10	3/8"	10	4.0	5.1	-	8	11	-
15	1/2"	10	4.5	5.6	9.4	11	13	16
20	3/4"	13	5.0	7.0	9.8	13	14	19
25	1"	13	5.6	7.9	11.4	14	18	21
32	1-1/4"	13	6.3	7.9	12.2	18	21	22
40	1-1/2"	13	6.3	8.9	12.7	21	25	25
50	2"	16	7.0	11.0	13.9	25	29	29
65	2-1/2"	16	8.9	12.5	-	29	32	-
80	3"	16	10.0	13.8	-	32	35	-
100	4"	19	10.7	-	-	41	-	-

GENERAL NOTES:

(a) Dimensions are in millimeters

Wenzhou Huiyi Valve Technology Co.Ltd

Add:No.2158,Binhai 1st Road,Economic and Technical Development Zone,Longwan Distric,Wenzhou City,Zhejiang Province,China

Tel:0086-577-86998027

Fax:0086-577-86998037

Mobile:0086-18057736259

Email: sales@huiyivalve.com info@huiyivalve.com


Contact Person: Tony Zhang Skype: angelzhang880108 , huiyivalve Wechat: huiyivalve

Website: <http://www.huiyivalve.com> Website in Alibaba: <http://huiyivalve.en.alibaba.com> Website in Made in China: <https://huiyivalve.en.made-in-china.com/>

Wenzhou Huiyi Valve Technology Co.,Ltd

Add: No.2158,Binhai 1st Road,Economic and Technical Development Zone,Longwan Distric,Wenzhou City,Zhejiang Province,China
 Tel:0086-577-86998027 Fax:0086-577-86998037 Mobile:0086-18057736259

FEMALE THREAD TEE,MODEL NO.:HY-FTT , HY-FTT-M



Nominal Pipe Size 公称通径 (NPS)	Center to End elbow, tee, cross 中心到端部距离 A			Center to End 45 degree elbow 中心到端部距离 C			Outside Diameter of Band 外径 H			Minimum wall thickness 最小壁厚 G			Minimum Length of Thread 最小螺纹长度	
	2000	3000	6000	2000	3000	6000	2000	3000	6000	2000	3000	6000	B	L2
	1/8"	21	21	25	17	17	19	22	22	25	3.18	3.18	6.35	6.4
1/4"	21	25	28	17	19	22	22	25	33	3.18	3.30	6.60	8.1	10.2
3/8"	25	28	33	19	22	25	25	33	38	3.18	3.51	6.98	9.1	10.4
1/2"	28	33	38	22	25	28	33	38	46	3.18	4.09	8.15	10.9	13.6
3/4"	33	38	44	25	28	33	38	46	56	3.18	4.32	8.53	12.7	13.9
1"	38	44	51	28	33	35	46	56	62	3.68	4.98	9.93	14.7	17.3
1-1/4"	44	51	60	33	35	43	56	62	75	3.89	5.28	10.59	17.0	18.0
1-1/2"	51	60	64	35	43	44	62	75	84	4.01	5.56	11.07	17.8	18.4
2"	60	64	83	43	44	52	75	84	102	4.27	7.14	12.09	19.0	19.2
2-1/2"	76	83	95	52	52	64	92	102	121	5.61	7.65	15.29	23.6	28.9
3"	86	95	106	64	64	79	109	121	146	5.99	8.84	16.64	25.9	30.5
4"	106	114	114	79	79	79	146	152	152	6.55	11.18	18.67	27.7	33.0

GENERAL NOTES:

- (a) Dimensions are in millimeters
- (b) Pressure unit is in LB

Wenzhou Huiyi Valve Technology Co.Ltd

Add:No.2158,Binhai 1st Road,Economic and Technical Development Zone,Longwan Distric,Wenzhou City,Zhejiang Province,China

Tel:0086-577-86998027

Fax:0086-577-86998037

Mobile:0086-18057736259

Email: sales@huiyivalve.com info@huiyivalve.com


Contact Person: Tony Zhang Skype: angelzhang880108 , huiyivalve Wechat: huiyivalve

Website: <http://www.huiyivalve.com> Website in Alibaba: <http://huiyivalve.en.alibaba.com> Website in Made in China: <https://huiyivalve.en.made-in-china.com/>

Wenzhou Huiyi Valve Technology Co.,Ltd

Add: No.2158,Binhai 1st Road,Economic and Technical Development Zone,Longwan Distric,Wenzhou City,Zhejiang Province,China
 Tel:0086-577-86998027 Fax:0086-577-86998037 Mobile:0086-18057736259

SOCKET WELD TEE,MODEL NO.:HY-SWT



NPS 公称通径 DN		Depth of Socket 承插孔深度	Wall Thickness 壁厚			Center to Bottom of Socket 中心到承口底		
A(mm)	B(in)	J (min)	3000LB SCH80	C(min) 6000LB SCH160	9000LB XXS	3000LB SCH80	G 6000 SCH160	9000 XXS
6	1/8"	10	3.2	4.0	-	11	11	-
8	1/4"	10	3.8	4.6	-	11	14	-
10	3/8"	10	4.0	5.1	-	14	16	-
15	1/2"	10	4.5	5.6	9.4	16	19	25
20	3/4"	13	5.0	7.0	9.8	19	22	29
25	1"	13	5.6	7.9	11.4	22	27	32
32	1-1/4"	13	6.3	7.9	12.2	27	32	35
40	1-1/2"	13	6.3	8.9	12.7	32	38	38
50	2"	16	7.0	11.0	13.9	38	41	54
65	2-1/2"	16	8.9	12.5	-	41	57	-
80	3"	16	10.0	13.8	-	57	64	-
100	4"	19	10.7	-	-	67	-	-

GENERAL NOTES:

(a) Dimensions are in millimeters

Wenzhou Huiyi Valve Technology Co.Ltd

Add:No.2158,Binhai 1st Road,Economic and Technical Development Zone,Longwan Distric,Wenzhou City,Zhejiang Province,China

Tel:0086-577-86998027

Fax:0086-577-86998037

Mobile:0086-18057736259

Email: sales@huiyivalve.com info@huiyivalve.com


Contact Person: Tony Zhang Skype: angelzhang880108 , huiyivalve Wechat: huiyivalve

Website: <http://www.huiyivalve.com> Website in Alibaba: <http://huiyivalve.en.alibaba.com> Website in Made in China: <https://huiyivalve.en.made-in-china.com/>

Wenzhou Huiyi Valve Technology Co.,Ltd

Add: No.2158,Binhai 1st Road,Economic and Technical Development Zone,Longwan Distric,Wenzhou City,Zhejiang Province,China
 Tel:0086-577-86998027 Fax:0086-577-86998037 Mobile:0086-18057736259

FEMALE THREAD UNION,MODEL NO.:HY-FTU



NPS(DN) 公称通径		Outside Diameter 外径	Wall Thickness 壁厚	Water Way 流道	Nominal Assembly Length 总长度
A(mm)	B(in)	D1(min)	C(min)	D	L
6	1/8"	14.7	2.5	6.43	41.4
8	1/4"	19.0	3.1	9.45	41.4
10	3/8"	22.9	3.2	13.51	46.0
15	1/2"	27.7	3.8	17.07	49.0
20	3/4"	33.5	4.0	21.39	56.9
25	1"	41.4	4.6	27.74	62.0
32	1-1/4"	50.5	4.9	35.36	71.1
40	1-1/2"	57.2	5.1	41.20	76.5
50	2"	70.1	5.6	52.12	86.1
65	2-1/2"	85.3	7.1	64.31	102.4
80	3"	102.4	7.7	77.27	109.0

GENERAL NOTES:

(a) Dimensions are in millimeters

Wenzhou Huiyi Valve Technology Co.Ltd

Add:No.2158,Binhai 1st Road,Economic and Technical Development Zone,Longwan Distric,Wenzhou City,Zhejiang Province,China

Tel:0086-577-86998027

Fax:0086-577-86998037

Mobile:0086-18057736259

Email: sales@huiyivalve.com info@huiyivalve.com


Contact Person: Tony Zhang Skype: angelzhang880108 , huiyivalve Wechat: huiyivalve

Website: <http://www.huiyivalve.com> Website in Alibaba: <http://huiyivalve.en.alibaba.com> Website in Made in China: <https://huiyivalve.en.made-in-china.com/>

Wenzhou Huiyi Valve Technology Co.,Ltd

Add: No.2158,Binhai 1st Road,Economic and Technical Development Zone,Longwan Distric,Wenzhou City,Zhejiang Province,China
 Tel:0086-577-86998027 Fax:0086-577-86998037 Mobile:0086-18057736259

SOCKET WELD CROSS,MODEL NO.:HY-SWCR



NPS 公称通径 DN		Depth of Socket 承插孔深度	Wall Thickness 壁厚			Center to Bottom of Socket 中心到承口底		
A(mm)	B(in)	J (min)	3000LB SCH80	C(min) 6000LB SCH160	9000LB XXS	3000LB SCH80	G 6000 SCH160	9000 XXS
6	1/8"	10	3.2	4.0	-	11	11	-
8	1/4"	10	3.8	4.6	-	11	14	-
10	3/8"	10	4.0	5.1	-	14	16	-
15	1/2"	10	4.5	5.6	9.4	16	19	25
20	3/4"	13	5.0	7.0	9.8	19	22	29
25	1"	13	5.6	7.9	11.4	22	27	32
32	1-1/4"	13	6.3	7.9	12.2	27	32	35
40	1-1/2"	13	6.3	8.9	12.7	32	38	38
50	2"	16	7.0	11.0	13.9	38	41	54
65	2-1/2"	16	8.9	12.5	-	41	57	-
80	3"	16	10.0	13.8	-	57	64	-
100	4"	19	10.7	-	-	67	-	-

GENERAL NOTES:

(a) Dimensions are in millimeters

Wenzhou Huiyi Valve Technology Co.Ltd

Add:No.2158,Binhai 1st Road,Economic and Technical Development Zone,Longwan Distric,Wenzhou City,Zhejiang Province,China

Tel:0086-577-86998027

Fax:0086-577-86998037

Mobile:0086-18057736259

Email: sales@huiyivalve.com info@huiyivalve.com


Contact Person: Tony Zhang Skype: angelzhang880108 , huiyivalve Wechat: huiyivalve

Website: <http://www.huiyivalve.com> Website in Alibaba: <http://huiyivalve.en.alibaba.com> Website in Made in China: <https://huiyivalve.en.made-in-china.com/>

Wenzhou Huiyi Valve Technology Co.,Ltd

Add: No.2158,Binhai 1st Road,Economic and Technical Development Zone,Longwan Distric,Wenzhou City,Zhejiang Province,China
Tel:0086-577-86998027 Fax:0086-577-86998037 Mobile:0086-18057736259

HEX HEAD PLUG,MODEL NO.:HY-HP



Manufacture according to ASME B16.11

Nominal Pipe Size (inch) 公称通径	Length of Thread 螺纹长度 A	Hex Head Plug 六角堵头	
		Width of Flat 对边宽度 S	Hex Height 六角头高度 H
		1/8"	9.5
1/4"	11.0	16.0	6
3/8"	12.5	17.5	8
1/2"	14.5	22.0	8
3/4"	16.0	27.0	10
1"	19.0	35.0	10
1-1/4"	20.5	44.5	14
1-1/2"	20.5	51.0	16
2"	22.0	63.5	17
2-1/2"	27.0	76.0	19
3"	28.5	89.0	21
4"	32.0	117.5	25

GENERAL NOTES:

(a) Dimensions are in millimeters

Wenzhou Huiyi Valve Technology Co.Ltd

Add:No.2158,Binhai 1st Road,Economic and Technical Development Zone,Longwan Distric,Wenzhou City,Zhejiang Province,China

Tel:0086-577-86998027

Fax:0086-577-86998037

Mobile:0086-18057736259

Email: sales@huiyivalve.com info@huiyivalve.com

Contact Person: Tony Zhang Skype: angelzhang880108 , huiyivalve Wechat: huiyivalve

Website: <http://www.huiyivalve.com> Website in Alibaba: <http://huiyivalve.en.alibaba.com> Website in Made in China: <https://huiyivalve.en.made-in-china.com/>

Wenzhou Huiyi Valve Technology Co.,Ltd

Add: No.2158,Binhai 1st Road,Economic and Technical Development Zone,Longwan Distric,Wenzhou City,Zhejiang Province,China
Tel:0086-577-86998027 Fax:0086-577-86998037 Mobile:0086-18057736259

HEX BUSHING, MODEL NO.:HY-HB



NPS 公称通径 DN	Length of Thread 螺纹长度 A(min)	Width of Flats 对边宽度 S	Hex Height 六角头高度 K (min)
1/8"	9.5	11.0	-
1/4"	11.0	16.0	3
3/8"	12.5	17.5	4
1/2"	14.5	22.0	5
3/4"	16.0	27.0	6
1"	19.0	35.0	6
1-1/4"	20.5	44.5	7
1-1/2"	20.5	51.0	8
2"	22.0	63.5	9
2-1/2"	27.0	76.0	10
3"	28.5	89.0	10
4"	32.0	117.5	13

GENERAL NOTES:

(a) Dimensions are in millimeters

Wenzhou Huiyi Valve Technology Co.Ltd

Add:No.2158,Binhai 1st Road,Economic and Technical Development Zone,Longwan Distric,Wenzhou City,Zhejiang Province,China

Tel:0086-577-86998027

Fax:0086-577-86998037

Mobile:0086-18057736259

Email: sales@huiyivalve.com info@huiyivalve.com


Contact Person: Tony Zhang Skype: angelzhang880108 , huiyivalve Wechat: huiyivalve

Website: <http://www.huiyivalve.com> Website in Alibaba: <http://huiyivalve.en.alibaba.com> Website in Made in China: <https://huiyivalve.en.made-in-china.com/>

Wenzhou Huiyi Valve Technology Co.,Ltd

Add: No.2158,Binhai 1st Road,Economic and Technical Development Zone,Longwan Distric,Wenzhou City,Zhejiang Province,China
 Tel:0086-577-86998027 Fax:0086-577-86998037 Mobile:0086-18057736259

HEX CAP,MODEL NO.:HY-HFTC



Cap

Nominal Pipe Size 公称通径 (NPS)	End to End Coupling 端部到端部 距离 W	End to End Cap 端部到端部 P		Outside Diameter 外径 D		Minimum End wall thickness 最小壁厚 G		Minimum Length of Thread 最小螺纹长度	
		3000 and 6000	3000	6000	3000	6000	3000	6000	B
1/8"	32	19	-	16	22	4.8	-	6.4	6.7
1/4"	35	25	27	19	25	4.8	6.4	8.1	10.2
3/8"	38	25	27	22	32	4.8	6.4	9.1	10.4
1/2"	48	32	33	28	38	6.4	7.9	10.9	13.6
3/4"	51	37	38	35	44	6.4	7.9	12.7	13.9
1"	60	41	43	44	57	9.7	11.2	14.7	17.3
1-1/4"	67	44	46	57	64	9.7	11.2	17.0	18.0
1-1/2"	79	44	48	64	76	11.2	12.7	17.8	18.4
2"	86	48	51	76	92	12.7	15.7	19.0	19.2
2-1/2"	92	60	64	92	108	15.7	19.0	23.6	28.9
3"	108	65	68	108	127	19.0	22.4	25.9	30.5
4"	121	68	75	140	159	22.4	28.4	27.7	33.0

GENERAL NOTES:

(a) Dimensions are in millimeters

(b) Pressure unit is in LB

Wenzhou Huiyi Valve Technology Co.Ltd

Add:No.2158,Binhai 1st Road,Economic and Technical Development Zone,Longwan Distric,Wenzhou City,Zhejiang Province,China

Tel:0086-577-86998027

Fax:0086-577-86998037

Mobile:0086-18057736259

Email: sales@huiyivalve.com info@huiyivalve.com


Contact Person: Tony Zhang Skype: angelzhang880108 , huiyivalve Wechat: huiyivalve

Website: <http://www.huiyivalve.com> Website in Alibaba: <http://huiyivalve.en.alibaba.com> Website in Made in China: <https://huiyivalve.en.made-in-china.com/>

Wenzhou Huiyi Valve Technology Co.,Ltd

Add: No.2158,Binhai 1st Road,Economic and Technical Development Zone,Longwan Distric,Wenzhou City,Zhejiang Province,China
 Tel:0086-577-86998027 Fax:0086-577-86998037 Mobile:0086-18057736259

COUPLING/SOCKET,MODEL NO.:HY-FTC



Nominal Pipe Size 公称通径 (NPS)	End to End Coupling 端到端距离 W	End to End Cap 端到端 P		Outside Diameter 外径 D		Minimum End wall thickness 最小壁厚 G		Minimum Length of Thread 最小螺纹长度	
		3000 and 6000	3000	6000	3000	6000	3000	6000	B
1/8"	32	19	-	16	22	4.8	-	6.4	6.7
1/4"	35	25	27	19	25	4.8	6.4	8.1	10.2
3/8"	38	25	27	22	32	4.8	6.4	9.1	10.4
1/2"	48	32	33	28	38	6.4	7.9	10.9	13.6
3/4"	51	37	38	35	44	6.4	7.9	12.7	13.9
1"	60	41	43	44	57	9.7	11.2	14.7	17.3
1-1/4"	67	44	46	57	64	9.7	11.2	17.0	18.0
1-1/2"	79	44	48	64	76	11.2	12.7	17.8	18.4
2"	86	48	51	76	92	12.7	15.7	19.0	19.2
2-1/2"	92	60	64	92	108	15.7	19.0	23.6	28.9
3"	108	65	68	108	127	19.0	22.4	25.9	30.5
4"	121	68	75	140	159	22.4	28.4	27.7	33.0

GENERAL NOTES:

- (a) Dimensions are in millimeters
- (b) Pressure unit is in LB

Wenzhou Huiyi Valve Technology Co.Ltd

Add:No.2158,Binhai 1st Road,Economic and Technical Development Zone,Longwan Distric,Wenzhou City,Zhejiang Province,China

Tel:0086-577-86998027

Fax:0086-577-86998037

Mobile:0086-18057736259

Email: sales@huiyivalve.com info@huiyivalve.com


Contact Person: Tony Zhang Skype: angelzhang880108 , huiyivalve Wechat: huiyivalve

Website: <http://www.huiyivalve.com> Website in Alibaba: <http://huiyivalve.en.alibaba.com> Website in Made in China: <https://huiyivalve.en.made-in-china.com/>

Wenzhou Huiyi Valve Technology Co.,Ltd

Add: No.2158,Binhai 1st Road,Economic and Technical Development Zone,Longwan Distric,Wenzhou City,Zhejiang Province,China
 Tel:0086-577-86998027 Fax:0086-577-86998037 Mobile:0086-18057736259

NIPPLE,MODEL NO.:HY-PN



NPS 公称通径		Outside Diameter 管外径	Length of Thread 螺纹长度	End to End 长度	Wall Thickness 壁厚
A	B(in)	D	L2	L	T
6	1/8"	10.3	9.5	50,75,100,150,200	SCH80,SCH160 2000LB,3000LB
8	1/4"	13.7	11.0		
10	3/8"	17.1	12.5		
15	1/2"	21.3	14.5		
20	3/4"	26.7	16.0		
25	1"	33.4	19.0		
32	1-1/4"	42.2	20.5		
40	1-1/2"	48.3	20.5		
50	2"	60.3	22.0		
65	2-1/2"	73.0	27.0		
80	3"	88.9	28.5		
100	4"	114.3	32.0		

GENERAL NOTES:

(a) Dimensions are in millimeters

Wenzhou Huiyi Valve Technology Co.Ltd

Add:No.2158,Binhai 1st Road,Economic and Technical Development Zone,Longwan Distric,Wenzhou City,Zhejiang Province,China

Tel:0086-577-86998027

Fax:0086-577-86998037

Mobile:0086-18057736259

Email: sales@huiyivalve.com info@huiyivalve.com


Contact Person: Tony Zhang Skype: angelzhang880108 , huiyivalve Wechat: huiyivalve

Website: <http://www.huiyivalve.com> Website in Alibaba: <http://huiyivalve.en.alibaba.com> Website in Made in China: <https://huiyivalve.en.made-in-china.com/>

Wenzhou Huiyi Valve Technology Co.,Ltd

Add: No.2158,Binhai 1st Road,Economic and Technical Development Zone,Longwan Distric,Wenzhou City,Zhejiang Province,China
 Tel:0086-577-86998027 Fax:0086-577-86998037 Mobile:0086-18057736259

HEX NIPPLE,MODEL NO.:HY-HN



NPS 公称直径		Size 尺寸			
DN	IN	d	H	L1	L2
6	1/8"	4.1	6	10	-
8	1/4"	7.1	8	14	-
10	3/8"	8.9	8	14	-
15	1/2"	11.9	9	19	-
20	3/4"	16.0	10	19	-
25	1"	20.1	11	24	-
32	1-1/4"	27.9	12	24	-
40	1-1/2"	32.0	14	25	-
50	2"	39.9	16	26	-
65	2-1/2"	55.1	18	38	-
80	3"	65.0	20	40	-

GENERAL NOTES:

(a) Dimensions are in millimeters

Wenzhou Huiyi Valve Technology Co.Ltd

Add:No.2158,Binhai 1st Road,Economic and Technical Development Zone,Longwan Distric,Wenzhou City,Zhejiang Province,China

Tel:0086-577-86998027

Fax:0086-577-86998037

Mobile:0086-18057736259

Email: sales@huiyivalve.com info@huiyivalve.com

Contact Person: Tony Zhang Skype: angelzhang880108 , huiyivalve Wechat: huiyivalve

Website: <http://www.huiyivalve.com> Website in Alibaba: <http://huiyivalve.en.alibaba.com> Website in Made in China: <https://huiyivalve.en.made-in-china.com/>