




RO-CHAIN

HOSPITAL BED

Furniture

Two Function Manual Hospital bed

Features:

- *Two cranks hospital bed.
- *Applicable to all types of hospital wards.

Technical specification:

- 1) Overall size (L*W*H): 2080*940*500mm.
- 2) Folding side rail (six) is made of Aluminum alloy material.
- 3) Detachable PP head board/foot board, with plastic patient name card.
- 4) Bed Board is made of Cold-rolled steel.
- 5) Fully tested sturdy construction capable of taking a maximum user weight of up to 250kg.
- 6) With one height adjustable I.V pole with hook.
- 7) With 125mm dia independent wheels with brake system.

Function:

- 1) Back section up/down: $75^{\circ} \pm 5^{\circ}$
 - 2) Knee section up/down: $40^{\circ} \pm 5^{\circ}$
- Turnable table&Bedside cabinet& Mattress are optional



Model No: RC-MB03

Three Function Manual Hospital Bed

Features:

- *Three cranks hospital bed.
- *Applicable to all types of hospital wards.

Technical specification:

- 1) Overall size (L*W*H): 2150*940*460/680mm
- 2) With ABS side rails
- 3) With PP headboard and footboard
- 4) Punching holes bed surface
- 5) With 4* dia.125mm individual brake castor, good quality model

Function:

- 1) Backrest function is $75^{\circ} \pm 5^{\circ}$
 - 2) Legrest function is $45^{\circ} \pm 5^{\circ}$
 - 3) Height adjustable is 460-680mm
- Turnable table&Bedside cabinet& Mattress are optional



Model No: RC-MB08

Three Function Electric Hospital bed

Features:

- *Three Function Electric Hospital bed.
- *Applicable to all types of hospital wards.

Technical specification:

- 1) Overall size (L*W*H): 2080*980*500/780mm
- 2) Bed Frame use 1.1mm thickness steel tube
- 3) With ABS side rails and frame is steel model
- 4) With PP headboard and footboard
- 5) With 4* dia.125mm individual brake castor, good quality model
- 6) With 3pcs Haojiang motors

Function:

- 1) Backrest function is 0-75°
 - 2) Legrest function is 0-45°
 - 3) Height adjustable is 500-780mm
- Turnable table&Bedside cabinet& Mattress are optional



Three Function Electric Hospital bed

Features:

- *Three function Electric hospital bed.
- *Applicable to all types of hospital wards.

Technical specification:

- 1) Overall size (L*W*H): 2080*980*500/780mm
- 2) Bed Frame use 1.1mm thickness steel tube
- 3) With ABS side rails and frame is steel model
- 4) With PP headboard and footboard Punching holes bed surface
- 5) With 4* dia.125mm individual brake castor, good quality model
- 6) With 3pcs Haojiang motors

Function:

- 1) Backrest function is 0-75°
 - 2) Legrest function is 0-45°
 - 3) Height adjustable is 500-780mm
- Turnable table&Bedside cabinet& Mattress are optional



Five Function Electric ICU Bed

Features:

- *Five Function Electric ICU Bed.
- *Applicable to all types of hospital wards.

Technical specification:

- 1) Overall size (L*W*H): 2130*980*500/780mm
- 2) Bed Frame use 1.1mm thickness steel tube
- 3) With ABS side rails and frame is steel model, good quality
- 4) With PP headboard and footboard
- 5) With 4* central brake castor, dia. 125mm
- 6) Has central braking system
- 7) With Haojiang motor, made in China

Function:

- 1) Backrest function is 0-75°
 - 2) Legrest function is 0-30°
 - 3) Height adjustable is 500-780mm
 - 4) Trendelenburg and reverse trendelenburg adjustment is 12°
- Turnable table&Bedside cabinet& Mattress are optional



Model No: RC-5EB02

Eight Function Luxury Electric Hospital bed

Features:

- *Eight cranks Luxury Electric hospital bed.
- *Applicable to all types of hospital wards.

Technical specification:

- 1) Overall size (L*W*H): 2020-2230*1050/990*500-1000mm.
- 2) Detachable PP headboard/footboard, Footboard equipped with embedded nursing operator.
- 3) Bed Board is made of 10-part Cold-rolled steel with punching holes.
- 4) Detachable PP handrails with embedded operator.
- 5) Quiet and robust electric actuators provide reliable operation.
- 6) Build-in control of all electrically operated functions and movements.
- 7) Fully tested sturdy construction capable of taking a maximum user weight of up to 300kg.
- 8) Have dual sided manual, instant CPR and CPR drop button for one touch CPR drop.
- 9) Four silent wheels, 125mm, Central-controlled braking system.
- 10) Linak motor from Denmark.
- 11) With one height adjustable I.V pole, with Drainage hook, Back-up battery, angle indicator, ABS bottom Cover .

Function:

- 1) Back section up/down: 75°±5°
 - 2) Knee section up/down: 40°±5°
 - 3) Hi-low function: 500-1000mm
 - 4) Trendelenburg Angle: 0°~10°
 - 5) Reverse Trendelenburg Angle: 0°~10°
 - 6) Bed base can extend at least 20cm
 - 7) One key to Chair Position
 - 8) Weight reading system(optional), X-ray (optional), Alarm function(optional)
- *Turnable table&Bedside cabinet& Mattress are optional.



Model No: RC-8EB01

Three function Orthopedic Hospital bed

Features:

- *Three cranks Orthopedic traction hospital bed.
- *Applicable to all types of hospital wards.

Technical specification:

- 1) Overall size (L*W*H): 2080*900*500mm.
- 2) Left and right leg part can be raised up separately, convenient for treatment and use.
- 3) Epoxy coated Mild steel frame work and 4 section top.
- 4) 4 Mounted on protective stumps.
- 5) 4pcs mute luxury castors are optional.

Function:

- 1) Back rest tilting 0-40°
- 2) Left Leg section up/down: 0-40°
- 3) Right Leg section up/down: 0-40°



Model No: RC-OB01

Three function Orthopedic Hospital bed

Features:

- *Three cranks Orthopedic traction hospital bed.
- *Applicable to all types of hospital wards.

Technical specification:

- 1) Overall size (L*W*H): 2160*990*520mm.
- 2) Folding side rail (six) is made of Aluminum alloy material.
- 3) Detachable ABS head board/foot board, with plastic patient name card.
- 4) Bed Board is made of Cold-rolled steel with punching holes.
- 5) Fully tested sturdy construction capable of taking a maximum user weight of up to 250kg.
- 6) Stainless steel Orthopedic traction frame.
- 7) Central braking system.
- 8) Equipped with 4pcs mute luxury castors, easy to move and control.

Function:

- 1) Back section up/down: $75^{\circ} \pm 5^{\circ}$
 - 2) Left Leg section up/down: $40^{\circ} \pm 5^{\circ}$
 - 3) Right Leg section up/down: $40^{\circ} \pm 5^{\circ}$
- Turnable table&Bedside cabinet& Mattress are optional.



Model No: RC-OB02

1-Function Phychopathic Bed

Features:

- *One crank hospital bed.
- *Back can be adjustable up to 75°
- *Applicable to all types of hospital wards, military force hospitals and schools.
- *Easy to install and easy to operate.

Technical specification:

- 1) Overall size (L*W*H): 2160*980*520mm
 - 2) Powder coated steel head and end rack.
 - 3) Fully tested sturdy construction capable of taking a maximum user weight of up to 250kg.
- Overbed table&Bedside cabinet& Mattress are optional.
It also can do flat type without back angle adjustment.



Model No: RC-PHB01

2-Function Phychopathic Bed

Technical Parameter:

- Size: L2150*W980*H520mm

Technical Configuration:

- stainless steel head and foot board
- *Bed board is powder coated steel
- *Backrest function is 0-75° *Legrest function is 0-45°



Model No: RC-PHB02

Flat Psychopathic Bed

Technical Parameter:

•Size: L2150*W980*H520mm

Technical Configuration:

•stainless steel head and foot board

*Bed board is powder coated steel



Model No: RC-PHB03

Powder coated Baby Crib



RC-BC01

Product Size: 80*45*97cm

1. Crib made of high quality PP materials;
2. Bed frame made of steel tube, Pre-treated and epoxy powder coated;
3. Crib: Trendelenburg and reverse Trendelenburg positions;
4. Four Ø75mm noiseless castors, two with brakes;
5. Load bearing: 50kg;
6. Knock down construction;
7. Custom options: Mattress, Infusion pole etc;

Stainless steel Baby Crib



RC-BC02

Product Size: 80*45*86cm

1. Crib made of high quality PP materials;
2. Bed frame made of stainless steel tube;
3. Crib: Trendelenburg and reverse Trendelenburg positions;
4. With one mattress;
5. With a store rack;
6. Four Ø75mm noiseless castors, two with brakes;
7. Load bearing: 50kg;
8. Knock down construction;
9. Custom options: Mattress, Infusion pole etc;

Luxury ABS Baby Crib



RC-BC04

Product Size: 930*580*800-1000mm

1. The baby basin adopts the healthy transparent resin material with environmental protection; it has good air permeability, healthy and environmental protection;
2. Three colors;
3. Material: baby basin is made of transparent plastic; crib frame: iron; crib base: ABS; crib strut: aluminum alloy;
4. Equipped with four Φ 100mm silent castors with brakes;

Powder coated Baby Crib



RC-BC05

Product Size: 780mm(L)*520mm(W)*880mm(H)

1. The leg are of 25 201 #45 steel with coated painting, the baby basin frame is 25 #45 steel with high-quality coated-painting, all circular tube are of 0.8mm thickness;
2. High Quality Spring Gas could adjust the crib's height very easily;
3. Simple design but of good function;
4. ABS baby basin are made of resin material, no smell no poison;
5. Strong and Big Sundries Rack for easy use;
6. Inclination angle adjustable by mechanic system, 0-28°;

Powder coated Baby Crib



RC-BC06

Product Size: 780mm(L)*520mm(W)*880mm(H)

1. The leg are of 25 #45 steel with coated painting, the baby basin frame is 25 #45 steel with coated painting , all circular tube are of 0.8mm thickness.
2. High Quality Spring Gas could adjust the crib's height very easily .
3. Simple design but of good function.
4. ABS baby basin are made of resin material, no smell no poison.
5. Strong and Big Sundries Rack for easy use.
6. Inclination angle adjustable by mechanic system, 0-28°

1-Function Children Bed



JS-AY044

Product Size: 1800 * 850 * 630mm

Product Material:

The head board and foot board are made of stainless steel, the bed frame and bed board is made of carbon steel.

Product Features:

- 1) 1 crank mechanism-head and foot elevation
- 2) Stainless Steel Side rail can slide up and down
- 3) 12cm Caster and brake locks
- 4) Have Patient name holder at foot part
- 5) Drainage bag hooks

2-Function Children Bed



JS-AY045

Product Size: 1800 * 850 * 630mm

Product Material:

The head board and foot board are made of stainless steel, the bed frame and bed board is made of carbon steel.

Product Features:

- 1) 2 cranks mechanism-head and foot elevation
- 2) Stainless Steel Side rail can slide up and down
- 3) 12cm Caster and brake locks
- 4) Have Patient name holder at foot part
- 5) Drainage bag hooks

2-Function Children Bed



RC-AS043

1) Overall size (L*W*H): 1800*820*500mm.

2) Folding side rail (four) is made of Aluminum alloy material.

3) Detachable ABS head board/foot board, with plastic patient name card.

4) Bed Board is made of Cold-rolled steel with punching holes.

5) Fully tested sturdy construction capable of taking a maximum user weight of up to 200kg.

6) With one height adjustable I.V. pole with hook.

7) 1pcs Place the debris bar.

8) Equipped with 4pcs mute luxury castors, easy to move and control.

9) With turnable table.

10) Suitable for 3-12 years child.

Function:

1) Back section up/down: $75^{\circ} \pm 5^{\circ}$

2) Knee section up/down: $40^{\circ} \pm 5^{\circ}$

2-Function Luxury Children Bed



RC-AS042

2 function Hospital Luxury Children bed.

Applicable to all types of hospital.

Easy to install and easy to operate.

Technical specification:

1) Overall size (L*W*H): 1880*900*520-1260mm.

2) Carbon steel bed frame and bed board.

3) Carbon steel up-down side rail.

4) Suitable for 3-12 years child.

Function:

1) Back section up/down: $75^{\circ} \pm 5^{\circ}$

2) Knee section up/down: $40^{\circ} \pm 5^{\circ}$

Steel Examination couch



RC-001

1. Powder coated steel frame
2. High density sponge covered by waterproof artificial leather
3. Knock down construction
4. Size:190*60*70cm
5. Load bearing:159kgs

Steel electric examination couch



RC-002

1. Powder coated steel frame
2. High class sponge artificial leather mattress
3. Knock down construction
4. Height adjustable by electric motor
5. Size:190*60*50-75cm
6. Load bearing:159kgs

Stainless steel foldable examination couch



RC-003

1. Size:L190*W60*H70cm
2. Powder coated steel frame, legs protected by rubber feet.
3. Covered by antibacterial artificial leather, easy for clean.
4. Portable, easy to carry
5. Back adjustable:0~60 degree
6. Load bearing:135kg

Steel Massage table



RC-004

1. Size:L190*W60*H70cm
2. Stainless steel frame, legs protected by rubber feet.
3. 4cm mattress covered by antibacterial artificial leather, easy for clean.
4. Load bearing:135kg, 0-28°

Stainless steel adjustable examination couch



RC-005

1. size:L190*W60*H70cm
2. Stainless steel frame, legs protected by rubber feet.
3. 6cm mattress covered by antibacterial artificial leather, easy for clean.
4. Back adjustable:0~70 degree
5. Load bearing:170kg

Stainless steel adjustable examination couch



RC-006

1. size:L190*W60*H70cm
2. Stainless steel frame, legs protected by rubber feet.
3. 4cm mattress covered by antibacterial artificial leather, easy for clean.
4. Back adjustable:0~70 degree
5. Load bearing:170kg

Steel adjustable examination couch



RC-007

1. Powder coated steel frame
2. High density sponge covered by waterproof artificial leather
3. Knock down construction
4. Back is adjustable by crank
5. Size:190*60*70cm
6. Load capability:180kgs

Luxurious adjustable examination couch



RC-008

1. Steel frame
2. High density sponge covered by waterproof artificial leather
3. Back is adjustable by crank
4. With 3 drawers and a big cabinet, one paper roll
5. With I.V drip pole
6. Size:190*60*70cm
7. Load capability:180kgs

Electric examination table



RC-009

1. Size:1900*550*400-800mm
2. Frame:made of power coated steel, white color
3. Surface:two sections, equipped with 5cm soft sponge mattress, PU cover, waterproof, easy cleaning, wear-resisting.
4. The bottom of the legs has rubber pad, anti-skidding
5. Backrest section: can be lifted up from 0° to 75°easily by gas spring
6. Height adjustment:By foot pedal, controlled by motor

Electric examination table



RC-010

1. Size 1900*550*600-800mm
2. Frame: made of power coated steel, white color
3. Surface three sections, equipped with 5cm soft sponge mattress, PU cover, waterproof, easy cleaning, wear-resisting.
4. The bottom of the legs has rubber pad, anti-skidding
5. Backrest section can be lifted up from 0° to 75°easily by gas spring
6. Height adjustment By foot pedal, controlled by motor, 600-800mm
7. Foot section Adjustable by gas spring, 0-45°

Plastic-sprayed gynecology examination bed

Model No: RC-A-25

Size: 1680mm(L)*620mm(W)*800mm(H)

Main features:

1. Epoxy coated frame, high quality sponge top with artificial leather cover.
2. Three sections, back rest (adjusted by gas spring), knee rest function(controlled by gear mechanic system).
3. Double leg supporting device , with one S.S. bowl.
4. Base with foot pedal, foot with anti-noise rubber.
5. Max. Loading is 250KG.

Packing size:

Bed frame: 2100mm*940mm*310mm (2pcs in a carton)

Head boards: 985*260*620mm (2pcs in a carton)

G/W: 35KG



Plastic-sprayed gynecology examination bed

Model No: RC-A-26

Size: 1750mm(L)*600mm(W)*750mm(H)

Main features:

1. Epoxy coated frame, high quality sponge top with artificial leather cover.
2. Three sections, back rest (adjusted by Regulator), knee rest function(controlled by gear mechanic system).
3. Double leg supporting device , with one S.S. bowl.
4. Base with foot pedal, foot with anti-noise rubber.
5. Safe loading: 150-170kg.

Packing size:

Bed frame: 930mm*730mm*240mm

G/W: 34KG



Plastic-sprayed gynecology examination bed



Model No: RC-A-28

Size: 1800mm(L)*600mm(W)*800mm(H)

Main features:

1. Table frame made of steel tube, Pre-treated and epoxy; Fixed bases with protective plastic feet;
2. Adjustable three sections with independent controls
3. Bed top is high-density polyurethane foam, and covered with washable faux leather: waterproof, flame retardant
4. Mattress thickness: 40mm;
5. One pair of adjustable knee support; one pair of handgrip;
6. With slide-out S.S bowl 28cm ;
7. With slide-out footstep with skid-proof rubber stool face
8. Load bearing: 150kg;
9. Knock down construction;

Stainless steel gynecology examination bed



Model No: RC-A-24

Size: 1680mm(L)*620mm(W)*800mm(H)

Main features:

1. Stainless steel frame, high quality sponge top with artificial leather cover.
2. Three sections, back rest (adjusted by gas spring), knee rest function(controlled by gear mechanic system).
3. Double leg supporting device, with one S.S. bowl.
4. Base with foot pedal, foot with anti-noise rubber.
5. With a stainless steel basin under the bed.
6. Max. Loading is 250KG.

Packing size:

970*770*360mm/PCS

G/W: 42KG

Stainless steel gynecology examination bed

Model No: RC-A-27

Size: 1800×600×800mm

Main features:

1. Table frame made of tubular stainless steel; Fixed bases with protective plastic feet.
2. Adjustable three sections with independent controls.
3. Bed top is high-density polyurethane foam, and covered with washable faux leather: waterproof, flame retardant; Mattress thickness: 40mm.
4. One pair of padded shoulder support, one pair of adjustable knee support; one pair of handgrip.
5. With slide-out S.S bowl.
6. Load bearing: 250kg.
7. Knock down construction.
8. Four wheels are optional.



Bedside Cabinet

Model No: RC-BL01

Size: 480*480*760mm,

Material: ABS material,

Optional: castors

Colors can be customized based on big quantity and 100kg single point static load.



Overbed table

Model No: RC-OBT01

*Size: 900*450*650/900mm

*Material: The powder coated steel stand and PP, Gas spring control, Height adjustable ,With movable Castors

Mattress

Model No: RC-M01

*Size: 1950x860x80mm. Semi palms and semi sponge or Full Sponge material 8cm mattress, waterproof, no liquid can infil-trate through the surface. Cleaning the cloth is easy and it can be kept clean and hygienic and permeable to air for a long time.





Shanghai Ro-Chain Medical Co.,Ltd

Add: Room 313, Building 1, Kangqiao Road787, Pudong New District, Shanghai, China

Tel: 0086-21-58055329

Whatapp: 0086-13585971607

Contact Person: Mr.Seven Yon

E-mail:Seveny@ro-chainmed.com

Website: www.ro-chainmed.com