

The RK400-14 has a large measuring range and high accuracy, with a maximum accuracy of 1mm. It also has super anti-interference ability and is widely used in various industrial control such as steel industry, metallurgical industry, automobile industry, printing industry, food industry, etc., and various field monitoring and inspection sites. The principle of the laser snow depth sensor is the optical triangulation method, and the semiconductor laser is focused on the measured object by the lens. The reflected light is collected by the lens and projected onto the CMOS array; the signal processor calculates the position of the light spot on the array through the trigonometric function to obtain the distance to the object.

FEATURES

- Easy installation
- High accuracy, good stability
- Maintenance-free
- Compact size for easy use
- Large range



APPLICATIONS

- Printing industry
- Metallurgical Industry
- Food industry
- Various industrial controls
- Various types of field monitoring and inspection sites.

SPECIFICATIONS

Item	Specification
Range	0.05~1.5m
Laser characteristics	Red laser diode
Wavelength	620nm~650nm
Laser class	Level 2
Spot type	Point
Spot size	Spot light spot 5mm@10m Line spot 3mmX150mm@10m
Protection level	IP65
Resolution	1mm
Accuracy	±1mm
Power consumption	300mA
Supply	9-18VDC
Output	RS485, RS232, 4-20mA, 0-5V optional
Operating temperature	-40~+50°C
Main material	White steel coated or sprayed
Weight(unpacked)	2.5kg

PARAMETER SELECTION TABLE

Remark	Series	Type	Output	Supply	Cable Length	
RK						
	400					
		14				
			A			RS485
			B			RS232
			C			4-20mA
			D			0-5V
			E			Other
				A		9-18VDC
				X		Other
					3000	Units:mm (typ.)
					...	Units:mm

Example: RK400-14AA4000 Output:RS485, Supply:9-18VDC, Cable Length:3m.



Complies with applicable CE directives.
 Specifications subject to change without notice. Version 1.0
 Copyright © 2015 Hunan Rika Electronic Tech Co.,Ltd

Hunan Rika Electronic Tech Co., Ltd

Add: Building B5, Taskin, Yuhua District,
 Changsha City, Hunan Province,
 China



+86-731-85132979



info@rikasensor.com



www.rikasensor.com