

CHZ-CPL03 series LED LAWN LIGHT

FEATURES


Mainbody is made of Die-castingaluminumalloy with Extruded aluminumalloy.The diffuser is a clear anti-UV glass for high efficiency and vandal resistance.

Cree COB led chipand Eaglerise driver as regular,Tridoic,,Kegu, Eagleries driver optional.Easy access to LED and driver via a removable head.


2700-6500K color temperature optional.Tamper proof fixings for increased vandal resistance.

IP65 rating water proof and IK08 protection degree.


Anti-UV electro static powder spraying,regular color:Black, Silver,RAL7043,RAL7016.Warranty is 5 years.



CPL03A



CPL03B




CPL03C

Specification

Product Number	CPL03-10W-A/B/C	CPL03-12W-A/B/C	CPL03-15W-A/B/C	CPL03-20W-A/B/C
Rated Power	10W-20W			
Input Voltage	200-240V			
Type Of Driver	OSRAM, KEGU, EAGLERISE			
Chip Type	SMD2835			
Led Light Luminous	>70LM/W			
Beam Angle	90°/120°			
Control method	Regular, 0-10V/DALI dimming, optional			
Sensor	/			
Power factor	>0.9			
Color rendering index	>80			
Frequency Range	50/60Hz			
Color Temp	2700-6500K			
Lamp body material	AL Body, PC lens and GLASS cover			
Installation diameter	/			
Working Temperature	-40~55°C			
Working Humidity	10~90%			
Life/Warranty	>50,000hrs			
IP Grade	IP65			
IK Grade	IK08			
Product Diameter	120mm			
Product Height	400-1000mm			

01

Color options



02

LED lawn light

Widely used in outdoor environments such as city parks, country roads, slow lanes, industrial parks, leisure plazas, and etc.



Walkways



Parks / Gardens



Car parks




Prestigious



Retail




Amenity




DETAIL DISPLAY



DIE CASTING HEATSINK



TEMPERED GLASS



DRIVER SPACE




DIE CASTING INNER BASE


Dimension

The result of high permeability glass lens is very uniform light distribution, and the light will not turn yellow. The built-in design reduces glare and ensures good visual comfort.


Product size:



Product installation diagram:



Product lighting:



03

04





SHANGHAI CHZ LIGHTING CO.,LTD

21 6989-8169

86 133 9137 5176 | 86 159 2122 3752

www.chz-lighting.com

Sales@chz-lighting.com

No.518 Xiangjiang Road, Jiading, Shanghai, China.