

IMLANG 伊米格

6 S 真空隔音系统门窗

IMLANG 伊米
三格

宁静的生活艺术
Art Of Quiet Life

生活在景致之中

设计感决定了其生活品质的高下

而“大隐于市，深居自然”的住宅文化

与极简的设计相互融合

Living in the landscape.

The sense of design determines the quality of life

And the residential culture of "living in the city and living

in the nature" is a kind of residential culture.

Integrated with minimalist design

ENTERPRISE INTRODUCTION

企业介绍

10^年

10 年品牌历史，
不能只看到荣耀，
更要看到背后的坚
持与坚守！

20^年

20 年门窗匠心历史，
早是沧海桑田，
20 年的奋斗，
只为好门窗。

200^店

200 多个经销门店，
背后是 200 多份信任，
他们托付给了品牌，
而我们不负所托。

40000^方

40000 多平方航母级生产基地，
引进德国尖端技术全自动门窗生产设备，
推出了全新的门窗设计、生产概念，
提高加工精度，缩短产品交期。

佛山伊格门窗有限公司成立于 2002 年，坐落于素有“铝材之都”之称的佛山市南海区。公司是一家从事铝合金门窗及阳光房研发、生产、销售、服务于一体的综合性企业。

公司现拥有佛山总部 40000 平米工业 4.0 智造生产基地和全新现代化智能展厅，全国 160 余家专卖店，产品畅销欧美等 30 多个国家与地区。多次荣获铝合金门窗十大品牌、新锐铝门十大品牌、中国著名品牌等行业过硬荣誉。

公司产品涵盖：系统窗、推拉窗、推拉门、平开门、折叠门、阳光房等多品类产品。

公司生产的门窗具有环保耐用，防潮防腐，隔音隔热等优异特点。优质的铝材，一流的表面处理工艺，使其色泽拥有历久弥新的表现。产品远销国内外，其耐用性、可靠性、安全性获得了广大消费者的强烈认可，是高级别墅、公寓、写字楼和住宅的理想首选。

伊格门窗始终秉持“精工体系，匠心智造”标准，立足中国，走向世界。以改善人类家居环境为企业崇高使命，致力于打造能服务全球千万家庭的优质铝合金门窗产品。

Foshan Yige door and window Co., Ltd., established in 2002, is located in Nanhai District, Foshan City, known as the "aluminum capital". The company is a comprehensive enterprise engaged in R & D, production, sales and service of aluminum alloy doors and windows and sunshine room.

The company now has a 40000 square meter industrial 4.0 intelligent manufacturing production base in Foshan headquarters and a new modern intelligent exhibition hall, and more than 160 exclusive stores in China. Its products sell well in more than 30 countries and regions such as Europe and the United States. It has won the top ten brands of aluminum alloy doors and windows, the top ten brands of cutting-edge aluminum doors, Chinese famous brands and other excellent honors in the industry for many times.

The company's products include: system window, sliding window, sliding door, swing door, folding door, sunshine room and other products.

The doors and windows produced by the company have the excellent characteristics of environmental protection and durability, moisture-proof and anti-corrosion, sound insulation and heat insulation. High quality aluminum and first-class surface treatment technology make its color and luster have a lasting performance. The products are sold at home and abroad. Its durability, reliability and safety have been strongly recognized by the majority of consumers. It is the ideal first choice for high-grade villas, apartments, office buildings and residences.

Iger doors and windows always adhere to the standard of "Seiko system, ingenuity and intelligent manufacturing", based on China and going to the world. Taking improving the human home environment as the noble mission of the enterprise, we are committed to building high-quality aluminum alloy door and window products that can serve tens of millions of families around the world.



6S 真空隔音系统门窗

6S VACUUM SOUND INSULATION SYSTEM DOORS AND WINDOWS



隔音性能



保温性能



气密性能




水密性能



抗风性能



防火性能



THREE SEAL INNOVATIVE WATERPROOF

三道密封 · 革新防水

采用加强式等压密封胶条,前置胶条设计极大提升密封性能,防水技术领跑行业。

The reinforced isobaric sealant strip is adopted, and the front rubber strip design greatly improves the sealing performance, and the waterproof technology leads the industry.

STRENGTHEN SEALING

加强密封

现在随着生活质量的不断提高,人们对住宅质量与性能有了明确要求,建筑门窗的节能性能、安全性能、隔音降噪、防晒、舒适度、耐用度越来越多的受到重视,在购买建筑门窗产品时除了注重门窗明显部位如铝材、玻璃、配件等的质量外,相对更注重这些门窗部件组合后一个综合性能的实现。

真正的系统门窗,是一个性能系统的完美有机组合,需要考虑水密性、气密性、抗风压、机械力学强度、隔热、隔音、防盗、遮阳、耐候性、操作手感等一系列重要的功能,还要考虑设备、型材、配件、玻璃、粘胶、密封件各环节性能的综合结果,缺一不可,最终形成高性能的系统门窗。


Now, with the continuous improvement of the quality of life, people have clear requirements for the quality and performance of housing. More and more attention has been paid to the energy-saving performance, safety performance, sound insulation and noise reduction, sunscreen, comfort and durability of building doors and windows. In addition to paying attention to the quality of obvious parts of doors and windows, such as aluminum, glass and accessories, when purchasing building doors and windows products, Relatively more attention is paid to the realization of a comprehensive performance after the combination of these door and window components.

The real system door and window is the perfect organic combination of a performance system. It needs to consider a series of important functions such as water tightness, air tightness, wind pressure resistance, mechanical strength, heat insulation, sound insulation, anti-theft, sun shading, weather resistance and operation feel, as well as the comprehensive results of the performance of equipment, profiles, accessories, glass, viscose and seals. Finally, a high-performance door and window system will be formed.




一体折弯技术
Integrated bending technology

中空铝条采用一体折弯技术,中空玻璃四角无连接件,密封效果极好,极大提高窗户的隔音隔热、气密、水密性能。



销钉注胶工艺
Glue injection process of pin corner code

在角码与型材之间用以填充的专用胶,提高型材的密封性能,能够让连接更牢固,即便受到撞击也不容易松动。



精湛工艺

EXQUISITE WORKMANSHIP

先进的生产工艺，精湛的生产技术，每一个产品都是巧夺天工的精品，千锤百炼的经典，不是简单，也不是简陋的肤浅，是品质与美观的并肩，给你独一无二的生活节奏。

DIRECTORY INDEX

产品目录

窗系列 WINDOW SERIES

013	比萨 -878 内开系统窗	031	福贾 -8112 窗纱一体系统窗
017	巴里 -888 内开系统窗	039	卡拉拉 -8116 窗纱一体系统窗
021	米兰 -100 内开系统窗	043	都灵 -8126 窗纱一体系统窗
025	科莫 -898 窗纱一体系统窗	047	利多 -8103 侧滑系统窗

推拉门系列 SLIDING DOOR SERIES

053	欧米茄提升推拉门	069	爱马仕推拉门
061	伊阳推拉门		

平开门系列 SWING DOOR SERIES

075	迪伦 72 断桥平开门	079	爱马仕平开门
-----	-------------	-----	--------

阳光房系列 SUNSHINE ROOM SERIES

085	阳光房
-----	-----



WINDOW SERIES

窗系列

以精、简、雅而流畅、形盛而神足为精髓的中央景观，
将空间、美学的意象进行了深度挖掘。

All the good designs should be constructed with the heart. The
central landscape with the essence of pure, simple, elegant, smooth
and full form and divine feet has carried on the deep excavation of
the spatial aesthetic image.



隔音性能



保温性能



气密性能



水密性能



抗风性能



防火性能


IMLANG 伊米路

PISA-878 SYSTEM WINDOW

比萨 -878 内开系统窗

将直角的开启扇转换成圆弧角，避免尖角伤人，更安全。

Convert the right angle opening fan into arc angle to avoid sharp angle hurting people and make it safer.



PA66 NYLON INSULATION STRIP

PA66 尼龙隔热条

精选优质PA66与PA66-GF25原生隔热胶条(25%超强韧玻璃纤维混合材质)，
强化胶条使用寿命，有效隔绝热量、声音传递。

Select high-quality PA66 and PA66-GF25 primary thermal insulation adhesive strips (25%
super tough glass fiber mixed material), strengthen the service life of the adhesive strips,
and effectively isolate heat and sound transmission.





当平静中加入活力因素，当冷艳中融入温情时，优雅与时尚伴随着活力滚滚而来。咖啡色低调奢华有内涵，绿色活力充沛有生机。奢华咖啡搭配牛油果绿，明丽而优雅的色调传递着清透感与高雅范儿。

When the energy factor is added to the calm and the warmth is integrated into the cold and gorgeous, elegance and fashion come with vitality. Coffee color is low-key and luxurious, with connotation, green vitality and vitality. Luxurious coffee with Avocado Green, bright and elegant colors convey a sense of clarity and elegance.




BARRY-888 SYSTEM WINDOW

巴里 -888 内开系统窗

所有隔热条、等压胶条设计在同一垂直线上，确保同一等温线，让产品的隔音、隔热保温性能更出众。

All heat insulation strips and isobaric adhesive strips are designed on the same vertical line to ensure the same isotherm, so as to make the sound insulation and heat insulation performance of the product more outstanding.



SOUND INSULATION PERFORMANCE CAN REACH 25 dB

隔音性能可达 25 分贝



采用隔音性能好的中空玻璃，三玻两腔不等距的中空玻璃结构形式，采用三道或多道密封结构，从而保证我们的门窗可达 25 分贝的隔音性能。

The insulating glass with good sound insulation performance, the insulating glass structure with three glasses and two cavities with unequal spacing, and the three-way or multi-way sealing structure are adopted to ensure the sound insulation performance of our doors and windows up to 25 dB.






MILAN -100 SYSTEM WINDOW

米兰 -100 内开系统窗

采用丝吉利娅执手锁，圆弧设计，充分考虑人体工学，握感舒适，表面细腻均匀，线条流畅！

It adopts siglia handle lock and arc design, fully considering ergonomics, comfortable grip, fine and uniform surface and smooth lines!



HOLLOW FILLED ARGON

中空填充氩气

填充氩气可以隔绝高频噪音，达到隔音降噪效果，同时提升窗户的隔音隔热性能。

Filling argon can isolate high-frequency noise, achieve sound and noise reduction effect, and improve the sound and heat insulation performance of windows.



COMO-898 SYSTEM WINDOW

科莫-898 窗纱一体系统窗

选择一扇高品质门窗，将拥有不同的格调与体验，打造一个理想家居空间，
营造一个安逸温馨港湾。

Choosing a high-quality door and window will have different styles and
experiences. Create an ideal home space and a comfortable and warm harbor.



CONCEALED DRAINAGE DESIGN

隐藏式排水

隐藏式排水孔改为垂直向下，
水受垂直向下的重力排出，排出压力大幅提高。

The concealed drain hole is changed to vertical downward,
The water is discharged by vertical downward gravity, and the discharge
pressure is greatly increased.

CMECH

HANDLE LOCK

希美克无底座执手

经过特殊工序喷涂处理，握感舒适，启闭顺畅，让每次开窗更安全。

After special spraying process, it has a comfortable grip and smooth opening and closing, making it safer to open the window every time.



以绿色为基调的牛油果绿装修风格，自然光线的巧妙运用，富有流线及梦幻色彩的线条等软装特点来表述其浪漫情怀，自由、自然、浪漫、休闲是牛油果绿风格装修的精髓。

Avocado Green decoration style with green as the basic color tone, the ingenious use of natural light, lines full of streamline and dreamy color and other soft decoration characteristics to express its romantic feelings. Freedom, nature, romance and leisure are the essence of Avocado Green decoration style.



采用伊格3代铰链铰链，高承重力，启闭顺畅无噪音。
Yige 3rd generation hinge is adopted, with high gravity, smooth opening and closing and no noise.





DOUBLE INTERNAL OPENING DESIGN

双内开设计

玻扇、纱扇可实现内开，让居室达到更好的通风换气，臻享更开阔视野体验，清洁更方便安全，同时避免高空坠物的危险，提高安全系数。
Glass fan and gauze fan can be opened internally, so that the room can achieve better ventilation, enjoy a broader vision experience, clean more convenient and safe, avoid the risk of falling objects and improve the safety factor.

FUJIA-8112 SYSTEM WINDOW

福贾-8112 窗纱一体系统窗

创新型玻璃压线，结合先进的系统工艺，抗风压性能级别达到9级（等于轻松抵御14级台风天气）。

Innovative glass pressing line, combined with advanced system technology, the wind pressure resistance performance level reaches level 9 (equivalent to easily resisting level 14 typhoon weather).





PUSH WINDOW 平推窗

· 利于采光

在开启扇正面范围内，无论太阳具体是在哪个角度，都会有部分阳光直接透过开启缝隙进入，而不会产生完全玻璃遮挡的情况；

· 利于通风

因为开启扇四周都有空隙，进出空气可方便形成循环，增大换气量和新风量；

· 立面整齐

因为窗扇是整个平推出去，所以不会像外悬或平开那样与周围有一定的角度，产生立面效果差异（如反光不一致等）。





ELECTRIC LIFTING WINDOW 电动提升窗

· 可视面大

整个提升窗都是玻璃，窗外风景尽收眼底，不错过每一个美景；

· 利于通风

因为开启扇，开启面积大，增大换气量和新风量；

· 智能升降



只需一个按钮就可以完成升窗或关窗，省时省力。

KARARA-8116 SYSTEM WINDOW

卡拉拉-8116 窗纱一体系统窗

采用希美克锁点锁座，在做到高水密性、高气密性的需求下，兼顾防撬防盗，令小偷无计可施，令家居固若金汤，令客户无后顾之忧。

CMECH lock point lock seat is adopted. Under the demand of high water tightness and high air tightness, anti-theft and anti-theft are taken into account, so that thieves have nothing to do, the home is as solid as gold, and customers have no worries.



INTEGRATED BENDING ADHESIVE STRIP

一体折弯等压胶条

等压胶条采用一体折弯技术，无需截断，气密、水密性更强。

The isobaric adhesive strip adopts the integrated bending technology, which does not need to be cut off, and has stronger air tightness and water tightness.



TURIN-8126 SYSTEM WINDOW

都灵-8126 窗纱一体系统窗

多道密封设计，能够增加窗扇的密封性能，有效阻挡灰尘、雨水进入室内，赋予门窗超强性能。

The multi-channel sealing design can increase the sealing performance of the window sash, effectively prevent dust and rain from entering the room, and endow the doors and windows with super performance.

填充分子筛

分子筛具有吸湿功能，保持中空干燥，避免玻璃起雾。

发泡复合胶条


有弹性，更密封，三道密封设计，不惧狂风暴雨。

垂直隐形排水

隐藏式排水孔改为垂直向下，水受垂直向下的重力排出，排出压力大幅提高。

多腔体隔热条

采用 PA66 隔热条，多个腔体隔热性能更强。



BAROCLINIC LINE DESIGN

斜压线设计

采用斜面压线，玻璃可视面更大，双扣式设计，抗风压性更强。

Inclined line pressing is adopted, the visible surface of glass is larger, and the double button design has stronger wind pressure resistance.







HERMES ORANGE TRIM STRIP

爱马仕橙装饰条

爱马仕橙具有极大的视觉张力，无论是小范围的点缀，还是大范围都能轻松点燃空间热情，塑造出轻奢前卫的时尚范儿。

Hermes orange has great visual tension. It can easily ignite the enthusiasm of space and create a light, luxurious and avant-garde fashion style, whether in a small range or in a large range.





LIDO-8103 SYSTEM WINDOW

利多 -8103 侧滑系统窗

窗扇可轻松倾斜并滑向一边，具有高操作舒适性、不干扰窗扇的多功能通风定位和提高技术性能值等特点。

The window sash can easily tilt and slide to one side. It has the characteristics of high operation comfort, does not interfere with the multifunctional ventilation positioning of the window sash, and improves the technical performance value.





DOOR SERIES

门系列

将品质与颜值、实用融为一体，由内到外的精神内涵，一丝不苟的打造每一处细节，简约的线条，雅致的色调，都带着一种恰到好处的平衡感。

Integrating quality with appearance and practicality, the spiritual connotation from inside to outside meticulously creates every detail, simple lines and elegant colors with an appropriate sense of balance.



隔音性能



保温性能



气密性能



水密性能




抗风性能



防火性能

IMLANG 伊米兰格



BROKEN SLIDING DOOR

欧米茄提升推拉门

断桥设计, 采用 PA66 隔热条, 隔热效果好, 更节能。
Broken bridge design, using PA66 heat insulation strip, good heat insulation effect and more energy saving.



LIFTING PUSH PULL SYSTEM

提升推拉系统

利用杠杆力学原理，通过轻轻转动专用长臂执手来控制门扇的提升开启、降落锁闭及定位，实现门扇的封闭和开启，实用简便。

Using the lever mechanics principle, by gently turning the special long arm handle to control the lifting, opening, landing, locking and positioning of the door leaf, the door leaf can be closed and opened, which is practical and simple.



LIFTING ON STATUS

提升开启状态

当执手向下转动 180°时，门扇提升，此时门扇就处于提升开启状态，可以自由滑动。

When the handle rotates down 180°, the door leaf will be lifted. At this time, the door leaf will be lifted and opened and can slide freely.




LANDING LOCK STATUS

降落锁闭状态

当执手向上转动 180°时，门扇降落，此时门扇处于降落锁闭状态。

When the handle rotates upward by 180°, the door leaf will fall, and the door leaf will be in the landing locking state.



ALUMINUM ALLOY SLOTTED LOCK

铝合金一字锁

独特配方的镁铝合金材质，使得表面氧化层细腻均匀，金属感柔滑高端。结构设计更加时尚，凸显家庭生活的品质和居住者的品味！

The magnesium aluminum alloy with unique formula makes the surface oxide layer fine and uniform, and the metal feels soft and smooth. The structural design is more fashionable, highlighting the quality of family life and the taste of residents!




YIYANG SLIDING DOOR

伊阳推拉门

采用嵌入式边框设计配备光企边框多道密封，提高气密性，防撬防盗，安全性能更好。无惧风吹摇晃、水流倒灌，稳定加固。

The embedded frame design is adopted, and the light enterprise frame is equipped with multi-channel sealing to improve air tightness, anti prying and anti-theft, and better safety performance. No fear of wind and shaking, backflow of water, stable reinforcement.



STAINLESS STEEL TRACK

—
不锈钢轨道

独特的轨道设计，严选 304 不锈钢材质，组合优质滑轮，一推一拉之间轻盈顺滑，静享品质生活体验。

Unique track design, strict selection of 304 stainless steel material, combination of high-quality pulleys, light and smooth between push and pull, quiet and enjoy quality life experience.







HERMES SLIDING DOOR

爱马仕推拉门

门扇的极窄设计突破了视觉体验,视野开阔,采光率高,给人以清爽、纯净的视觉享受。

The narrow design of the door leaf breaks through the visual experience, with wide vision and high daylighting rate, giving people a fresh and pure visual enjoyment.






THREE LIGHT ENTERPRISES

三种光企可选

可选择单玻型材或双玻型材，风格百变，可满足不同客户的需求。

Single glass profile or double glass profile can be selected, with changeable styles, which can meet the needs of different customers.





YG-808
 工艺 Technology: 长虹玻璃

突破极限, 零框感设计,
 极简风不只是简单地把型材变窄, 更要从每一处地方尽显极简的韵味。
 Breakthrough limit, zero frame design,
 Minimalist style not only narrows the profile, but also shows the minimalist charm from every place.




YG-838
 工艺 Technology: 夹丝玻璃



YG-818
 工艺 Technology: 茶玻



YG-828
 工艺 Technology: 夹丝玻璃



采用希美克执手锁，圆弧设计，充分考虑人体工学，握感舒适，表面细腻均匀，线条流畅！

With CMECH handle lock, and arc design, fully considering ergonomics, comfortable grip, fine and uniform surface and smooth lines!

DYLAN 72 SWING DOOR

迪伦 72 断桥平开门

断桥设计，有效阻隔热量及噪音传播，隔音隔热效果更佳。

Broken bridge design can effectively block the transmission of heat and noise, and the effect of sound insulation and heat insulation is better.



系统平开门设计，
更强的水密性以及气密性，无惧狂风暴雨。


System swing door design.
Stronger water tightness and air tightness, no fear of storm.

HERMES SWING DOOR

爱马仕平开门

时尚质感简约的线条感,营造时尚现代气息,光泽度好,色彩饱满,拥有时尚的流行配色,丰富多样的玻璃款式,值得您放心选择!

The fashionable and simple sense of lines creates a fashionable and modern atmosphere, with good gloss and full color. With fashionable color matching and various glass styles, it is worth your rest assured choice!





MINIMALIST ALLOY LOCK

极简执手锁

简约而大气高雅的品位，精致优良的选材，符合人体工程学设计，省力快捷。
Simple and elegant taste, exquisite and excellent material selection, ergonomic design,
labor-saving and fast.





YG-808
 工艺 Technology : 长虹玻璃



YG-848
 工艺 Technology : 夹丝玻璃

YG-858
 工艺 Technology : 夹丝玻璃

YG-868
 工艺 Technology : 灰玻

YG-878
 工艺 Technology : 夹丝玻璃

YG-888
 工艺 Technology : 夹丝玻璃

YG-898
 工艺 Technology : 茶玻

SUNSHINE ROOM SERIES

阳光房系列



阳光房的存在为现代都市人开辟了一方别致的小天地，为生活提供无限可能，实现足不出户便能与阳光亲密接触，远离喧嚣看四季变换，享悠闲诗意生活。

The existence of sunshine house opens up a unique small world for modern urban people, provides unlimited possibilities for life, realizes close contact with the sun without leaving home, keeps away from the noise, watches the changes of the four seasons, and enjoys a leisurely poetic life.



高科技航空铝材，承重力强，不导热，抗风压，耐腐蚀，坚固稳定，超强防爆玻璃，全通透、防渗水、抗强光，持久保持空间适宜温度。

High tech aviation aluminum material, strong bearing capacity, non thermal conductivity, wind pressure resistance, corrosion resistance, solid and stable, super explosion-proof glass, full permeability, water seepage resistance, strong light resistance, lasting to maintain the appropriate temperature of the space.



极简主义，简而不凡

透过新简约主义设计，完美诠释现代都市人，对精致生活追求。

Minimalism, simple and extraordinary
Through the new minimalist design, it perfectly interprets the modern urbanites and their pursuit of exquisite life.

There may be some differences between the size shown in the picture and the actual size. Our company has the right to modify or cancel the above products without further notice.
Due to the printing, the color of the official products is partially different from the pictures shown, and the official products of IMLANG company shall prevail.

图示尺寸与实物尺寸可能略有差异，本公司有权修改或取消上述产品，恕不另行通知，
由于印刷关系，正式产品的颜色与所示图片有部分差异，以伊米兰格公司正式产品为准。

ZHICE 智策 广告案例 / 180 2934 3340



佛山伊格门窗有限公司

Foshan Yige door and window Co., Ltd

全国服务热线: 4008-255-688

地址: 广东省佛山市南海区狮山华涌四约工业区 1-3 号

<https://www.gdymlg.com/>