



## Company Profile

**SAIBOW TECHNOLOGY CO., LTD.**  
**ZYK Electronics (Shenzhen) Co., Ltd.**



Contact: Mr. Beny CHANG

WhatsApp: +86-13926511900

E-mail : Beny@saibow.com

Marketing : sales@saibow.com

Website: <https://saibow.com>

Online Shop: <https://zykele.com>



## 目录 Contents

L1

公司基本信息 About SAIBOW

L2

微型电机 Micro Motors

L3

摄像头模组 Camera Modules

L4

卓亚科供应链代理分销产品线  
ZYK Supply Chain Agent/Distribution

L5

工厂测试设备及客户群 (部分展示)  
Factory testing equipment and  
customer base (Partial)



- SAIBOW 于2009在香港成立，2011在广东深圳的销售中心，2020在广东仲恺高新区的设立制造工厂，致力于微型电机和微型摄像模组的高新技术产品的开发和制造。公司旗下供应链平台公司：卓亚科电子（深圳）有限公司，代理分销新能源汽车连接器和储能连接器，蓝牙耳机和音响，微型投影仪和储能电源、光学镜头等可穿戴智能家居等智能高科技产品的研发与销售。
- SAIBOW was established in Hong Kong in 2009, a sales center in Shenzhen, Guangdong in 2011, and a manufacturing factory in Zhongkai Hi-Tech Park, Guangdong in 2020, dedicated to the development and manufacturing of high-tech products for micro motors and micro camera modules. The company's supply chain platform company, ZYK Electronics (Shenzhen) Co., Ltd., acts as an agent for the distribution of new energy vehicle connectors and energy storage connectors, Bluetooth earphones and speakers, micro projectors and energy storage power supplies, optical lenses, and other smart high-tech products such as wearable smart homes.
- 我们的生产工场均通过ISO9001：2015质量管理体系认证。
- 公司秉承品质第一、服务至上的宗旨，遵守诚信、专注、创新、共赢的根本理念。
- Our production workshops have passed iso9001:2015 quality management system certification.
- Adhering to the tenet of quality first and service first, the company abides by the fundamental concept of integrity, focus, innovation and win-win.

### 工场地址 Factory address:

广东省惠州市仲恺高新区平南工业区惠风西二路恒和科技园B栋5楼  
5th Floor, Building B, Henghe S&T Park, Huifeng West 2nd Road, Pingnan  
Industrial Zone, Zhongkai Hi-Tech Park, Huizhou, Guangdong, P.R.CHINA 516006

SAIBOW TECHNOLOGY Co., Ltd.




<b>Company Name</b>	<b>SAIBOW TECHNOLOGY CO., LTD.</b>		
<b>Company Address</b>	5th Floor, Building B, HengHe S&T Park, PingNan-DongXing Road, Huihuan Street, Zhongkai Hi-Tech Park, Huizhou, Guangdong, P.R.China 516006		
<b>Investment</b>	¥5,800,000 CNY	<b>Business Type</b>	<b>Manufacturer, Trading, Agenting</b>
<b>Employee</b>	118 Persons	<b>Patent TECH protection</b>	68 patents application
<b>Space</b>	Building : 3,000 m2 Office Area : 548 m2		
<b>Main Products</b>	Micro Motors、 Camera Modules; Connector and harness of new energy vehicle etc.		
<b>Yearly Capacity</b>	☞ Micro Motors Capa. : 38,000,000 /Yearly ☞ Camera Modules Capa. : 50,000,000 /Yearly ☞ Connector and harness of new energy vehicle Capa.: 18,000,000 /Yearly		
<b>Import and export foreign trade</b>	Independent customs declaration and foreign exchange settlement etc. (自主报关, 本外币当地收付结汇)		



Import and export rights approved by China Customs!

Import and export enterprise code: **4400MA55BUXJ8**





## 应用场景 Application:

手机、平板、智能穿戴等通讯产品  
Mobile phone, iPad/tablet, smart wearable and other communication products.  
汽车及新能源汽车  
Automobile and new energy vehicle.

## 服务 service :

OEM / ODM service provider.

## 工场地址 Factory address:

广东省惠州市仲恺高新区平南工业区惠风西二路恒和科技园B栋5楼  
5th Floor, Building B, Henghe S&T Park, Huifeng West 2nd Road, Pingnan Industrial Zone, Zhongkai Hi-Tech Park, Huizhou, Guangdong, P.R.CHINA 516006



**1、坚持我们的信念，尽我们最大的努力做最好、最精、最专的产品。**

Adhere to our belief and try our best to make the best, best and most professional products.

**2、专注于产品的品质和创新，服务于客户的一切需求。**

Focus on product quality and innovation, and serve all customer needs.

**3、引领细分市场行业潮流，创造美好世界。**

Lead the industry trend of market segments and create a better world.



## 目录 Contents

L1

公司基本信息 About SAIBOW

L2

微型电机 Micro Motors

L3

摄像头模组 Camera Modules

L4

卓亚科供应链代理分销产品线  
ZYK Supply Chain Agent/Distribution

L5

工厂测试设备及客户群 (部分展示)  
Factory testing equipment and  
customer base (Partial)



振动马达 Vibration Motors -1



Coin Vibration Motors

Cylindrical Vibration Motors

振动马达 Vibration Motors -2



Linear Vibration Motors

DC Micro Motors





产品细分市场 Product segment

SAIBOW

<p>智能家居(Smart home)</p>	<p>物联网(IOT)</p>	<p>车载(Automotive)</p>	<p>安防(CCTV)</p>	<p>消费类(Consumer)</p>
-------------------------	-----------------	-----------------------	-----------------	----------------------

产品应用 Product application -II

SAIBOW

汽车电子(Automotive)

<p>行车记录仪 Recorder</p>	<p>辅助驾驶 ADAS/DMS</p>	<p>座舱监视 Cockpit Monitoring</p>	<p>四路环视 Circular Camera</p>
-----------------------	----------------------	--------------------------------	-----------------------------

安防(CCTV)

<p>监控摄像头 IPC</p>	<p>执法记录仪 Enforcement Recorder</p>	<p>闸机 Gate</p>	<p>认证比对机 Comparison Machine</p>
------------------	-----------------------------------	----------------	---------------------------------

产品应用 Product application -I

SAIBOW

智能家居(Smart home)

<p>智能猫眼 Doorbell</p>	<p>扫地机 Sweeper robot</p>	<p>智能音箱 Smart Speaker</p>	<p>智能厨电 Smart Kitchen</p>
----------------------	--------------------------	---------------------------	---------------------------

智慧物流(Smart Logistics)

<p>扫码枪 Barcode Scanner</p>	<p>手持终端 Hand-held Terminal</p>	<p>无人货柜 Smart Container</p>	<p>无人仓库 Robot Factory</p>
----------------------------	--------------------------------	-----------------------------	---------------------------

产品应用 Product application -III

SAIBOW

消费类(Consumer)

<p>手机 Mobile</p>	<p>平板电脑 Tablet</p>	<p>笔记本电脑 Notebook</p>	<p>智能穿戴 Wearable</p>
------------------	--------------------	-----------------------	----------------------

智慧支付(Smart Payment)

<p>POS机 POS</p>	<p>扫码盒 Paybox</p>	<p>人脸支付 Face to Pay</p>	<p>无感停车 Parking lot payment</p>
-----------------	-------------------	-------------------------	---------------------------------



## 目录 Contents

- L1** 公司基本信息 About SAIBOW
- L2** 微型电机 Micro Motors
- L3** 摄像头模组 Camera Modules
- L4** 卓亚科供应链代理分销产品线  
ZYK Supply Chain Agent/Distribution
- L5** 工厂测试设备及客户群 (部分展示)  
Factory testing equipment and  
customer base (Partial)




摄像头模组 Camera Modules -1



0.3~8.0MP Camera Module

Dual Lens Camera Module

摄像头模组 Camera Modules -2




Auto Focus Camera Module

Industrial endoscope



执法仪摄像头  
Law  
Enforcement  
Camera

Sensor:  
OV4689-2A  
21.2\*20\*18.61mm




内窥镜摄像头  
Endoscope  
camera

Sensor:  
GC0310  
FPC 24CM



教育大屏摄像头  
Educational  
large screen  
camera

Sensor:  
IMX179  
HD



双目摄像头  
Binocular  
camera

Sensor:  
C2390



车载摄像头  
Car camera

Sensor:  
GC2053



教育平板摄像头  
Educational flat  
panel camera

Sensor:  
S5K4H7



# 3C产品的细分市场应用 Market segment application of 3C products



产品展示 Display products — 微型马达 Micro Motors

振动马达 Vibration Motors -1

Coin Vibration Motors      Cylindrical Vibration Motors

振动马达 Vibration Motors -2

Linear Vibration Motors      DC Micro Motors

产品展示 Display products — 摄像头模组 Camera Modules

摄像头模组 Camera Modules

0.3-8.0MP Camera Module      Dual Lens Camera Module

振动马达 Vibration Motors -2

Auto Focus Camera Module      Industrial endoscope

产品应用 Product application -III

消费类(Consumer)

手机 Mobile      平板电脑 Tablet      笔记本电脑 Notebook      智能穿戴 Wearable

智慧支付(Smart Payment)

POS机 POS      扫码盒 Paybox      人脸支付 Face to Pay      无感停车 Parking lot payment

产品应用 Product application -II

汽车电子(Automotive)

行车记录仪 Recorder      辅助驾驶 ADAS/DMS      座舱监视 Cockpit Monitoring      四路环视 Circular Camera

安防(CCTV)

监控摄像头 IPC      执法记录仪 Enforcement Recorder      闸机 Gate      认证比对机 Comparison Machine





## 目录 Contents

L1

公司基本信息 About SAIBOW

L2

微型电机 Micro Motors

L3

摄像头模组 Camera Modules

L4



卓亚科供应链代理分销产品线  
ZYK Supply Chain Agent/Distribution

L5

工厂测试设备及客户群 (部分展示)  
Factory testing equipment and  
customer base (Partial)



新能源汽车连接器 New energy vehicle connector



新能源汽车连接线 New energy vehicle harness



# 代理分销-1: 储能高压 连接器 High Voltage Connector for Energy storage systems



## 储能高压连接器

High Voltage Connector For Energy Storage Systems



## 储能快插连接器系列

Push-in Connector Series For Energy Storage System

## 储能快插连接器系列

Push-in Connector Series For Energy Storage Systems

ES091-35/50mm<sup>2</sup> 储能快插连接器(防水款)

ES091-35/50mm<sup>2</sup> Push-in Connector For Energy Storage Systems (Waterproof)



### 技术特性 Technical Characteristics

材质选用	Material Selection
塑胶外壳: PA66-GF 阻燃 UL94 V-0	Housing materia: PA66-GF UL94 V-0
端子材料: 铜合金, 镀银	Terminal material: Copper Alloy, Silvering
机械性能	Mechanical Performance
插拔次数: 200次	Tested to 200 mating cycles
防 呆: 4种键位	Multiple Polarization: 4 Keys
电气性能	Electrical Performance
额定电流: 150A-35mm <sup>2</sup> /200A-50mm <sup>2</sup>	Current Rating: 150A-35mm <sup>2</sup> /200A-50mm <sup>2</sup>



ES060-10/16/25mm<sup>2</sup> 储能快插连接器-1500V (防水款)

ES060-10/16/25mm<sup>2</sup> Push-in Connector For Energy Storage Systems -1500V (Waterproof)

\*新品研发中




### 技术特性 Technical Characteristics

材质选用	Material Selection
塑胶外壳: PA66-GF 阻燃 UL94 V-0	Housing materia: PA66-GF UL94 V-0
端子材料: 铜合金, 镀银	Terminal material: Copper Alloy, Silvering
机械性能	Mechanical Performance
插拔次数: 200次	Tested to 200 mating cycles
防 呆: 5种键位	Multiple Polarization: 5 Keys
电气性能	Electrical Performance
额定电流: 63A-10mm <sup>2</sup> /80A-16mm <sup>2</sup> /120A-25mm <sup>2</sup>	Current Rating: 63A-10mm <sup>2</sup> /80A-16mm <sup>2</sup> /120A-25mm <sup>2</sup>
额定电压: DC 1500V	Voltage Rating: DC 1500V





新能源汽车连接器及线束 应用领域  
New energy vehicle connector and harness application field





car



Hybrid electric vehicle



Commercial vehicle



SUV



pickup truck



van



Product Model	<b>XM08D</b>	Product weight	≈2000g
Cycle times (life)	≥1000 times	Capacity	806.4Wh
DC Input	Max 200W	Type-C	9V/12V/15V/20V,3A PD66W
Battery pack	454P	DC output	12V/5A
USB output	QC3.0 (5V/9V/12V-2A)	LED light	lighting/flash/SOS
Product size	354*201*230mm	MPPT Charging	18-45V Max 200W

Product Model	<b>XM08SE</b>	Product weight	≈2000g
Cycle times (life)	≥1000 times	Capacity	537.6Wh
DC5525 Input	16.8V/3A	AC output	220V/110V Rated power 300W
Battery pack	454P	DC Output	12V/5A
USB output	5V/2A QC3.0(5V/9V/12V-2A)	LED light	Lighting/flash/SOS
Product size	300*201*230mm	Charging time	3-4hours





Product Model	M20	Product weight	≈450g
Cycle times (life)	1000 times	Peak current	600A
Battery pack	4S1P	Starting voltage	12V
USB output	5V/9V-2.0A 12V-1.5A QC3.0	Type-C input	5V2.0A
Charging time	4-5 hours	LED light	lighting/flash/SOS
External dimension	182*83*36mm	Operating temperature	-20°C~60°C
Product function	Starting/Charging/Lighting	Wireless charging power	10W

Product Model	M10	Product weight	≈320g
Cycle times (life)	≥1000 times	Capacity	6000mAh / 8000mAh
Battery pack	4S1P	Starting voltage	12V
USB output	5V/2A	Type-C	5V/2A,9V/2A
Charging time	4-5 hours	LED light	lighting/flash/SOS
Product size	175*86*40mm	Operating temperature	-20°C~60°C
Product function	Starting/Charging/Lighting	Wireless charging output	10W





**MATE1 Mini HD Projector**  
**Portable Projector**

- Smartphone Projector
- Folding magnetic Holder
- Support power bank via Type C



Small conference



Portable projection



Stay at home and watch TV

**Product information of MATE1**

Imaging technology	DLP	Light Engine	LED
Display chip	0.2" DMD	Brightness	100 ANSI Lumens
Resolution	480P	Compatible resolutions	720P
Throw	Long	Throw Ratio	1.21
Aspect Ratio	16:9	Projection Size	50-70 in
Focus Adjustment	Autofocus	Keystone Correction	Vertical
Connectivity Technology	Wireless	Smart System	/
Built-in Battery	1700mah	Play Time	60 minutes
Speaker	0.5w	Noise Level	< 24dB
Lens material	Glass + Resin	Shell Material	Plastic + Metal
Dimensions	99 x 78 x 16mm	Weight	0.2kg
Mounting Options	Desktop / Ceiling-mounted		
Warranty	2 years (1 year warranty + 1 year free warranty extension)		
What's in The Box	Projector, folding magnetic Holder, Wireless Display Adapter, charging cable, User Manual (Certificate Card + Warranty Card)		



**OFFICE1 Smart HD Projector**  
**Portable Projector**

- DLP Projector, 720P Support
- Home / business projector
- Folding magnetic Holder
- Wireless Charging Dock



Business trip



Online course learning



Family gathering

**Product information of OFFICE1**

Imaging Technology	DLP	Light Engine	LED
Display Chip	0.2" DMD	Brightness	100 ANSI Lumens
Resolution	480P	Compatible Resolutions	720P
Throw	Long	Throw Ratio	1.21
Aspect Ratio	16:9	Projection Size	50-70 in
Focus Adjustment	Autofocus	Keystone Correction	Vertical
Connectivity Technology	Wireless	Smart System	/
Built-in Battery	1700mah	Battery Life	120 minutes
Speaker	0.5w	Noise Level	< 24dB
Lens Material	Glass + Resin	Shell Material	Plastic + Metal
Dimensions	140 x 78 x 36mm	Weight	0.8kg
Mounting Options	Desktop / Ceiling-mounted		
Warranty	2 years (1 year warranty + 1 year free warranty extension)		
What's in The Box	Projector, Folding Magnetic Holder, Wireless Display Adapter, Charging Cable, User Manual (Certificate Card + Warranty Card)		



**SKY1 Multifunctional portable**  
**Micro projector & Micro power station all-in-one**

- 384wh, 4K Support, Portable Power Station
- Hidden DLP Projector, Bluetooth Speaker



Portable power station



Indoor and outdoor projection



Bluetooth audio

**Product information of SKY1**

Imaging Technology	DLP	Mounting Options	Desktop
Display Chip	0.2" DMD	Capacity	384wh
Light Engines	LED	Battery Type	LFP
Brightness	150 ANSI Lumens	Charge Cycle	3000 cycles (80%)
Resolution	480P	Charging time	6-7 hours
Compatible Resolutions	4K	Lighting	LED (Brightness dimmable, SOS mode)
Throw	Long	Speaker	5w x2
Throw Ratio	1.21	Battery Life	24 hours
Aspect Ratio	16:9	Noise Level	< 24dB
Operating System	Android 9	Screen	LCD
Projection Size	50-80 in	Operating Temperature	-4~113°F (-20~45°C)
Focus Adjustment	Autofocus	Recharging Temperature	32~113°F (0~45°C)
Connectivity	Wireless	Shell Material	Plastic + Metal
Connectivity	Bluetooth	Weight	4.9 kg
Lens Material	Glass + Resin	Dimensions	255 x 205 x 140mm
Charging	DC charging, Car charging, Solar charging, PD charging		
Keystone Correction	Auto Keystone Correction (Horizontal & Vertical)		
Outlets	USB-C (60w x3, 100w x1), USB-A (QC3.0 x4), DC5521 x2 13V/4.5A, Cigarette Lighter Adapter x1 13V/9.5A		
Warranty	2 years (1 year warranty + 1 year free warranty extension)		
What's in The Box	Outdoor Projector + Power Station, Car Charging Cable x1, Charging Cable x1, Remote Control, AA battery, accessories bag, User Manual (Certificate Card + Warranty Card)		



**H1 Full Colors Laser  
Ultra-short Throw  
Projector**

- 1080p, 350 ANSI Lumens
- RGB Triple Laser
- Built-in Battery, Bluetooth Speaker



Living Room and Bedroom



Restaurant and Bar



Bluetooth audio

**Product information of H1**

Imaging technology	DLP	Light Source	Triple Laser
Display Chip	0.23" DMD	Brightness	650 ANSI Lumens
Resolution	1080P	Compatible Resolutions	4K
Throw	Ultra-short	Throw Ratio	0.19
Prime Lenses	Yes	Focus Adjustment	Autofocus
Operating System	Android 11	Keystone Correction	Yes
RAM	3GB	Connectivity	WiFi
ROM	32GB	Connectivity	Wireless
Contrast Ratio	12001	Connectivity	Bluetooth
Aspect Ratio	16:9		Yes
Projection Size	70-100 in	Voice Remote	The near-field and far-field mode
Speaker	7W x2	Power	35W
Battery	20000mah	Battery Life	120 Minutes
Bulb Lifespan	Above 20,000 hours	Lens Material	Glass + Resin
Noise Level	< 24dB	Shell Material	Plastic + Metal
Dimensions	252x157x62mm	Weight	2kg
Mounting Options	Front projection Desktop / ceiling-mounted		
Warranty	2 years (1 year warranty + 1 year free warranty extension)		
What's in The Box	Projector, Charging Cable x1, Remote Control, AA battery, User Manual (Certificate Card + Warranty Card)		



**SKY2 Multifunctional portable  
Outdoor Projector**


- 192wh, 1080P, 350 ANSI Lumens
- DLP Projector, Portable Power Station
- Bluetooth Speaker



Portable power station



Indoor and outdoor projection



Bluetooth audio

**Product information of SKY2**

Imaging Technology	DLP	Mounting Options	Desktop
Display Chip	0.23" DMD	Capacity	192wh
Light Engine	LED	Battery Type	LFP
Brightness	350 ANSI Lumens	Charge Cycle	3000 cycles (80%)
Resolution	1080P	Charging Time	4.1 hours
Compatible Resolutions	4K	Outlets	USB-C (60w x2), USB-A (QC3.0 x2), DC5521 x2, 12V/4.5A
Throw	Long	Screen	LCD
Throw Ratio	1.21	Lighting	LED (Brightness dimmable, SOS mode)
Aspect Ratio	16:9	Speaker	10w
Operating System	Android 9	Battery Life	5 hours
Projection Size	70-100 in	Noise Level	< 24dB
Focus Adjustment	Autofocus	Shell Material	Plastic + Metal
Keystone Correction	Auto Keystone Correction (4 directions)	Weight	3.5kg
Connectivity	Wireless	Dimensions	260x208x126mm
Connectivity	Bluetooth	Operating Temperature	-4~113°F (-20~45°C)
Lens Material	Glass + Resin	Recharging Temperature	32~113°F (0~45°C)
Warranty	2 years (1 year warranty + 1 year free warranty extension)		
What's in The Box	Outdoor Projector + Power Station, Charging Cable x1, Remote Control, AA battery, User Manual (Certificate Card + Warranty Card)		



**JEC-C2/C4/C8 Save Time & Smart  
Battery Charger for Ni-MH**

- Individual 2-Bay / 4-Bay / 8-Bay, AA / AAA Battery
- Supports mixed charging mode, LCD screen display
- Over Charge Protection, USB Input Charging



Digital toys



Electronic toys



Lighting tool

**Product information of JEC-C2, JEC-C4 & JEC-C8**

Battery model	AA/AAA Ni-MH battery
Input	Type-C
20CELL	AA 1100mAh, AAA 550mAh (BDC1 4V)
40CELL	AA 2200mAh, AAA 1100mAh (BDC1 4V)
80CELL	AA 300mAh, AAA 150mAh (BDC2 8V)
Certificates	FCC, UL, VDE, CCC, CE, PSE, RoHS
Warranty	3 Years, MTBF > 50000H
Single charging & Mix Charging	Support
Smear Charging Protection	Support
Alkaline battery detection	Support
Battery fault automatic detection	Support
Operating Temperature	0°C~40°C
Dimension	148x69x27mm (80CELL)
Weight	130g (80CELL)
What's in The Box	USB Charging Cable, User Manual, Warranty Card



### JECWOTT 600 Portable Outdoor Power Station

- 600Wh, 600w / 700w / 1000w
- Bidirectional Inverter, UPS 520ms
- LiFePO4 Battery, LED Lamp



#### Product information of JECWOTT 600

Capacity	600Wh
Battery Type	LFP
Charging Type	AC charging, Car Charging, Solar Charging
Recharge	1.5 hours
Car Recharge	7 hours
Solar Recharge	4 hours (200w)
Screen	LCD
Lighting	LED (Brightness dimmable, SOS mode)
Operating Temperature	-20~40°C
Recharging Temperature	0~45°C
Shell Material	Plastic
Weight	8.2kg
Wattage	600w (Max 1800w)
Charge Cycle	3000 cycles (80%)
AC Output	230V 50Hz x2
Pure Sine Wave	THD <3%
UPS	20ms
Conversion rate	>95%
DC Output	120V x1
USB-A Output	QC3.0 x2
Type-C Output	PD60w x1, PD100w x1
Car Power Output	13V / 9.5A x1
Wireless	BT + Wifi with APP
Dimensions	285x208x211mm
Warranty	3 years (2 year warranty + 1 year free warranty extension)
What's in The Box	Power Station, Car Charging Cable x1, DC Charging Cable x1, User Manual (Certificate Card + Warranty Card)



Self-motoring tour



Outdoor office



Emergency power supply



### JECWOTT 5000 Portable Solar Generator Whole-Home Backup Energy System

- 5000w All-in-One Power Station
- Solar Input, Backup Power
- Home Energy Storage System



#### Product information of JECWOTT 5000

Wattage	5000w
Battery Type	LFP
Storage Capacity	5.12kWh
Output Voltage	220V~230V
Current	21.7A
Expansion Capacity	10.24~25.6kw
Solar Charging Input	Max 4000w
MPPPT Voltage	64-130V
Operating Temperature	-4~113°F (-20~45°C)
Recharging Temperature	32~113°F (0~45°C)
Mainframe Weight	60kg
Battery pack weight	46kg
Electrical Transients Power	10000W
Charge Cycle	6000 cycles (80%)
Charging Type	AC charging, Car Charging, Solar Charging
AC Output	5000w x4
DC Output	38w x2
USB-A Output	18w x4
USB-C Output	100w x2
Car Power Output	126w x1
Wireless Charger	15w x3
Mainframe Dimensions	730x400x350mm
Battery pack Dimensions	730x300x350mm
Warranty	3 years (2 year warranty + 1 year free warranty extension)
What's in The Box	Power Station, Car Charging Cable x1, DC Charging Cable x1, User Manual (Certificate Card + Warranty Card)



Frontier sentry



Telecommunication base station



Mountain culture



### JECWOTT 2000 Large capacity and high power Portable Power Station

- 2016Wh, 2400w
- Bidirectional Inverter Technology
- Series or Parallel Connection
- UPS20ms



#### Product information of JECWOTT 2000

Capacity	2016Wh
Battery Type	LFP
Charging Type	AC charging, Car Charging, Solar Charging
Recharge	1.6 hours
Solar Recharge	4 hours (600w)
Screen	LCD
Lighting	LED (Brightness dimmable, SOS mode)
Operating Temperature	-20~40°C, Recharging Temperature 0~45°C
Shell material	Plastic
Dimensions	607x442x305mm
Weight	22kg
Wattage	2400w (Max 4800w)
Charge Cycle	3500 cycles (80%)
AC Output	120V / 230V 50/60Hz Pure Sine Wave
Conversion Efficiency	>93%
DC Output	12V / 5A x2
USB-A Output	QC3.0 x2
Type-C Output	PD100w x2
Car Power Output	13V / 9.5A x1
Wireless Charger Output	15w x2 pcs
Wireless	BT + Wifi with APP
Warranty	3 years (2 year warranty + 1 year free warranty extension)
What's in The Box	Power Station, Car Charging Cable x1, DC Charging Cable x1, User Manual (Certificate Card + Warranty Card)



Aerial photography



Emergency power supply



Outdoor work



Outdoor camping



Live outdoor broadcast



Flight photography

**Product information of JECWOTT 500**

Capacity	512wh
Battery Type	LFP
Charging Type	DC Charging, Car Charging, Solar Charging
Recharge	6.5hours (120w)
Car Recharge	8.5 hours (90w)
Solar Recharge	6.5 hours (120w)
Screen	LCD
Lighting	LED (Brightness dimmable, SOS mode)
Operating Temperature	-10~40°C
Recharging Temperature	0~40°C
Weight	7.7kg
Wattage	500w (Max 1000w)
Charge Cycle	3000 cycles (80%)
AC Output	220V 50Hz
Pure Sin Inflow	THD<3%
Cigarette Lighter Adapter Output	12V/3A x1
USB-A Output	OC3.0 x2
Type-C Output	PD60w x1
Car Power Output	12V/10A x1
Shell Material	Plastic
Dimensions	380x295x120mm
Warranty	3 years (2 year warranty + 1 year free warranty extension)
What's in The Box	Power Station, Car Charging Cable x1, DC Charging Cable x1, User Manual (Certificate Card + Warranty Card)



No electricity in mountainous areas



Outdoor culture



Household power failure emergency

**Product information of JECWOTT S5000**

AC Wattage	5000W
Solar Panel Operating Voltage	360V
Solar Panel Operating Current	13A
MPPT Voltage Range	90V~580V DC
Operating Temperature	-22~73.4°F (-30~23°C)
Water Resistance	IP65
Battery Size	500x260x230mm
Weight	43kg
AC Output Voltage	220V~230V
AC Output Current	Max:22.7A
Battery Voltage range	42~58V
Battery Charging Current	100A
Altitude Zones	<4000m
Inverter Size	482x503x183mm
All-in-One Power Station Weight	21.5kg
Warranty	10 years for battery, 5 years for inverter



更多的产品规格, 请与我们的销售直接联系。  
For more product specifications, please contact our sales team directly.

E-mail: [sales@zykele.com](mailto:sales@zykele.com)





代理分销-3: 汽车高品质扬声器音响 (俗称喇叭)  
High quality automotive speaker system (as speakers)



MODEL -BS60H



MODEL -BS61H



MODEL -TC165B



MODEL -BS61S



MODEL -GY108A



MODEL -GY91HG



MODEL -BS68H



MODEL -BS68S



MODEL -BS66HR



MODEL -BS69S



MODEL -DR50



MODEL -BS80H



MODEL -CDY12H



MODEL -BS10B

更多的产品规格, 请与我们的销售直接联系。  
For more product specifications, please contact our sales team directly.

E-mail: [sales@zykele.com](mailto:sales@zykele.com)



### ■ WB30 Headphone



#### Main Feature

1. With build in TF card, FM function, bluetooth and wired control 2 in 1
2. Twist arm and foldable design for convenient carrying around
3. Light weight and adjustable headband for more comfortable wearing
4. On ear control: volume & phone call

BT solution: AS18  
Response range: 20-20000Hz  
Speaker Size:  $\phi$  40mm  
Battery capacity: 300mAh  
Working time: 6-8 hours

### ■ GHM050 Over-Ear Gaming Headphone



#### Feature

- Detachable Microphone and foldable design easily for storage.
- Plush memory foam and swiveling ear pads provide exceptional comfort.
- Big Size Drivers bring superior sound quality with wide range and accuracy.
- Unidirectional microphone reduces ambient noise for enhanced voice quality.
- Multi-in Microphone, on-ear volume and pick-up button for cell phone.

Speaker Size: 50mm Neodymium Speaker Drivers  
Speaker Sensitivity: 111dB  $\pm$ 3db  
Speaker Impedance: 32 $\Omega$   
Speaker Response Range: 20Hz~20KHz  
Microphone Size: 4.0\*1.5mm  
Microphone Sensitivity: -42dB  $\pm$ 3db  
PLUG: 3.5mm  
Cable Length: 210cm



## ■ G1 Gaming Earphone



### Feature

- Design for Mobile Phone Gaming and live broadcast.
- Unidirectional microphone reduces ambient noise for enhanced voice quality.
- Big size speaker driver bring superior sound quality.
- Detachable microphone design easily for storage.

Speaker Size: 12.5mm

Speaker Sensitivity: 96dB  $\pm$  3db at 1khz

Speaker Impedance: 16 $\Omega$

Speaker Response Range: 20Hz~20KHz

Microphone Sensitivity: -42dB  $\pm$  3dB

PLUG: 3.5mm

Cable Length: 120cm



## ■ IN6 Metal Stereo Earphone



### Main Features

- 1.10mm Dynamic Speaker
2. Ergonomic Design
3. 3.5mm gold plated Plug
4. Metal Case

Speaker Size: 10mm

Speaker Sensitivity: 92dB  $\pm$  3dB at 1khz

Speaker Impedance: 16 $\Omega$

Speaker Response Range: 20Hz~20KHz

Microphone Sensitivity: -38dB  $\pm$  3dB

PLUG: 3.5mm


Cable Length: 115cm

更多的产品规格, 请与我们的销售直接联系。  
For more product specifications, please contact  
our sales team directly.

E-mail: [sales@zykele.com](mailto:sales@zykele.com)



## G1-BT Bluetooth Gaming Earphone



### Feature

- Design for Mobile Phone Gaming and live broadcast use
- Unidirectional microphone reduces ambient noise for enhanced voice quality
- Big size speaker driver bring superior sound quality
- Detachable microphone design easily for storage
- Stable connection with Bluetooth 4.0, Large battery capacity for 4 hours using

BT Version: BT V.4.0

Speaker Size: 12.5mm

Speaker Response: 20Hz~20KHz

Speaker Sensitivity: 96dB ± 3dB at 1kHz


Microphone Sensitivity: -42dB ± 3dB

Working Distance: 10M

Battery Capacity: 85mA



## G2-BT Bluetooth Gaming Earphone



### Feature

- Design for Mobile Phone Gaming and live broadcast use
- Detachable Microphone enables multiple use
- Big size speaker driver superior sound quality
- High-definition Microphone provides for crystal-clear communication
- Bluetooth 4.0, CSR Chip provides high fidelity sound and excellent signal quality.
- Large battery capacity for about 7 hours using

BT Version : CSR8645 BT.4.0

Speaker Size : 12.5mm

Speaker Response : 20Hz~20KHz

Speaker Sensitivity : 96dB ± 3dB at 1kHz

Microphone Sensitivity : -42dB ± 3dB

Working Distance : 10M

Battery Capacity : 120mA

## ■ WB6 TWS Bluetooth Earphone



### Feature

- Ergonomic design for exceptional comfort and optimum fit
- Special antenna design provides stable connection

BT Version: **V.4.0**

Speaker Size: **6mm**

Speaker Response: **20Hz~20KHz**

Speaker Sensitivity: **92dB ± 3dB at 1kHz**

Microphone Sensitivity: **-40dB ± 3dB**

Working Distance: **about 10m indoor**

Battery Capacity: **Earbuds: 35mA**

**Charging Box: 500mA**

Working time: **2 hours/per charged**



## ■ WB2 Bluetooth Sports Headset



### Features

1. BT version 5.0 for better connection
2. Build in magnetic metal housing for sports convenience
3. Big size driver bring superior sound quality.
4. IP45 Sweat resistant
5. Ergonomic design for comfortable&light wearing

BT solution: **Appotech chipset**

BT version: **5.0**

Speaker Size: **∅ 12.5mm**

Speaker response: **20-20000Hz**

Speaker Sensitivity: **86dB ± 3dB at 1kHz**

Impedance: **16Ω**

MIC Sensitivity: **-42dB ± 3dB**

Battery capacity: **85mA**

Working time: **about 5 hours**

Working Distance: **10M**


更多的产品规格, 请与我们的销售直接联系。  
For more product specifications, please contact  
our sales team directly.

E-mail: [sales@zykele.com](mailto:sales@zykele.com)

## 代理分销-4: 蓝牙耳机及音响\_5 Bluetooth earphones and speakers



JY-02



Start a musical journey

A good day,  
starts with beautiful music...

### Concert at home

Distinguish left and right channels, surging stereo

### Long battery life

Built-in 2000mAh large capacity battery



更多的产品规格，请与我们的销售直接联系。  
For more product specifications, please  
contact our sales team directly.

E-mail: [sales@zykele.com](mailto:sales@zykele.com)





## 目录 Contents

L1

公司基本信息 About SAIBOW

L2

微型电机 Micro Motors

L3

摄像头模组 Camera Modules

L5

卓亚科供应链代理分销产品线  
ZYK Supply Chain Agent/Distribution

L4

工厂测试设备及客户群（部分展示）  
Factory testing equipment and  
customer base (Partial)



工厂 测试设备 (部分展示)  
Factory test equipment



组装设备 Assembly



超声波清洗 Ultrasonic Cleaner



回流焊 Reflow Machine



自动焊锡 Solder Paste Printing



自动组装设备 Mounting Machine



贴片设备 SMT



自动调焦设备 Auto Focus





主要客户 Main customers



FOXCONN®

flex  
LIVE SMARTER

FIYTA  
ENJOY YOUR TIME

FORTUNE  
SHIP  
FortuneShip

swatch®  
SWISS MADE

ZOWEE

unitech  
because we care

Nicera

CIPHER LAB

COOPER

SPEEDATA®

CILICO®

CISCO

ORACLE®  
甲骨文

E-POW



招募本地化代理商或分销商启事

Recruitment notice for localized agents or distributors



whatsApp



Facebook



WeChat

Contact : Mr. Beny B.Y Chang  
WhatsApp : +86 13926511900  
e-mail : Beny@saibow.com



**诚聘销售精英加盟**  
Sincerely recruit sales elite to join

诚邀本地分销商或代理商加盟SAIBOW销售团队, 请与我们联系!  
SAIBOW since 2008, We sincerely invite local distributors or agents to join the SAIBOW sales team, Please contact us timely, thanks so much.



# THANKS!



**SAIBOW Technology Co., Ltd.**

**ZYK Electronics (Shenzhen) Co., Ltd.**

**Contact : Mr. Beny Chang**

**WhatsApp : +86-13926511900**

**E-mail : Beny@saibow.com**

**Marketing : sales@saibow.com**

**Website: <https://saibow.com>**

**Online Shop: <https://zykele.com>**

**Thank you for listening.**



**OCTF VIETNAM 2024 : Booth: D13**