BALL LED DISPLAY For Exhibition Halls/Companies/Schools/Tech Companies/Large Shopping Malls

Pixel Pitch:P1.8/P2.5

Diameter Size:1m、1.5m、2m、2.5m、3m





Module Division Design



- 1. Support various sizes customization
- 2. Support free drawing design
- 3. 6-year warranty
- 4. 360-degree surround view
- 5. 3840HZ high refresh rate



Package











Installation





Specification

Pixel Pitch(mm)	P2.5								
LED Type	SMD1515/RGB								
LED DISPLAY BALL Diameter	1m	1.5m	2m	2.5m	3m				
Ball Area	3.14m2	7.065m2	12.56m2	19.625m2	28.27m2				
Ball Resolution	1256*628dots	1884*942dots	2512*1256dots	3140*1570dots	3768*1884dots				
Cabinet Quantity	5	7	9	11	13				
Weight	110kg	160kg	200kg	260kg	300kg				
Avg. Power Consumption(W)	570W	1275W	2342W	3000W	3200W				
Controller Way	Wireless/Wired Control	Wireless/Wired Control	Wired Control	Wired Control	Wired Control				
Package	1240*1240*1590 mm	1720*1720*198 0mm	2020*2020*26 0mm	Split Packaging	Split Packaging				
Pixel Density (Pixel/m²)	160000dots/m2								
Module Size(mm)	Custom Made								
Brightness	500-800cd								
Scan	37s								
Refresh Rate	3840hz								
Gray Scale	14								
Color Temp	3200-9300								
Contrast Ratio	> 80000: 1								
Input Sigal	HDMI.DVI/VGA.RGBHV Composite.SVIDEO.YPbPr(HDTV) etc								

Pixel Pitch(mm)			P1.8				
LED Type	SMD1212/RGB						
LED DISPLAY BALL Diameter	1m	1.5m	2m	2.5m	3m		
Ball Area	3.14m2	7.065m2	12.56m2	19.625m2	28.27m2		
Ball Resolution	1744*872dots	2618*1308dots	3490*1744dots	4362*2180dots	5324*2618dots		
Cabinet Quantity	5	7	9	11	13		
Weight	110kg	160kg	200kg	260kg	320kg		
Avg. Power Consumption(W)	570W	1275W	2342W	3000W	3200W		
Controller Way	Wireless and wired control	Wireless and wired control	Wired control	Wired control	Wired control		
Package	1240*1240*159 0mm	1720*1720*198 0mm	2020*2020*260 mm	Split Packaging	Split Packaging		
Pixel Density (Pixel/m²)	288906dots/m2						
Module Size(mm)	Custom Made						
Brightness	500-800cd						
Scan	49S						
Refresh Rate	3840hz						
Gray Scale	14						
Color Temp	3200-9300						
Contrast Ratio	> 80000: 1						
Input Sigal	HDMI.DVI/VGA.RGBHV Composite.SVIDEO.YPbPr(HDTV) etc						

Application







