

LED STRIP LIGHT
PROFESSIONAL MANUFACTURER



PROFESSIONAL MANUFACTURER
Walmart CERTIFIED FACTORY
ATTENTIVE TO DETAILS, CUSTOMIZE TOP STRIP



深圳市世邁光電有限公司
SHENZHEN SMILE LIGHTING CO.,LTD

1th Building, Bohua Technology Industry Area, Zhangkengjing
Guanlan Town, Longhua New District, ShenzhenCity, China

Tel: (+86)0755-2334 0033 / 2765 0295 Skype:soniaw2008
Mobile: (+86)130 0660 5200 Fax: (+86)2322 9210
Email: infor@smilelights.com Web: www.ledsmile.com



Online Catalog


深圳市世邁光電有限公司
SHENZHEN SMILE LIGHTING CO.,LTD



Company Reception Desk



LED Product Inspection Lab



Production Workshop



Company Profile

Established in 2012, SHENZHEN SMILE LIGHTING CO.,LTD is a state-level high-tech enterprise, an ISO 9001:2008 certified LED lights manufacturer in Shenzhen, China. Also, We have also passed the Walmart factory audit. Currently there are over 300 employees, and a fabrication area of more than 6000 sq.m.

Our company has advanced automatic facilities such as auto soldering, high speed SMT machines, auto glue machine ,plastic sealing machine and electrical testing device such as integrating spheres and distribution photometer, as well.

Our products are made under the control of high-quality system, and our production process stick to high quality standard. Our products can be found in America, Canada, Britain, Germany, Brazil and especially in supermarkets and chain retailers.

As the Walmart certified manufacturer, we have strong production, customization and blister boxpackaging capabilities. And we export more than 600,000 meter LED strips per month.

CATALOG

CATALOG



**Low Voltage
LED Flexible Strip**

P5-P22




**High voltage
LED Flexible Strip**

P23-P24



LED Cabinet Light

P25-P32



Led Modules



P33-P38




Accessories

P39-P44

COB LED Strip Light




COB LED Strip Light



COB LED Strip Light (RA>80/90)

Model	QTY/M	Wattage	Efficiency	Wide	Voltage	Cutting size	Color
SM-COB320P24V	320	10W	110-120LM/W	8mm	DC12V DC24V	50mm	
SM-COB320P12V	320	10W		8mm		25mm	
SM-COB480P24V	480	11W		8mm		50mm	
SM-COB512P24V	512	12W		10mm		30mm	
SM-COB528P24V	528	14W		10mm		50mm	

Customization: Color, Size, Voltage, PCB design, LED quantity, Ra




COB: No light spot

VS



Normal: Light spot and dark space



High Voltage COB

Model	SM-COBHV01
CCT	2700K/4000K/6000K
CRI	RA >80 or >90
PCB Width	10mm
LED Qty	288LEDs
Voltage	AC 220V
IP Rating	IP20 IP65



Ultra-wide COB

Model	SM-COBDC04
Color	2700K/4000K/6000K
CRI	RA >80 or >90
PCB Width	30mm
LED Qty	1600LEDs
Voltage	DC12V/24V
IP Rating	IP20 IP65



Double-Row COB

Model	SM-COBT02
CCT	2700K/4000K/6000K
CRI	RA >80 or >90
PCB Width	12mm
LED Qty	600LEDs
Voltage	DC12V/24V
IP Rating	IP20 IP65




RGB Addressable COB

Model	SM-COBDC05
Color	Dream Color/RGBIC
PCB Width	10mm
LED Qty	420LEDs
Voltage	DC12V/24V
IP Rating	IP20 IP65
Control Mode	Remote Control,APP Control



Three Color COB



Model	SM-COBT03
CCT	2700K/4000K/6000K
CRI	RA >80 or >90
PCB Width	10mm
LED Qty	600LEDs
Voltage	DC12V/24V
IP Rating	IP20 IP65



RGB COB

Model	SM-COBRGB06
Color	RGB
PCB Width	10mm
LED Qty	768LEDs
Voltage	DC12V/24V
IP Rating	IP20 IP65
Control Mode	Remote Control,APP Control


LED Flexible Strip



Highest Efficiency LED Strip (RA>80/90)

Model	LED QTY/M	Lumen	Wattage/M	Voltage	Width	IP Rating	Color
SM-FS50251	180LEDs/M	210lm/w	10w	DC/24V	10mm	IP20 IP65 IP66 IP67 IP68	

Customization: Color, Voltage, PCB design, Ra, LED quantity



**DC Low Voltage
LED Flexible Strip**
 2835 / 3 OUNCES / 5050



Solar LED Strip

Model	Size	LED QTY/M	Lumen	Voltage	IP Rating	Color
SM-SO2835-3	L3000m*W8mm	30LEDs/M	500LM/M	3.5V	IP65	
SM-SO2835-5	L5000mm*W8mm					

Customization: Color, PCB design, LED quantity



Double - Color Pixel Addressable Strip (RA>80/90)

Model	LED QTY/M	Wattage/M	Voltage	Width	IP Rating	Color
SM-FS50252	240LEDs/M	12W	DC12V/24V	10mm	IP20 IP65 IP66 IP67 IP68	

Customization: Color, Voltage, PCB design, Ra, LED quantity



RGB Pixel Addressable Strip

Model	IC	LED QTY/M	Wattage/M	Voltage	IP Rating	Wide	Color
SM-50507	ws2811	60LEDs/M	10W	DC12V/24V	IP20	10mm	
SM-50508	ws2813	60LEDs/M	4W	DC5V	IP65 IP67		

Customization: Color, Voltage, PCB design, LED quantity



2216 High Density Strip (RA>80/90)

Model	LED QTY/M	Lumen/M	Wattage/M	Voltage	Wide	IP Rating	Color
SM-FS22161	300LEDs/M	2000LM	24W	DC12V/24V	12mm	IP20 IP65	6000K 4000K 3000K

Customization: Color, Voltage, PCB design, Ra, LED quantity



Battery Powered LED Strip

Model	LED QTY/M	Lumen/M	Wattage/M	Voltage	IP Rating	Wide	Color
SM-FS25050	30LEDs	700LM	5W	DC3V	IP20 IP65	8mm	6000K 4000K 3000K

Customization: Color, Voltage, LED quantity



4014 Strip (RA>80/90)

Model	LED QTY/M	Lumen/M	Wattage/M	Voltage	Wide	IP Rating	Color
SM-FS24014	120LEDs/M	1200LM	12W	DC12V/24V	8mm	IP20 IP65	6000K 4000K 3000K

Customization: Color, Voltage, PCB design, Ra, LED quantity



220V Mosquito Repellent LED Strip

Model	LED QTY/M	Lumen/M	Wattage/M	Voltage	IP Rating	Wide	Color
SM-MR12001	120LEDs	1000LM	10W	AC110V/220V	IP67 IP68	10mm	Green

Customization: Color, Voltage, LED quantity



2025 High Lumen Strip (RA>80/90)

Model	LED QTY/M	Lumen/M	Wattage/M	Voltage	Wide	IP Rating	Color
SM-FS20251	120LEDs/M	1100LM	10W	DC12V/24V	8mm	IP20 IP65 IP66 IP67 IP68	6000K 4000K 3000K
SM-FS20252	240LEDs/M	1700LM	15.5W				

Customization: Color, Voltage, PCB design, Ra, LED quantity



12V Mosquito Repellent LED Strip

Model	LED QTY/M	Lumen/M	Wattage/M	Voltage	IP Rating	Wide	Color
SM-MR12002	120LEDs	1000LM	9W	DC12V/24V	IP20 IP65 IP66 IP67 IP68	10mm	Green

Customization: Voltage, LED quantity



DC Low Voltage LED Flexible Strip

USB / S-shape / RGBWW



DC Low Voltage LED Rigid Strip

2110 / RGBIC / 2835



5V USB Strip

Model	LED QTY	LED chip	Wattage/M	Voltage	Wide	IP Rating	Color
SM-FS28358	60LEDs/M	SMD 2835	7.2W	DC5V	8mm	IP20 IP65	
SM-FS50505	60LEDs/M	RGB 5050	7.2W			IP66 IP67 IP68	

Customization: Color, Voltage, PCB design, Ra, LED quantity



No Light Spot

2110 Strip (RA>80/90)

Model	LED QTY/M	Lumen/M	Wattage/M	Voltage	Wide	IP Rating	Color
SM-1212N700W	700LEDs/M	1449LM	18.7W	DC12V DC24V	12mm	IP20 IP65 IP67	

Customization: Color, Voltage, PCB design, Ra, LED quantity



S-shape 2835 Strip

Model	LED QTY	Lumen/M	Wattage/M	Voltage	Wide	IP Rating	Color
SM-FS2835-S1	30LEDs/M	300LM	3.6W	DC12V	8mm	IP20 IP65	
SM-FS2835-S2	60LEDs/M	600LM	6.5W	DC24V		IP66 IP67 IP68	

Customization: Color, Voltage, PCB design, Ra, LED quantity



Side-Emitting RGBIC LED Strip

Model	Wide	LED QTY	Wattage/M	Voltage	IP Rating	Color
SM-FS2014	10mm	144LEDs/M	8W	DC5V	IP20	RGBIC

Customization: Voltage, PCB design, LED quantity



RGBW Pixel Addressable Strip

Model	LED QTY	Wattage/M	Voltage	Wide	IP Rating	Color
SM-FS50504	120LEDs/M	8W	DC5V	8mm	IP20 IP65 IP66 IP67 IP68	RGBIC

Customization: Voltage, PCB design, LED quantity



2835 LED Grow Light Strip

Model	Wide	LED QTY	Lumen	Wattage/M	Voltage	IP Rating	Color
SM-GR2835	8mm	30LEDs/M	500LM	10W	DC12V/24V	IP20/IP65	

Customization: Voltage, PCB design, LED quantity



2835 Strip (RA>80/90)



Model	LED QTY/M	Lumen/M	Wattage/M	Voltage	Wide	IP Rating	Color
SM-FS28351	30LEDs/M	300LM	3.6W	DC12V/24V	8mm	IP20 IP65 IP66 IP67 IP68	
SM-FS28352	60LEDs/M	500LM	4.8W				
SM-FS28353	120LEDs/M	900LM	9.6W				
SM-FS28354	168LEDs/M	1200LM	12W				
SM-FS28355	240LEDs/M	1500LM	15W				

Customization: Color, Voltage, PCB design, Ra, LED quantity

3528 Strip (RA>80/90)



Model	LED QTY/M	Lumen/M	Wattage/M	Voltage	Wide	IP Rating	Color
SM-FS35281	30LEDs/M	200LM	2.4W	DC12V/24V	8mm	IP20 IP65 IP66 IP67 IP68	
SM-FS35282	60LEDs/M	400LM	4.8W				
SM-FS35283	120LEDs/M	800LM	9.6W				

Customization: Color, Voltage, PCB design, Ra, LED quantity


5050 Strip (RA>80/90)



Model	LED QTY/M	Lumen/M	Wattage/M	Voltage	Wide	IP Rating	Color
SM-FS50501	30LEDs/M	800LM	7.2W	DC12V/24V	8mm	IP20 IP65 IP66 IP67 IP68	
SM-FS50502	60LEDs/M	1200LM	14.4W				
SM-FS50503	120LEDs/M	1500LM	20W				

Customization: Color, Voltage, PCB design, Ra, LED quantity

3014 Side-Emitting Strip (RA>80/90)



Model	LED QTY/M	Lumen/M	Wattage/M	Voltage	Wide	IP Rating	Color
SM-FS301430	30LEDs/M	200LM	3W	DC12V/24V	8mm	IP20 IP65 IP66 IP67 IP68	
SM-FS301460	60LEDs/M	410LM	5W				
SM-FS3014120	120LEDs/M	820LM	10W				

Customization: Color, Voltage, PCB design, Ra, LED quantity

3014 Strip (RA>80/90)



Model	LED QTY/M	Lumen/M	Wattage/M	Voltage	Wide	IP Rating	Color
SM-FS30141	30LEDs/M	300LM	3W	DC12V/24V	8mm	IP20 IP65 IP66 IP67 IP68	
SM-FS30142	60LEDs/M	500LM	4.8W				
SM-FS30143	120LEDs/M	850LM	9.6W				

Customization: Color, Voltage, PCB design, Ra, LED quantity

335 Side-Emitting Strip (RA>80/90)



Model	LED QTY/M	Lumen/M	Wattage/M	Voltage	Wide	IP Rating	Color
SM-FS3351	30LEDs/M	200LM	2.4W	DC12V/24V	8mm	IP20 IP65 IP66 IP67 IP68	
SM-FS3352	60LEDs/M	450LM	4.8W				
SM-FS3353	120LEDs/M	850LM	9.6W				

Customization: Color, Voltage, PCB design, Ra, LED quantity



HDMI Sync Screen Light



Model	LED Chip	Wattage	Voltage	IP Rating	Wide	Color
SM-BTVIR1210RGB30-01	5050 RGB	11W/M	DC12V/24V	IP20 IP65	8mm	RGBIC



Wifi Infrared RGB Strip

Model	LED	LED Qty	Wattage	Voltage	Size/Set	IP Rating	Color
SM-STWF1210RGB30-01	5050	30leds/m	7W/M	DC 12V	5M/10M	IP20 IP65	
SM-STWF1210RGB60-02		60leds/m	14W/M	DC 24V			



Firework RGB LED Strip

Model	LED	LED Qty	Wattage	Voltage	Size/Set	IP Rating	Color
SM-STFW1210RGB30-01	5050	30leds*11	7.5W/M	DC 5V	2.4M/4M	IP20 IP65	



RGB COB LED Strip

Model	LED Qty	Wattage	Voltage	Size/Set	IP Rating	Color
SM-COBRGBKIT-01	768leds/m	14W/M	DC 12V DC 24V	5M/10M	IP20 IP65	RGB
SM-COBDRGBKIT-02	756leds/m	21W/M				RGBIC



Single Color COB LED Strip

Model	LED Qty	Wattage	Voltage	Size/Set	IP Rating	Color
SM-COBSCKIT-01	320leds/m	10W/M	DC 12V DC 24V	5M/10M	IP20 IP65	
SM-COBSCKIT-02	480leds/m	13W/M				



LED Flexible Strip Kit

SM-SK2835WC6065-2
SM-SK2835WN6020-2
SM-SKH2835WW6068-2



LED Flexible Strip Kit

SM-SK2835WC6065-1
SM-SK2835WRGB6065-3
SM-SK5050WRGB6065-3



Model	SM-SK2835WC6065-2
Input Voltage	DC12V
Wattage	4.8W/M
LED	SMD2835
LED Qty	60LEDs/M
Lumen	480LM/M
CRI	Ra>80 or >90
IP Rating	IP65
Color Temperature	>7000K 4000-5000K <3000K 5000-6500K 4000-300K



Model	SM-SK2835WC6065-1
Input Voltage	DC12V
Wattage	4.8W/M
LED	SMD2835
LED Qty	60LEDs/M
Lumen	480LM/M
CRI	Ra>80 or >90
IP Rating	IP65
Color Temperature	>7000K 4000-5000K <3000K 5000-6500K 4000-300K



Model	SM-SK2835WN6020-2
Input Voltage	DC12V
Wattage	4.8W/M
LED	SMD2835
LED Qty	60LEDs/M
Lumen	480LM/M
CRI	Ra>80 or >90
IP Rating	IP20
Color Temperature	>7000K 4000-5000K <3000K 5000-6500K 4000-300K



Model	SM-SK2835WC6065-3
Input Voltage	DC12V
Wattage	4.8W/M
LED	SMD2835
LED Qty	60LEDs/M
Lumen	480LM/M
CRI	Ra>80 or >90
IP Rating	IP65
Color Temperature	>7000K 4000-5000K <3000K 5000-6500K 4000-300K

Parts: Flexible strip, 2A Power supply, Controller



Model	SM-SKH2835WW6068-2
Input Voltage	AC110V/220V 50/60HZ
Wattage	14.4W/M
LED	SMD2835
LED Qty	60LEDs/M
Lumen	700LM/M
CRI	Ra>80 or >90
IP Rating	IP67
Color Temperature	>7000K 4000-5000K <3000K 5000-6500K 4000-300K

Customization: Color, Voltage, Ra, LED quantity, gift box/blister package, graphic design



Model	SM-SK5050WRGB6065-3
Input Voltage	DC12V
Wattage	14.4W/M
LED	SMD5050
LED Qty	60LEDs/M
CRI	Ra>80 or >90
IP Rating	IP65
Color	RGB

Parts: Flexible strip, 5A Power supply, Controller
Customization: Color, Voltage, Ra, LED quantity, gift box design



AC High Voltage LED Flexible Strip



AC High Voltage LED Flexible Strip



Model	SM-NHN2835W 60-1306
Size	W13.2*H5.6mm
Input Voltage	AC110V/120V/220V
Wattage	6W/M
LED	SMD2835
LED Qty	120LEDs/M
CRI	Ra>80 or >90
IP Rating	IP67 IP68
Color	



Model	SM-H2835WW60
Size	W11.5*H7mm
Input Voltage	AC110V/120V/220V
Wattage	12W/M
LED	2835
LED Qty	60LEDs/M
Lumen	500LM
CRI	Ra>80 or >90
IP Rating	IP67 IP68
Color	



Model	SM-NHN2835W 120-1306
Size	W13.2*H5.6mm
Input Voltage	AC110V/120V/220V
Wattage	10W/M
LED	SMD2835
LED Qty	120LEDs/M
CRI	Ra>80 or >90
IP Rating	IP67 IP68
Color	



Model	SM-H2835WW180
Size	W17*H7mm
Input Voltage	AC110V/120V/220V
Wattage	12W/M
LED	SMD2835
LED Qty	180LEDs/M or 120LEDs/M
Lumen	700LM
CRI	Ra>80 or >90
IP Rating	IP67 IP68
Color	



Model	SM-NHN2835W 60-1407
Size	W14*H7mm
Input Voltage	AC110V/120V/220V
Wattage	6W/M
LED	SMD2835
LED Qty	60LEDs/M
CRI	Ra>80 or >90
IP Rating	IP67 IP68
Color	



Model	SM-H5050WC120
Size	W17*H7mm
Input Voltage	AC110V/120V/220V
Wattage	12W/M
LED	SMD5050
LED Qty	120LEDs/M
Lumen	750LM
CRI	Ra>80 or >90
IP Rating	IP68
Color	

Customization: Color, Voltage, PCB design, Ra, LED quantity

Customization: Color, Voltage, PCB design, Ra, LED quantity

LED Under Cabinet Light


- Using rigid PCB for well heat dissipation
- Nice LED chip for long life span and low light decay
- Low power consumption and high energy efficiency
- Various aluminium housing shape and kinds of connectors
- Offering the light bar with the newest sensor switch function



LED Under Cabinet Light



Model	SM-YD-69
Size	L1000mm*W12mm*H6.8mm
Input Voltage	DC12V/24V
Wattage	8W
LED	SMD2835
LED Qty	240LEDs
Lumen	600LM
CRI	Ra >80 or >90



Model	SM-YD-70
Size	L1000mm*W15.6mm*H8.37mm
Input Voltage	DC12V/24V
Wattage	12W
LED	SMD2835
LED Qty	240LEDs
Lumen	1100LM
CRI	Ra >80 or >90



Model	SM-YD-71
Size	L1000mm*W15.8mm*H6.5mm
Input Voltage	DC12V/24V
Wattage	10W
LED	SMD2835
LED Qty	240LEDs
Lumen	800LM
CRI	Ra >80 or >90

Customization: Color, Voltage, Ra, LED quantity, Aluminum length, Dimmable function, Motion sensor function



LED Under Cabinet Lighting



LED Under Cabinet Lighting




PIR Motion Sensor Switch Light Bar

Model	SMLB-Sensor-2
Size	L300mm*W25mm*H7.5mm
Input Voltage	DC12V
Wattage	4.5W
LED	SMD5730
LED Qty	18LEDs
Lumen	300LM
CRI	Ra >80 or >90




Model	SM-YD-21
Wide	40mm
Length	20CM,30CM,40CM,60CM,80CM
Input Voltage	DC 5V
Material	Aluminum +PC+ABS
Install Style	Magnetic and Sticker
CRI	Ra >80 or >90
Switch Type	OFF-ON-AUTO Switch
Color (CCT)	3000K / 4000K / 6000K



Hand Waving Sensor Switch Light Bar

Model	SMLB-Sensor-3
Size	L609mm*W49.5mm*H10mm
Input Voltage	DC12V
Wattage	12W
LED	SMD2835
LED Qty	66LEDs
Lumen	960LM
CRI	Ra >80 or >90



Model	SM-YD-22
Wide	40mm
Length	20CM,30CM,40CM,60CM,80CM
Input Voltage	DC 5V
Material	Aluminum +PC+ABS
Install Style	Magnetic and Sticker
CRI	Ra >80 or >90
Switch Type	OFF-ON-AUTO Switch
Color (CCT)	3000K / 4000K / 6000K



Model	SMLB2-1575
Size	L500mm*W15mm*H7.5mm
Input Voltage	DC12V
Wattage	7W
LED	SMD2835
LED Qty	57LEDs
Lumen	850LM
CRI	Ra >80 or >90

Customization: Color, Voltage, Ra, LED quantity, Aluminum length, Dimmable function, Motion sensor function



Model	SM-YD-23
Wide	40mm
Length	20CM,30CM,40CM,60CM
Input Voltage	DC 5V
Material	Aluminum +PC+ABS
Install Style	Magnetic and Sticker
CRI	Ra >80 or >90
Switch Type	OFF-ON-AUTO Switch
Color (CCT)	3000K / 4000K / 6000K



LED Under Cabinet Lighting



Concealed Type Light Bar

Model	SMLB-CT-1
Size	W12.8mm*H9mm*L500mm
LED Qty	30LED / 60LED
Input Voltage	DC12V/24V
Wattage	12W
LED	SMD2835 White
Lumen	1000LM
CRI	Ra >80 or >90



Motion Sensor Light Bar

Model	SMLB-Sensor-10
Size	W41mm*H13.5mm*L500mm
LED Qty	30LED / 60led
Input Voltage	DC5V
Wattage	3W
LED	SMD5730
Lumen	800LM
CRI	Ra >80 or >90




Corridor Footlight Light Bar

Model	SMLB-FT-1
Size	L300mm*W25mm*H7.5mm*L500mm
LED Qty	30LED / 60LED
Input Voltage	DC12V/24V
Wattage	4.5W
LED	SMD2835
Lumen	300LM
CRI	Ra >80 or >90

Customization: Color, Voltage, Ra, LED quantity, Aluminum length, Dimmable function, Motion sensor function



LED Under Cabinet Lighting



Model	SM-YD-56
Size	W8mm*H8mm
Input Voltage	DC12V/24V
Wattage	10W
LED	SMD2835
LED Qty	120LEDs
Lumen	800LM
CRI	Ra >80 or >90



Model	SM-YD-67
Size	L1000mm*W15.8mm*H6.8mm
Input Voltage	DC12V/24V
Wattage	10W
LED	SMD2835
LED Qty	240LEDs/M
Lumen	750LM
CRI	Ra >80 or >90



Model	SM-YD-68
Size	L1000mm*W8.2mm*H6.8mm
Input Voltage	DC12V/24V
Wattage	7W
LED	SMD2835
LED Qty	60LEDs/M
Lumen	480LM
CRI	Ra >80 or >90

Customization: Color, Voltage, Ra, LED quantity, Aluminum length, Dimmable function, Motion sensor function



LED Under Cabinet Light



Model	SM-YD-72
Size	L1000mm*W16.3mm*H16.3mm
Input Voltage	DC12V/24V
Wattage	12W
LED	SMD2835
LED Qty	240LEDs/M
Lumen	1000LM
CRI	>80 or >90



Model	SM-YD-73
Size	L1000mm*W30mm*H15.2mm
Input Voltage	DC12V/24V
Wattage	15W
LED	SMD2835
LED Qty	240LEDs/M
Lumen	660LM
CRI	>80 or >90




Model	SM-YD-74
Size	L1000mm*W56mm*H11.5mm
Input Voltage	DC12V/24V
Wattage	15W
LED	SMD2835
LED Qty	240LEDs/M
Lumen	1200LM
CRI	>80 or >90


Customization: Color, Voltage, Ra, LED quantity, Aluminum length, Dimmable function, Motion sensor function



LED Under Cabinet Light



Model	SM-YD-69
Size	L1000mm*W12mm*H6.8mm
Input Voltage	DC12V/24V
Wattage	8W
LED	SMD2835
LED Qty	120LEDs/M
Lumen	600LM
CRI	>80 or >90



Model	SM-YD-70
Size	L1000mm*W15.6mm*H8.37mm
Input Voltage	DC12V/24V
Wattage	12W
LED	SMD2835
LED Qty	240LEDs/M
Lumen	1100LM
CRI	>80 or >90



Model	SM-YD-71
Size	L1000mm*W15.8mm*H6.5mm
Input Voltage	DC12V/24V
Wattage	10W
LED	SMD2835
LEDs (per meter)	240LEDs
Lumen	800LM
CRI	>80 or >90

Customization: Color, Voltage, Ra, LED quantity, Aluminum length, Dimmable function, Motion sensor function

LED Modules



LED Injection Module



Model	SM-5030-3030-1
Size	50*30mm
Input Voltage	DC12V
Waterproof	IP65
LED	White 3030/2W



Model	SM-7419-2835-3
Size	74*19mm
Input Voltage	DC12V
Waterproof	IP65
LED	White 2835/1.5W



Model	SM-6616-3030-4
Size	66*16mm
Input Voltage	DC12V
Waterproof	IP65
LED	White 3030/1.8W



Model	SM-3616-3030-2
Size	36*16mm
Input Voltage	DC12V
Waterproof	IP65
LED	White 3030/1W



Model	SM-7515-5730-3
Size	75*15mm
Input Voltage	DC12V
Waterproof	IP65
LED	White 5730/1.2W



LED Module

LED Type:2835



Model	SM-10533-2835-12
Size	105*33mm
Input Votage	DC12V
Waterproof	IP65
LED	White 2835/3W



Model	SM-10325-2835-6
Size	103*25mm
Input Votage	DC12V
Waterproof	IP65
LED	White 2835/2.4W



Model	SM-6525-2835-3
Size	65*25mm
Input Votage	DC12V
Waterproof	IP65
LED	White 2835/1.5W



LED Module


LED Type:2835



Model	SM-7515-2835-3
Size	75*15mm
Input Votage	AC110V
Waterproof	IP65
LED	White 2835/2W



Model	SM-7015-2835-3
Size	70*15mm
Input Votage	AC220V
Waterproof	IP65
LED	White 2835/2W



Model	SM-15020-2835-6
Size	150*20mm
Input Votage	AC110V
Waterproof	IP65
LED	White 2835/4W



LED Module

LED Type:2835
LED Type:COB



Model	SM-5830-2835-3
Size	58*30mm
Input Voltage	DC12V
Waterproof	IP65
LED	White 2835/1.5W



Model	SM-4630-COB-1
Size	46*30mm
Input Voltage	DC12V
Waterproof	IP65
LED	White COB/1.5W




Model	SM-7019-COB-2
Size	70*19mm
Input Voltage	DC12V
Waterproof	IP67
LED	White COB/2.4W



LED Module

LED Type:COB
LED Type:5050 IC 2811



Model	SM-7019-COB-3
Size	70*19mm
Input Voltage	DC12V
Waterproof	IP65
LED	White COB/2.4W



Model	SM-4842-4515A
Size	48*42mm
Input Voltage	DC12V
Waterproof	IP65
LED	White 2835/3W



Model	SM-71151C-3
Size	71*15mm
Input Voltage	DC12V
Waterproof	IP65
LED	RGBIC 5050/0.75W

LED Flexible Strip Controller



Accessories

LED Controller



LED Controller



SMC-WF-IR24-RGB
Wifi+24-Keys Infrared
RGB Controller



SMC-BW-MU-RGB
Bluetooth+Music 20-Keys Infrared
RGB Controller



SMC-MU-IR20-RGB
Music +20-Keys Infrared
RGB Controller




SMC-Mini-BT-RGB
Mini Bluetooth
RGB Controller



SMC-BT-VO-IR24-RGB
Bluetooth+Voice+24-Keys Infrared
RGB Controller



SMC-BT-VO-IR23-RGB
Bluetooth+Voice+23-Keys
Infrared
RGB Controller



Accessories

LED Controller

LED Controller

Description	Description
 <p>SMC-IR24-RGB 24-Keys Infrared RGB Controller</p>	 <p>SMC-DM01 12-key Constant Current Infrared Dimmer</p>
 <p>SMC-IR44-RGBW 44-Keys Infrared RGBW Controller</p>	 <p>DM-1CH-LV Channel dimmer(Rotating)</p>
 <p>SMC-RF11-RGBW 11-Keys Wireless controller</p>	 <p>SMC-D01 Channel Dimmer</p>
 <p>SMC-MINI3-RGB 3-Keys Mini RGB Controller</p>	 <p>SMC-D03 3-Channels Dimmer(Rotating)</p>
 <p>SMC-TRF8-RGB Touch RGB controller</p>	 <p>SMC-A20RGB Constant Current RGB Amplifier</p>



Accessories

LED Power

LED Power Supply

Description	Description
 <p>SMPS-01 6W-24W, InputAC100-240V Switch button</p>	 <p>SMPS-06 25W-200W InputAC100-240V</p>
 <p>SMPS-02 6W-24W InputAC100-240V</p>	 <p>SMPS-07 250W-350W InputAC100-240V</p>
 <p>SMPS-03 SMPS-0312W-200W InputAC100-240V</p>	 <p>SMPS-08 400W-500W InputAC100-240V</p>
 <p>SMPS-04 SIP6,6W-60W InputAC100-240V</p>	 <p>SMPS-09 IP67-10W45W InputAC100-240V</p>
 <p>SMPS-05 6W-36W InputAC100-240V</p>	 <p>SMPS-10 IP67, 60W-250W InputAC100-240V</p>



Accessories

LED Connector

Connector

Description	Description
 <p>SMW-01 Male And Female DC Plug wire(Single color)</p>	 <p>SMW-06 Free-welding Double Headed Connector (8mm/10mm strip) IP20</p>
 <p>SMW-02 Male And Female TOP Plug wire(Single color)</p>	 <p>SMW-07 Male And Female Pin Plug wire(RGB color)</p>
 <p>SMW-03 Male And Female SM Plug wire(Single color)</p>	 <p>SMW-08 Free-welding Double Headed Connector (8mm/10mm strip) IP65</p>
 <p>SMW-04 Free-welding Double Headed Connector (8mm/10mm strip)</p>	 <p>SMW-09 Free-welding Double Headed Connector (RGB 10mm strip)</p>
 <p>SMW-05 Free-welding Single headed Connector (RGB 10mm strip) IP20</p>	 <p>SMW-10 Free-welding Single headed Connector (RGB 10mm strip) IP65</p>



Accessories

Touch Sensor Switch / Connector

Connector

Description	Description
 <p>SMPL-01 Pin Connector</p>	 <p>SMPL-02 DC12V/24V Free-welding Connector</p>
 <p>SMPL-03 DC12V/24V PCB Connector</p>	 <p>SMW-04 DC12V/24V Cable Connector</p>
 <p>SMPL-09 AC110V/220V Plug Wire</p>	

Touch Sensor Switch

Description	Description
 <p>SM-T01 Single Color Touch Sensor Switch Input DC12V Max. Current: 3A</p>	 <p>SM-T02 Dual Color Touch Sensor Switch Input DC12V CCT Adjustable Function</p>
 <p>SMGL-01 Glue</p>	 <p>SMPL-010 AC110V/220V RGB Plug Wire</p>