



2024

PRODUCT MANUAL

FITNESS EQUIPMENT



RUNNING FOR YOUR DREAMS >>

NO.1 Caihong Road, Linjiang Industrial Zone,
Wucheng District, Jinhua City, Zhejiang Province, China

www.changpaosports.com

©CIAPO follows the concept of continuous innovation and retains the final interpretation of the contents of this album.

RUNNING FOR *YOUR DREAMS*



ABOUT US

Zhejiang Ciapo Sporting Goods Co., Ltd. is a manufacturer of treadmills and spinning bikes that integrates professional design, production, and distribution. The company has been deeply involved in the fitness equipment field for more than 10 years and has a high reputation among domestic and foreign consumer groups.

The company is located in Jinhua City, Zhejiang Province, covering an area of over 50000m². It has over 300 employees in sales, production, quality inspection, and technical team. The company always adheres to the principle of "quality as the first vitality", and all products can meet standards such as ISO9001, CE and ROHS. Our products are exported to more than 150 countries and regions around the world as Poland, Romania, India, and the United States etc.

Our company has complete laboratory equipment, finished product inspection room, fully automatic spraying production line, laser cutting equipment, digital workshop management system, etc. These high technical production equipments demonstrate Ciapo's intelligent production technology. The company firmly believes that having high advanced development facilities and modern production lines are the cornerstone that we can build a global market.

Our company pursues reputation, excellence, progress, practicality, and innovation. Adhering to the business philosophy of "customer first, service first; honest management, unity and cooperation", we provide complete solutions of sports and fitness equipment for our customers and create a one-stop shopping experience. Ciapo, run for the dreams! We are willing to work hand in hand with our customers to develop and achieve together, run towards the world and run with all over the world!



HONORARY
CERTIFICATION



Strictly certified and trustworthy

CIAPPO



ID:156-041799-001





PRODUCT

CP-2570(M8)

DC Motor	Rated Power	2.0HP
	PeakPower	5.0HP
AC Motor	Rated Power	2.5HP
	PeakPower	5.5HP
Screen Function	Blue Screen	LED Screen Blue Light
	TFT Color Screen	15.6"HD Touchscreen(WiFi)
Configuration	Plasma Air Cleaner	✓
	22%Motorized Incline	✓
Running area		580x1550mm
Speed		1.0-22km/h
Console Packing Size(L*W*H)		940x935x405mm
Running Deck Packing Size(L*W*H)		2150x950x400mm
Console Deck G.W./N.W.		27kg/18kg
Running Deck G.W./N.W.		163kg/122kg
Max User Weight		220kg/485lbs
Container Load 20/40/40HQ		20/40/51pcs



PRODUCT

CP-1570(Q8)

DC Motor	Rated Power	2.0HP
	PeakPower	5.0HP
AC Motor	Rated Power	2.5HP
	PeakPower	5.5HP
Screen Function	Blue Screen	LED Screen Blue Light
	TFT Color Screen	15.6"HD Touchscreen(WiFi)
	With MP3/USB	✓
Oil refilling system	Automatic Refilling	✓
	Plasma Air Cleaner	✓
Configuration	22%Motorized Incline	✓
Running area		580x1550mm
Speed		1-22km/h
Console Packing Size(L*W*H)		940x935x405mm
Running Deck Packing Size(L*W*H)		2150x950x400mm
Console Deck G.W./N.W.		27kg/18kg
Running Deck G.W./N.W.		163kg/122kg
Max User Weight		220kg/485lbs
Container Load 20/40/40HQ		20/40/51pcs



PRODUCT

CP-1550(Q7)

DC Motor	Rated Power	1.75HP
	PeakPower	4.5HP
AC Motor	Rated Power	2.5HP
	PeakPower	5.0HP
Screen Function	Blue Screen	7.1"LCD Blue Screen
	TFT Color Screen	10.1"HD Touchscreen(WiFi)
	With MP3/USB	✓
Incline Adjustment Way	20%Motorized Incline	✓
	Running area	540x1540mm
Oil refilling system	Automatic Refilling	✓
Speed		1-22km/h
Console Packing Size(L*W*H)		940x935x405mm
Running Deck Packing Size(L*W*H)		2150x950x400mm
Console Deck G.W./N.W.		27kg/18kg
Running Deck G.W./N.W.		163kg/122kg
Max User Weight		180kg/399lbs
Container Load 20/40/40HQ		20/40/51pcs



PRODUCT

CP-4520(C9)

DC Motor	Rated Power	1.25HP
	PeakPower	4.0HP
AC Motor	Rated Power	1.5HP
	PeakPower	4.5HP
Screen Function	Blue Screen	7.1"LCD Blue Screen
	LED Screen	LED Screen(Touch buttons)
	TFT Color Screen	10.1"HD Touchscreen(WiFi)
Incline Adjustment Way	18%Motorized Incline	✓
Refilling system	Automatic Refilling	✓
Running area		520x1500mm
Speed		0.8-20km/h
Packing Size(L*W*H)		1930x900x430mm
G.W./N.W.		105kg/95kg
Max User Weight		150kg/331lbs
Container Load 20/40/40HQ		36/78/84pcs



PRODUCT

CP-3520(A9)

DC Motor	Rated Power	1.25HP
	PeakPower	4.0HP
AC Motor	Rated Power	1.5HP
	PeakPower	4.5HP
Screen Function	Blue Screen	7.1"LCD Blue Screen
	LED Screen	LED Screen(Touch buttons)
	TFT Color Screen	10.1"HD Touchscreen(WiFi)
	With MP3/USB	✓
Running area		520x1500mm
Speed		0.8-20km/h
Incline Adjustment Way	18%Motorized Incline	✓
Refilling system	Automatic Refilling	✓
Packing Size(L*W*H)		1930x900x430mm
G.W./N.W.		105kg/95kg
Max User Weight		150kg/331lbs
Container Load 20/40/40HQ		36/78/84pcs



PRODUCT

CP-1520(A8)

DC Motor	Rated Power	1.25HP
	PeakPower	4.0HP
AC Motor	Rated Power	1.5HP
	PeakPower	4.5HP
Screen Function	Blue Screen	7.1"LCD Blue Screen
	TFT Color Screen	10.1"HD Touchscreen(WiFi)
	With MP3/USB	✓
Configuration	360 Degree Rotating Bottom	✓
Running area		520x1400mm
Speed		0.8-20km/h
Incline Adjustment Way	15°Motorized Incline	✓
Packing Size(L*W*H)		1930x900x430mm
G.W./N.W.		103kg/91kg
Max User Weight		150kg/331lbs
Container Load 20/40/40HQ		36/78/87pcs



PRODUCT

CP-1500(Q6)

DC Motor	Rated Power	1.25HP
	PeakPower	4.0HP
AC Motor	Rated Power	1.5HP
	PeakPower	4.5HP
Screen Function	Blue Screen	LED Red Screen(Touch)
	With MP3/USB	✓
Configuration	360 Degree Rotating Bottom	✓
Running area		500x1400mm
Speed		0.8-20km/h
Incline Adjustment Way	15°Motorized Incline	✓
Packing Size(L*W*H)		1850x900x430mm
G.W./N.W.		103kg/91kg
Max User Weight		150kg/331lbs
Container Load 20/40/40HQ		36/78/90pcs



PRODUCT

CP-2480

DC Motor	Rated Power	1.0HP
	PeakPower	3.25HP
Running area		480*1300mm
Speed		1-18km/h
Packing Size(L x W x H)		1755*845*305mm
G.W/N.W		81.5kg/72.5kg
Max User Weight		130kg/287lbs
Expand size		1695*785*1235mm



PRODUCT

CP-1480(C6)

DC Motor	Rated Power	1.0HP
	PeakPower	3.25HP
AC Motor	Rated Power	1.0HP
	PeakPower	3.5HP
Screen Function	LCD Screen	5"LCD Blue Screen,Touch button
	LED Screen	LED Screen,Touch button
	Color Screen	10.1"TFT Colour Screen,Touch button
Configuration	Standard	USB,MP3,Heart Rate
Speed		1-18km/h
Incline Adjustment Way	3 levels manual incline	✓
	15%Motorized Incline	✓
Running area		480x1370mm
Thickness of desk		15mm
Expand size		1739x820x1307mm
Packing Size(L*W*H)		1800x860x330mm
Max User Weight		150kg/331lbs
Container Load 20GP/40HQ		52/127pcs



PRODUCT

CP-2460(A7)

DC Motor	Rated Power	1.0HP
	PeakPower	3.25HP
AC Motor	Rated Power	1.0HP
	PeakPower	3.5HP
Screen Function	Blue Screen	5"LCD Blue Screen
	TFT Color Screen	10.1"HD Touchscreen(Wifi)
	With MP3/USB	✓
	Running area	460x1300mm
Speed		0.8-16km/h
Incline Adjustment Way	3 levels manual incline	✓
	15%Motorized Incline	✓
Packing Size(L*W*H)		1800x860x330mm
G.W./N.W.		78kg/68kg
Max User Weight		130kg/287lbs
Container Load 20/40/40HQ		50/104/119pcs



PRODUCT

CP-1460(A6)

DC Motor	Rated Power	1.0HP
	PeakPower	3.25HP
AC Motor	Rated Power	1.0HP
	PeakPower	3.5HP
Screen Function	Blue Screen	5"LCD Blue Screen
	TFT Color Screen	7.1"HD Touchscreen(Wifi)
	With MP3/USB	✓
	Running area	460x1300mm
Speed		0.8-16km/h
Incline Adjustment Way	3 levels manual incline	✓
	15%Motorized Incline	✓
Packing Size(L*W*H)		1780x820x360mm
G.W./N.W.		78kg/68kg
Max User Weight		130kg/287lbs
Container Load 20/40/40HQ		50/104/119pcs



PRODUCT

CP-8450

DC Motor	Rated Power	1.0HP
	PeakPower	3.25HP
AC Motor	Rated Power	1.0HP
	PeakPower	3.5HP
Screen Function		
Running area		450x1280mm
Speed		0.8-16km/h
Incline Adjustment Way	3 levels manual incline	✓
	15%Motorized Incline	✓
Packing Size(L*W*H)		1780x820x360mm
G.W./N.W.		78kg/68kg
Max User Weight		130kg/287lbs
Container Load 20/40/40HQ		50/104/119pcs



PRODUCT

CP-5450(Z5)


DC Motor	Rated Power	0.85HP
	PeakPower	3.0HP
AC Motor	Rated Power	1.0HP
	PeakPower	3.5HP
Screen Function		
Screen Function	Blue Screen	5"LCD Blue Screen
	LED Screen	LED Screen(Touch buttons)
	TFT Color Screen	10.1"HD Touchscreen(Wifi)
	With MP3/USB	✓
Speed Control		Rotaryknob to adjust thespeed
Incline Adjustment Way	3 levels manual incline	✓
	15% Motorized Incline	✓
Running area		450x1280mm
Speed		0.8-15km/h
Packing Size(L x W x H)		1680*800*330mm
G.W./N.W.		77kg/68kg
Max User Weight		130kg/287lbs
Container Load 20/40/40HQ		61/126/163PCS



PRODUCT

CP-4450(Q5)

DC Motor	Rated Power	0.85HP
	PeakPower	3.0HP
AC Motor	Rated Power	1.0HP
	PeakPower	3.5HP
Screen Function	Blue Screen	5"LCD Blue Screen
	LED Screen	LED Screen(Touch buttons)
	TFT Color Screen	10.1"HD Touchscreen(Wifi)
Speed Control		Rotaryknob to adjust thespeed
Incline Adjustment Way	15% Motorized Incline	✓
	Running area	450x1280mm
Speed		0.8-15km/h
Packing Size(L x W x H)		1680x800x330mm
G.W/N.W		72kg/64kg
Max User Weight		130kg/287lbs
Container Load 20/40HQ		55/152pcs



PRODUCT

CP-3450(M5)

DC Motor	Rated Power	0.85HP
	PeakPower	3.0HP
AC Motor	Rated Power	1.0HP
	PeakPower	3.5HP
Screen Function	Blue Screen	5"LCD Blue Screen
	LED Screen	LED Screen(Touch buttons)
	TFT Color Screen	10.1"HD Touchscreen(Wifi)
	With MP3/USB	✓
Speed Control		Rotaryknob to adjust thespeed
Incline Adjustment Way	15% Motorized Incline	✓
	Running area	450x1280mm
Speed		0.8-15km/h
Packing Size(L x W x H)		1680x800x330mm
G.W/N.W		72kg/64kg
Max User Weight		130kg/287lbs
Container Load 20/40/40HQ		61/128/153pcs



PRODUCT

CP-2450(X5)

DC Motor	Rated Power	1.0HP
	PeakPower	3.25HP
AC Motor	Rated Power	1.0HP
	PeakPower	3.5HP
Screen Function	Blue Screen	6.5"LCD Blue Screen
	Step Counting	✓
	With MP3/USB	✓
Incline Adjustment Way	15%Motorized Incline	✓
Refilling system	Automatic Refilling	✓
Running area		460x1300mm
Speed		0.8-16km/h
Packing Size(L*W*H)		1780x820x360mm
G.W./N.W.		78kg/68kg
Max User Weight		130kg/287lbs
Container Load 20/40/40HQ		50/104/119pcs



PRODUCT

CP-1450(A4)

DC Motor	Rated Power	0.85HP
	PeakPower	3.0HP
AC Motor	Rated Power	1.0HP
	PeakPower	3.5HP
Screen Function	Blue Screen	5"LCD Blue Screen
	TFT Color Screen	7.1"HD Touchscreen(Wifi)
	With MP3/USB	✓
Incline Adjustment Way	15%Motorized Incline	✓
Refilling system	Automatic Refilling	✓
Running area		450x1300mm
Speed		0.8-15km/h
Packing Size(L*W*H)		1780x820x360mm
G.W./N.W.		77kg/68kg
Max User Weight		130kg/287lbs
Container Load 20/40/40HQ		50/104/119pcs



PRODUCT

CP-2440(A5)

DC Motor	Rated Power	1.0HP
	PeakPower	3.25HP
AC Motor	Rated Power	1.0HP
	PeakPower	3.5HP
Screen Function	Blue Screen	6.5"LCD Blue Screen
	Step Counting	✓
	With MP3/USB	✓
Incline Adjustment Way	15%Motorized Incline	✓
Refilling system	Automatic Refilling	✓
Running area		460x1300mm
Speed		0.8-16km/h
Packing Size(L*W*H)		1780x820x360mm
G.W./N.W.		78kg/68kg
Max User Weight		130kg/287lbs
Container Load 20/40/40HQ		50/104/119pcs



PRODUCT

CP-1430(A2)

DC Motor	Rated Power	0.8HP
	PeakPower	2.5HP
AC Motor	Rated Power	1.0HP
	PeakPower	3.5HP
Screen Function	Blue Screen	5"LCD Blue Screen
	LED Screen	7 Windows LED Screen
	TFT Color Screen	10.1"HD Touchscreen(WiFi)
	With MP3/USB	✓
Running area		430x1250mm
Speed		0.8-14km/h
Incline Adjustment Way	15%Motorized Incline	✓
	Automatic Refilling	✓
Packing Size(L*W*H)		1680x750x310mm
G.W./N.W.		55kg/48kg
Max User Weight		130kg/287lbs
Container Load 20/40/40HQ		74/138/172pcs



PRODUCT

CP-7420

DC Motor	Rated Power	0.85HP
	PeakPower	2.75HP
Running area		420*1200mm
Speed		0.8-14km
Packing Size(L x W x H)		1610*765*265mm
G.W/N.W		81.5kg/72.5kg
Max User Weight		120kg/242lbs
Expand size		1600*715*1190mm
Container Load 20GP/40GP/40HQ		144/275/352PCS



PRODUCT

CP-5420(C1)

DC Motor	Rated Power	0.75HP
	PeakPower	2.25HP
Screen		3.5"/5" LCD screen/LED 3 window
Running area		420*1150mm
Speed		0.8-14km
Packing Size(L x W x H)		1465*740*255mm
G.W/N.W		42kg/36kg
Max User Weight		100kg/220lbs
Container Load 20GP/40GP/40HQ		113/225/264PCS



PRODUCT

CP-3420(C2)

DC Motor	Rated Power	0.8HP
	Peak Power	2.5HP
AC Motor	Rated Power	0.8HP
	Peak Power	3.0HP
Screen Function	LCD blue screen	3.5" LCD Blue screen (speed,time,Calori,Distance,Program:P1-P12) 5" LCD Blue screen (speed,time,Calori,Distance, Program:P1-P12)
	LED blue screen	3 windows LED
	With MP3/USB	√
Incline Adjustment Way	3 levels manual incline	√
	15% Motorized Incline	√
Running area		420x1200mm
Speed range		1.0-14km/h
Packaging size		1600x750x265mm
G.W / N.W		53kg/47kg
Max User Weight		120kg/242 lbs
Container Load 20/40HQ		85/210pcs



PRODUCT

CP-2420(M2)

DC motor	Rated Power	0.8HP
	Peak Power	2.5HP
Window display	LCD blue screen	5" LCD Blue screen (speed,time,Calori, Distance, Program:P1-P12)
	LED sreen display	LED screen (speed,time, Calori,Distance, step)
	TFT Color Screen	10.1" HD Touchscreen(Wifi)
	With Mp3 Program	√ P1-P12
Running area		420x1200mm
Incline Adjustment Way		3 levels manual incline
Speed range		0.8-14km/h
Packaging size		1520*675*240 (280) mm
Gross weight/Net weight		47kg /40kg
Max user weight		110kg/243 lbs
Sigle function Container		20GP: 102PCS 40HQ: 269PCS
Multifuncatin load Container		20GP: 100PCS 40HQ: 220PCS



PRODUCT

CP-2400D/3400D

DC Motor	Rated Power	0.75HP
	Peak Power	2.0HP
Screen		3.5" LCD Screen
Running area		400x1100mm
Incline Adjustment Way		3 levels manual incline
Speed		0.8-12km/h
Packing Size(L x W x H)		1400x635x260mm
G.W / N.W		35kg /30kg
Max User Weight		100kg/220 lbs
Container Load 20/40/40HQ		129/220/300pcs



PRODUCT

CP-3400

DC Motor	Rated Power	0.75HP
	PeakPower	2.0HP
Screen		3.5 LCD screen/5"LCD screen
Running area		400*1100mm
Speed		0.8-12km
Packing Size(L x W x H)		1400*635*220mm
G.W/N.W		32.5kg/28kg
Max User Weight		100kg/220lbs
Container Load 20GP/40GP/40HQ		144/275/352PCS



PRODUCT

CP-2400

DC Motor	Rated Power	0.75HP
	PeakPower	2.0HP
Screen		3.5 LCD screen/5"LCD screen
Running area		400x1100mm
Speed		0.8-12km
Packing Size(L x W x H)		1400*635*220mm
G.W/N.W		32.5kg/28kg
Max User Weight		100kg/220lbs
Container Load 20GP/40GP/40HQ		144/275/352PCS



PRODUCT

CP-1400(X2)

DC motor	Rated Power	0.8HP
	Peak Power	2.5HP
Window display	LCD blue screen	5" LCD Blue screen (speed,time,Calori, Distance, Program:P1-P12)
	LED screen display	LED screen (speed,time, Calori,Distance, step)
	TFT Color Screen	10.1" HD Touchscreen(Wifi)
	With Mp3 Program	✓ P1-P12
Running area		420x1200mm
Incline Adjustment Way		3 levels manual incline
Speed range		0.8-14km/h
Packaging size		1520*675*240 (280) mm
Gross weight/Net weight		47kg/40kg
Max User weight		110kg/243 lbs
Single function Container		20GP: 102PCS 40HQ: 269PCS
Multifunction load Container		20GP: 100PCS 40HQ: 220PCS



PRODUCT

CP-1380(S1)/1390(S2)

DC Motor	Rated Power	0.75HP
	Peak Power	2.0HP
Screen		3.5" LCD Screen
Running area		400x1100mm
Speed		0.8-12km/h
Packing Size(L x W x H)		1400*635*220MM
G.W / N.W		32.5kg/23kg
Max User Weight		100kg/220lbs
Container Load 20/40HQ		144/ 275 /352pcs



PRODUCT

CP-1380D(S1D)/1390D(S2D)

DC Motor	Rated Power	0.75HP
	Peak Power	2.0HP
Screen		3.5" LCD Screen
Running area		400x1100mm
Incline Adjustment Way		3 levels manual incline
Speed		0.8-12km/h
Packing Size(L x W x H)		1400x635x260mm
G.W / N.W		35kg /30kg
Max User Weight		100kg/220 lbs
Container Load 20/40HQ		129/220/300pcs



PRODUCT

CP-1380KF

DC Motor	
Rated Power	0.65HP
PeakPower	2.0HP
Running area	400*950mm
Expand size	1150*670*1200mm
with blue back light	
Max User Weight	130kg/287lbs
Packing Size(L x W x H)	1400*635*220mm
G.W/N.W	32kg/26.25kg
With pluse	
Speed	1.0-12km
with wheel	
Foam handle	
With safty lock	



PRODUCT

CP-1390KF

DC Motor	
Rated Power	0.65HP
PeakPower	2.0HP
Running area	400*950mm
Expand size	1150*670*1200mm
with blue back light	
Max User Weight	130kg/287lbs
Packing Size(L x W x H)	1400*635*220mm
G.W/N.W	32kg/26.25kg
With pluse	
Speed	1.0-12km
with wheel	
Foam handle	
With safty lock	



PRODUCT

CP-2520(X6)

DC Motor	Rated Power	1.25HP
	Peak Power	4.0HP
Treadmill Screen Function	LCD screen	4Windows LED Screen
	Music configuration	Bluetooth
Running area		520x1300mm
Speed		1-12km/h
Packing Size(L x W x H)		1850x900x220mm
G.W / N.W		60kg / 53kg
Max User Weight:		150kg/331 lbs
Container Load 20/40/40HQ		72/148/172pcs



PRODUCT

CP-2510

DC Brushless motor	
Rated power	1.25HP
Peak power	4.0HP
Running area	510*1230MM
Expend size	1540*710*146MM
LED screen	
Max using weight	150KG/330lbs
Packing size	1680*770*190mm
G.W./N.W	43.5KG/36.8KG
Remote control	
Speed	1.0-10km/h
With Fitshow	



PRODUCT

CP-7450(Walking Pad 2)

DC Motor	Rated Power	0.75HP
	Peak Power	2.5HP
DC Motor(Brushless)	Rated Power	0.75HP
	Peak Power	3.0HP
Screen Function	LED Screen	LED Screen (Touch buttons)
Running area		450x1120mm
Speed		1-12km/h
Packing Size(L x W x H)		1410x630x170mm
G.W / N.W		40kg / 37kg
Max User Weight		120kg/262 lbs
Container Load 20/40HQ		144/368pcs



PRODUCT

CP-6451/6450(Walking Pad 1)

DC Motor	Rated Power	0.75HP
	PeakPower	2.5HP
DC Moto(Brushless)	Rated Power	0.75HP
	PeakPower	3.0HP
Screen Function	LED Screen	LED Screen(Touch buttons)
Running area		450*1075mm
Speed		1-6km/h
Packing Size(L x W x H)		1300x600x170mm
G.W/N.W		27kg/23.5kg
Max User Weight		120kg/265lbs
Container Load 20/40HQ		204/410PCS



PRODUCT

CP-3430(X1)

DC Motor	Rated Power	0.75HP
	Peak Power	2.5HP
Treadmill Screen Function	LED Screen	4 Windows LED Screen
	General Function	Speed, Time, Calorie, Distance
Running area		430x1000mm
Speed		1~10km/h
Packing Size(L x W x H)		1410x760x155mm
G.W / N.W		33kg / 27kg
Max User Weight		110kg/243 lbs
Container Load 20/40HQ		146/390pcs



PRODUCT

CP-4420(MINI-S)

DC Motor	Rated Power	0.5HP
	Peak Power	1.75HP
Function	LCD Blue screen	3 LED screen display (Speed, Time, Calorie, Distance etc)
Selectable Configuration	Selectable	Remote
Running area		420x870mm
Speed		1~5km/h
Running belt size		420x1795x1.4T
Running board		12mm
Unfold size		962x545x190mm
Max user weight		100kg/220 lbs
Package size		1030*650*220mm 1130*730*220mm
G.W / N.W		23kg 25kg / 30kg 28kg
20GP, 40GP, 40HQ		216/398/432 / 161/322/387 pcs



PRODUCT

CP-6421

DC Brushless motor	
Rated Power	0.65HP
PeakPower	2.0HP
Running area	420*1000mm
Expand size	1232*564*100mm
Diamond pattern running belt	
Max User Weight	120kg/265lbs
Packing Size(L x W x H)	1340*625*140mm
G.W/N.W	24.5kg/20.9kg
LED screen	
Speed	1.0-6.0km



PRODUCT

CP-6420

DC Brushless motor	
Rated Power	0.65HP
PeakPower	2.0HP
Running area	420*1000mm
Expand size	1232*564*100mm
Diamond pattern running belt	
Max User Weight	120kg/265lbs
Packing Size(L x W x H)	1340*625*140mm
G.W/N.W	24.5kg/20.9kg
LED screen	
Speed	1.0-6.0km





PRODUCT

CP-4421F

DC Motor	Rated Power	0.5HP
	Peak Power	1.75HP
Function	LCD Blue screen	3 LED screen display (Speed,time, Calorie,Distance etc)
Selectable Configuration	Selectable	Remote
Running area		420x870mm
Speed		1-5km/h
Running belt size		420x1795x1.4T
Running board		12mm
Unfold size		962x545x190mm
Max user weight		100kg/220 lbs
Package size		1030*650*220mm / 1130*730*220mm
G.W / N.W		23kg / 25kg / 30kg / 25kg
20GP,40GP,40HQ		216/398/432 / 151/322/387 pcs



PRODUCT

CP-2380

DC Brushless motor	
Rated Power	0.65HP
PeakPower	2.0HP
Running area	380*950mm
Expand size	1130*490*105mm
Diamond pattern running belt	
Max User Weight	100kg/220lbs
Packing Size(L x W x H)	1200*560*135mm
G.W/N.W	28kg/23kg
LED window (Speed/Time/Calories/Distance)	
Speed	1.0-6.0km



PRODUCT

CP-908


Package	
N.W/G.W	35/39KGS
Expand Size	1090x475x1180mm
Carton Size	1075x255x785mm
Suitable for the height of the crowd	135cm ~ 190cm
Use Semi-Commercial	
Max user weight	150kg/ 330 lbs
Flywheel	8kg/17.6 lbs(all-inclusive)
brake	Magnetic braking system and emergency lock
Drive Belt	
Saddle	Horizontal and Vertical
Handlebar	Vertical
20GP,40GP,40HQ	132/268/300pcs



PRODUCT

CP-907

Package	
N.W/G.W	35/39KGS
Expand Size	1090x475x1180mm
Carton Size	1075x255x785mm
Suitable for the height of the crowd	135cm ~ 190cm
Use Semi-Commercial	
Max user weight	150kg/ 330 lbs
Flywheel	8kg/17.6 lbs(all-inclusive)
brake	Magnetic braking system and emergency lock
Drive Belt	
Saddle	Horizontal and Vertical
Handlebar	Vertical
20GP,40GP,40HQ	132/268/300pcs



PRODUCT

CP-906

Package	
N.W/G.W	25.5/29.5KGS
Expand Size	1090x475x1180mm
Carton Size	1020x255x765mm
Suitable for the height of the crowd	135cm ~ 190cm
Use Semi-Commercial	
Max user weight	150kg/ 330 lbs
Flywheel	6kg/13.2 lbs.(all-inclusive)
brake	Magnetic braking system and emergency lock
Drive Belt	
Saddle	Horizontal and Vertical
Handlebar	Vertical
20GP,40GP,40HQ	153/315/330pcs



PRODUCT

CP-809

Package	
N.W/G.W	28/32KGS
Expand Size	1090x510x1150mm
Carton Size	1020x240x840mm
Suitable for the height of the crowd	135cm ~ 185cm
Home use level	
Max user weight	130kg/ 287 lbs
Flywheel	6kg/13.2 lbs
brake	Magnetic braking system and emergency lock
Drive Belt	
Saddle	Horizontal and Vertical
Handlebar	Vertical
20GP,40GP,40HQ	136/283/341pcs



PRODUCT

CP-7403

Package	
N.W/G.W	31/36KGS
Expand Size	1330x630x1510mm
Carton Size	1265x435x740mm
Suitable for the height of the crowd/Step distance	135cm~185cm/38cm
Home use level	
Max user weight	150kg/ 330 lbs
Flywheel	8KG/17.6 lbs
brake	Magnetic braking system and emergency lock
Drive Belt	
Saddle	Horizontal and Vertical
Handlebar	Vertical
20GP,40HQ	67/162pcs



PRODUCT

CP-6403

Package	
N.W/G.W	31/36KGS
Expand Size	1300x530x1020mm
Carton Size	1115x286x685mm
Suitable for the height of the crowd	135cm ~ 185cm
Use	Semi-Commercial
Max user weight	150kg/ 330 lbs
Flywheel	4kg/8.8 lbs
brake	Magnetic braking system and emergency lock
Drive Belt	
Saddle	Horizontal and Vertical
Handlebar	Vertical
20GP,40GP,40HQ	153/312/345pcs



PRODUCT

CP-6402

Package	
N.W/G.W	35/38KGS
Expand Size	1110x560x1580mm
Carton Size	1105x354x625mm
Suitable for the height of the crowd	135cm ~ 185cm
Use Semi-Commercial	
Max user weight	150kg/ 330 lbs
Flywheel	4kg/8.8 lbs
brake	Magnetic braking system and emergency lock
Drive Belt	
Saddle	Horizontal and Vertical
Handlebar	Vertical
20GP,40GP,40HQ	122/254/276pcs



PRODUCT

CP-6401

Package	
N.W/G.W	23/26KGS
Expand Size	880x500x1220mm
Carton Size	995x275x635mm
Suitable for the height of the crowd	135cm ~ 185cm
Use Semi-Commercial	
Max user weight	150kg/ 330 lbs
Flywheel	4kg/8.8 lbs
brake	Magnetic braking system and emergency lock
Drive Belt	
Saddle	Horizontal and Vertical
Handlebar	Vertical
20GP,40GP,40HQ	171/352/397pcs



PRODUCT

SD-3430D

DC Power	0.65HP
Speed	0.8-12km/h
Display	LED
Expand size	1475x603x870mm
Packing size	1615x760x160mm
Running area	430x1200mm
Allowable weight	70kg/154lbs
G.W/N.W	10.5kg/36kg
Container load 20/40HQ	147/315/345pcs

