



# TUBE MILL

THE PRESENT QUALITY IS SUBSEQUENT MARKET



石家庄腾迪机械设备有限公司  
Shijiazhuang Tengdi Machinery Co., Ltd.

📍 石家庄新华区中华北大街298号颐宏大厦A-1609  
No. 298, Zhonghua Street, Xinhua District, Shijiazhuang City, Hebei Province, China

🌐 [www.tengdimc.com](http://www.tengdimc.com)



石家庄腾迪机械设备有限公司  
Shijiazhuang Tengdi Machinery Co., Ltd.

# ABOUT US

关于我们



Shijiazhuang Tengdi Machinery Co, Ltd integrates R&D, production-sales and service.

Factory area: 8000 square meters;  
Company personnel: 50 people;  
Engineer team: 10 engineers, 3 senior engineers;  
Sales and operations Team: 10 people;  
Two joint ventures, 30 works totally.

Following the concept of independent innovation, the Tengdi team has designed a series of production lines that are easy to operate and maintain.  
This is just a small part of the reasons why customers trust Tengdi.

石家庄腾迪机械设备有限公司集研发、生产、销售、服务于一体。  
厂房面积:8000平方米;  
公司人员:50人;  
工程师团队:工程师10人,高级工程师3人;  
销售和运营团队:10人;  
两家合资企业,共计30名工人。  
腾迪团队遵循自主创新的理念,设计了一系列易于操作和维护的生产线。  
这只是客户信任腾迪的一小部分。



# WORKSHOP INSTANCE

车间实况



# PURCHASE WORKSHOP

置备车间



部件加工区  
Parts processing area

成品存放区  
Finished product storage area

板材激光切割机  
Plate laser cutting machines


配件摆放专用柜  
Special cabinets for accessories



TD89 ROUND TO SQUARE TUBE MILL



► Round Pipe:φ32-89(mm) Square/Rectanglar:25\*25-70\*70(mm) Pipe Thickness:1.0-4.5(mm) Production Speed:60-100(m/min)






▶▶ **TD127** ROUND SQUARE MULTIFUNCTIONAL QUICK CHANGE TUBE MILL



▶ Round Pipe:φ32-127(mm) Square/Rectanglar:50\*25-140\*60(mm) Pipe Thickness:0.9-4(mm) Production Speed:20-80(m/min)



▶▶ **TD273** ROUND SQUARE MULTIFUNCTIONAL QUICK CHANGE TUBE MILL



▶ Round Pipe:φ89-273(mm) Square/Rectanglar:70\*70-210\*210(mm) Pipe Thickness:3.0-10.0(mm) Production Speed:20-50(m/min)






► TD 219 DFM TUBE MILL




► Round Pipe:φ76-219(mm) Square/Rectangular:60\*60-170\*170(mm) Pipe Thickness:3.0-8.0(mm) Production Speed:25-50(m/min)





► TD500 ELECTRIC ROLLER ADJUSTMENT TUBE MILL



► Square/Rectanglar: 500\*500 (mm) Pipe Thickness:6.0-19.0(mm) Production Speed:10-25(m/min)

► TD200 ELECTRIC ROLLER ADJUSTMENT TUBE MILL



► Square/Rectanglar: 200\*200 (mm) Pipe Thickness:4.0-12.0(mm) Production Speed:10-35(m/min)




持续稳定 高效安全  
我们只选用优良品质与品牌的零配件 ( 以下列举品牌 )

CONSISTENTLY SAFE HIGH-QUALITY  
Our First- Class components with dramatic impact on your bottom line

CUSTOMER CASE  
客户案例



COOPERATION BRAND  
合作品牌



我们的服务  
售前技术支持  
设计, 研发  
空载试机  
售后支持

OUR SERVICE  
PRE-SALES TECHNICAL SUPPORT  
R&D  
IDLE PRE-TEST  
AFTER SALES ASSISTANCE

CONTACT US

