



美本集团

MAINBON GROUP



MAINBON GROUP COMPANY LIMITED



Company Profile



Mainbon Group is a business platform which builds from many industries in China and overseas representative offices with presence in the United States, Chile, Bangladesh, Russia, Dubai, UK, Southeast Asia and Johannesburg that successfully develops various manufacturing, processing and sourcing projects for various clients from all over the world.

Mainbon Group holds all Chinese local licenses for product development, sourcing, local distribution, logistics, design and R&D.

Mainbon Group has access to various local and international tax benefits that enable the company to be more efficient and competitive than normal companies.

We have the factory building area of 150,000 square meters with about USD12,000,000 fixed assets, 2,000 more employees and USD300,000,000 annual sales.

Our main products are electric bicycles, electric tricycles, electric scooters, electric skateboards, gas scooters, electric golf trolleys, mobility scooters, motor scooters, motorcycles, light truck, parts, as well as solar products.

We warmly welcome you to contact us for cooperation based on mutual benefits for a brighter and more successful future.

Item No. and Discription


Item No.:MB-M617

Motor: 250W Brushless Gear motor
 Battery: 36V5AH Lithium battery
 24V5AH Lithium battery available also
 Charger: 100-240V AC 50-60HZ
 Charger time: 3-5 hours
 Frame: AL Alloy baking varnish
 Assistant system: PAS
 Tyres: 26"x1.95"
 Brakes(F/R): Disc brake
 Derailleur: SHIMANO 7 SPEED GEARS

Max speed: 25KM/H
 Range: 45KM (24V 5AH)with PAS
 70KM(36V 10AH) with PAS
 Load capacity: 95KGS
 Net weight: 22KGS
 Gross weight: 26KGS
 Dimension: 1780x640x1060 mm
 Carton size: 1460x250x740 mm
 Color: Black; White
 Container Capacity: 100pcs/20'GP, 220pcs/40'HQ



ELECTRIC MOUNTAIN BIKE



Item No. and Discription

Item No.:MB-M603

- Motor: 250W Brushless Gear motor
- Battery: 36V5AH Lithium battery
24V5AH Lithium battery available also
- Charger: 100-240V AC 50-60HZ
- Charger time: 3 hours
- Frame: AL Alloy baking varnish
- Assistant system: PAS
- Tyres: 26"x1.95"
- Brakes(F/R): Disc brake
- Derailleur: SHIMANO 7 SPEED GEARS
- Max speed: 25KM/H
- Range: 45KM (24V 5AH)with PAS
70KM(36V 10AH) with PAS
- Load capacity: 95KGS
- Net weight: 20KGS
- Gross weight: 24KGS
- Dimension: 1780x635x1030 mm
- Carton size: 1460x260x735 mm
- Color: Black; White
- Container Capacity: 100pcs/20'GP, 220pcs/40'HQ



Item No. and Discription

Item No.:MB-M605

- Motor: 250W Brushless Gear motor
- Battery: 36V5AH Lithium battery
24V5AH Lithium battery available also
- Charger: 100-240V AC 50-60HZ
- Charger time: 3 hours
- Frame: AL Alloy baking varnish
- Assistant system: PAS
- Tyres: 26"x1.95"
- Brakes(F/R): Disc brake
- Derailleur: SHIMANO 7 SPEED GEARS
- Max speed: ≤25KM/H
- Range: 45KM with PAS
- Load capacity: 95KGS
- Net weight: 22KGS
- Gross weight: 25KGS
- Dimension: 1822x620x1000 mm
- Carton size: 1490x250x728 mm
- Container Capacity: 100pcs/20'GP, 220pcs/40'HQ



Item No. and Discription

Item No.:MB-M607

- Motor: 250W Brushless Gear motor
- Battery: 36V5AH Lithium battery
24V5AH Lithium battery available also
- Charger: 100-240V AC 50-60HZ
- Charger time: 3 hours
- Frame: AL Alloy baking varnish
- Assistant system: PAS
- Tyres: 26"x1.95"
- Brakes(F/R): Disc brake
- Derailleur: SHIMANO 7 SPEED GEARS
- Max speed: 25KM/H
- Range: 45KM (24V 5AH)with PAS
70KM(36V 10AH) with PAS
- Load capacity: 95KGS
- Net weight: 21KGS
- Gross weight: 24KGS
- Dimension: 1790x595x1050 mm
- Carton size: 1460x260x735 mm
- Color: Black White; Blue Red; Black Red
- Container Capacity: 100pcs/20'GP, 220pcs/40'HQ





Item No. and Discription

Item No.:MB-M610

- Motor: 250W Brushless Gear motor
- Battery: 36V 10AH Lithium battery
- Meter: Intelligent LCD
- Charger: 100-240V AC 50-60HZ
- Charge time: 5 hours
- Frame: Al Alloy baking varnish
- Assistant system: PAS 1:1,1:2,1:3,
Dual Hall speed sensor
- Tyres: 26"×1.95"
- Brakes (F/R): Hydraulic Disc brake
- Derailleur: SHIMANO 7 speed gears
- Max speed: ≤25KM/H
- Range: 70KM with PAS
- Load capacity: 95KGS
- Net weight: 23.5KGS
- Gross weight: 26.5KGS
- Dimension: 1775x620x970 mm
- Carton size: 1460x240x740 mm
- Container capacity: 100pcs/20'GP,220pcs/40'HQ

Item No. and Discription

Item No.:MB-M609

- | | |
|--------------------------------------------------------------|-----------------------------------------------|
| Motor: 250W Brushless Gear motor | Derailleur: SHIMANO 7 speed gears |
| Battery: 36V10AH Lithium battery | Max speed: ≤25KM/H |
| Meter: Intelligent LCD | Range: 70KM with PAS |
| Charger: 100-240V AC 50-60HZ | Load capacity: 95KGS |
| Charge time: 3-5 hours | Net weight: 23.5KGS |
| Frame: Al Alloy baking varnish | Gross weight: 26.5KGS |
| Assistant system: PAS 1:1,1:2,1:3,
Dual Hall speed sensor | Dimension: 1775x620x970 mm |
| Tyres: 26"×1.95" | Carton size: 1460x240x740 mm |
| Brakes (F/R): Disc brake | Container capacity: 100pcs/20'GP,220pcs/40'HQ |





Item No. and Discription

Item No.:MB-R801

- Motor: 250W Brushless Gear motor
- Battery: 36V5AH Lithium battery
24V5AH Lithium battery available also
- Charger: 100-240V AC 50-60HZ
- Charger time: 3 hours
- Frame: AL Alloy baking varnish
- Assistant system: PAS
- Tyres: 700x35C
- Brakes(F/R): Caliper/Disc brake
- Derailleur: SHIMANO 7 SPEED GEARS
- Max speed:25KM/H
- Range: 45KM with PAS
- Load capacity: 95KGS
- Net weight: 21KGS
- Gross weight: 24KGS
- Dimension: 1800x620x1050 mm
- Carton size: 1500x250x735 mm
- Container Capacity: 100pcs/20'GP, 220pcs/40'HQ

Item No. and Discription

Item No.:MB-R715

- | | |
|--------------------------------------------------------------------------|----------------------------------------------------------|
| Motor: 250W Brushless Gear motor | Max speed: 25KM/H |
| Battery: 36V5AH Lithium battery
24V5AH Lithium battery available also | Range: 45KM (24V 5AH)with PAS
70KM(36V 10AH) with PAS |
| Charger: 100-240V AC 50-60HZ | Load capacity: 95KGS |
| Charger time: 3 hours | Net weight: 22KGS |
| Frame: AL Alloy baking varnish | Gross weight: 26KGS |
| Assistant system: PAS | Dimension: 1820x640x1060 mm |
| Tyres: Front 28"x1.75", Rear26"x1.75" | Carton size: 1440x250x750 mm |
| Brakes(F/R): Disc brake | Color: Black; White |
| Derailleur: SHIMANO 7 SPEED GEARS | Container Capacity: 100pcs/20'GP, 220pcs/40'HQ |




ELECTRIC FOLDING BIKE

Item No. and Discription

Item No.:MB-SF001

Motor: 250W Brushless Gear motor	Range: 40KM with PAS
Battery: 24V5AH Lithium battery	Load capacity: 95KGS
Charger: 100-240V AC 50-60HZ	Net weight: 17.5KGS
Charger time: 3 hours	Gross weight: 21KGS
Frame: AL Alloy baking varnish	Dimension: 1540x600x960 mm
Assistant system: PAS	Folding size: 860x340x640mm
Tyres: 20"x1.75"	Carton size: 1230x245x605 mm
Brakes(F/R): V brake	Color: Black; White; Red
Derailleur: SHIMANO 6 SPEED GEARS	Container Capacity: 150pcs/20'GP, 370pcs/40'HQ
Max speed: ≤25KM/H	





美本集团
MAINBON GROUP



Item No. and Discription

Item No.:MB-SF004

- Motor: 250W Brushless Gear motor
- Battery: 24V5AH Lithium battery
- Charger: 100-240V AC 50-60HZ
- Charger time: 3 hours
- Frame: AL Alloy baking varnish
- Assistant system: PAS
- Tyres: 20"x1.75"
- Brakes(F/R): V brake
- Derailleur: SHIMANO 6 SPEED GEARS
- Max speed: ≤25KM/H
- Range: 40KM with PAS
- Load capacity: 95KGS
- Net weight: 17.5KGS
- Gross weight: 21KGS
- Dimension: 1525x595x1000 mm
- Folding size: 860x340x640mm
- Carton size: 1230x245x605 mm
- Color: Black; White; Red
- Container Capacity: 150pcs/20'GP, 370pcs/40'HQ



Item No. and Discription

Item No.:MB-SF012

- Motor: 250W Brushless Gear motor
- Battery: 36V8AH Lithium battery
- Charger: 100-240V AC 50-60HZ
- Charger time: 5 hours
- Frame: AL Alloy baking varnish
- Tyres: 20"x1.75"
- Brakes(F/R): V brake
- Derailleur: SHIMANO 6 SPEED GEARS
- Max speed: 25KM/H
- Range: 45KM without PAS
- Load capacity: 95KGS
- Net weight: 17KGS
- Gross weight: 20KGS
- Dimension: 1600x590x1060 mm
- Folding size: 880x380x640mm
- Carton size: 880x380x640mm
- Color: Black; White; Red
- Container Capacity: 130pcs/20'GP, 315pcs/40'HQ





美本集团
MAINBON GROUP

Item No. and Discription

Item No.:MB-SFQ7

Motor: 150 Watts
Battery: 24V5.5AH Lithium battery
Charger: 100-240V AC 50-60HZ
Charger time: 3-4 hours
Frame: AL Alloy baking varnish
Tyres: 14"x1.75"
Brakes(F/R): V brake
Headlight: Electric Drive LED
Max speed: 20KM/H
Range: 35KM with PAS
Load capacity: 90KGS
Net weight: 11KGS
Gross weight: 13KGS
Dimension: 1165x80x1020 mm
Carton size: 1175x175x575mm
Color: Black; White; Red
Container Capacity: 235pcs/20'GP, 565pcs/40'HQ



ONE SECOND FOLDING



Item No. and Discription

Item No.:MB-SFQ9

Mater Frame: Iron frame & aluminum alloy frame
Motor: 36v 250w brushless hi-speed rear motor
Battery: 36v 8ah lithium battery
Charging time: 3-4 hours
Charged time: More than 500 times
Controller: 36v with sensor(1:1 PAS)
Driving system: Chain (Pedals assisted)
Throttle system: Twist throttle
Max Speed: 25-30km/h
Running Distance: 50kms
Max loading: 100kgs
Brake system: Front V brake, rear Disc brake
Front fork: Iron front frok
Mudguards: Front&aluminum alloy material
Wheel size: 16 inches (Optional size: 14 inches)
Rim: Aluminum alloy material
Derailleur: 1:1PAS(Pedal Assistance System)





美本集团
MAINBON GROUP

Item No. and Discription

Item No.:MB-C616

Motor: 250W Brushless Gear motor	Derailleur: SHIMANO 7 SPEED GEARS
Battery: 24V5AH Lithium battery	Max speed: ≤25KM/H
36V10AH Lithium battery	Range: 45KM(24V 5AH) with PAS
Charger: 100-240V AC 50-60HZ	70KM(36V 10AH) with PAS
Charger time:3-5 hours	Load capacity: 95KGS
Frame: AL Alloy baking varnish	Net weight: 22KGS
Assistant system: PAS 1:1, 1:2, 1:3	Gross weight: 26KGS
Dual Hall speed sensor	Dimension: 1800x750x1150 mm
Tyres: 26"x1.75"	Carton size: 1480x250x880 mm
Brakes(F/R): V brake	Container Capacity: 100pcs/20'GP, 220pcs/40'HQ



ELECTRIC CITY BIKE



Item No. and Discription

Item No.:MB-C614

Motor: 250W Brushless Gear motor	Derailleur: SHIMANO 7 SPEED GEARS
Battery: 24V5AH Lithium battery	Max speed: ≤25KM/H
36V10AH Lithium battery	Range: 45KM(24V 5AH) with PAS
Charger: 100-240V AC 50-60HZ	70KM(36V 10AH) with PAS
Charger time: 3-5 hours	Load capacity: 95KGS
Frame: AL Alloy baking varnish	Net weight: 23KGS
Assistant system: PAS 1:1, 1:2, 1:3	Gross weight: 27KGS
Dual Hall speed sensor	Dimension: 1800x750x1150 mm
Tyres: 26"x1.75"	Carton size: 1480x250x880 mm
Brakes(F/R): V brake	Container Capacity: 100pcs/20'GP, 220pcs/40'HQ



Item No. and Discription

Item No.:MB-C601


Motor: 250W Brushless Gear motor	Derailleur: SHIMANO 7 SPEED GEARS
Battery: 24V5AH Lithium battery	Max speed: ≤25KM/H
36V10AH Lithium battery	Range: 45KM(24V 5AH) with PAS
Charger: 100-240V AC 50-60HZ	70KM(36V 10AH) with PAS
Charger time:3-5 hours	Load capacity: 95KGS
Frame: AL Alloy baking varnish	Net weight: 24KGS
Assistant system: PAS 1:1, 1:2, 1:3	Gross weight: 28KGS
Dual Hall speed sensor	Dimension: 1800x750x1150 mm
Tyres: 26"x1.75"	Carton size: 1480x250x880 mm
Brakes(F/R): V brake/ Lora broke	Container Capacity: 100pcs/20'GP, 220pcs/40'HQ



Item No. and Discription

Item No.:MB-C602

Motor: 250W Brushless Gear motor	Max speed: ≤25KM/H
Battery: 24V5AH Lithium battery	Range: 45KM(24V 5AH) with PAS
36V10AH Lithium battery	70KM(36V 10AH) with PAS
Charger: 100-240V AC 50-60HZ	Load capacity: 95KGS
Charger time: 3-5 hours	Net weight: 19KGS
Frame: AL Alloy baking varnish	Gross weight: 20KGS
Assistant system: PAS	Dimension: 1760x605x1060 mm
Tyres: 26"x1.75"	Carton size: 1400x240x690 mm
Brakes(F/R): V brake	Container Capacity: 100pcs/20'GP, 220pcs/40'HQ
Derailleur: SHIMANO 6 SPEED GEARS	



美本集团
MAINBON GROUP



Item No. and Discription

Item No.:MB-C604

Motor: 250W Brushless Gear motor	Derailleur: SHIMANO 6 SPEED GEARS
Battery: 24V5AH Lithium battery	Max speed: ≤25KM/H
36V10AH Lithium battery	Range: 45KM(24V 5AH) with PAS
Charger: 100-240V AC 50-60HZ	70KM(36V 10AH) with PAS
Charger time: 3-5 hours	Load capacity: 95KGS
Frame: AL Alloy baking varnish	Net weight: 24KGS
Assistant system: PAS	Gross weight: 28KGS
Tyres: 26"x1.75"	Dimension: 1780x590x1060 mm
Brakes(F/R): V brake	Carton size: 1400x240x690 mm
	Container Capacity: 100pcs/20'GP, 220pcs/40'HQ



Item No. and Discription

Item No.:MB-C606

Motor: 250W Brushless Gear motor	Max speed: ≤25KM/H
Battery: 24V5AH Lithium battery	Range: 45KM(24V 5AH) with PAS
36V10AH Lithium battery	70KM(36V 10AH) with PAS
Charger: 100-240V AC 50-60HZ	Load capacity: 95KGS
Charger time:3-5 hours	Net weight: 24KGS
Frame: AL Alloy baking varnish	Gross weight: 28KGS
Assistant system: PAS	Dimension: 1820x605x1060 mm
Tyres: 26"x1.75"	Carton size: 1400x240x690 mm
Brakes(F/R): V brake	Container Capacity: 100pcs/20'GP, 220pcs/40'HQ
Derailleur: SHIMANO 6 SPEED GEARS	



Item No. and Discription

Item No.:MB-C608

Motor: 250W Brushless Gear motor	Derailleur: SHIMANO 7 speed gears
Battery: 36V 8AH Lithium battery	Max speed: ≤25KM/H
Meter: Intelligent LCD	Range: 70KM with PAS
Charger: 100-240V AC 50-60HZ	Load capacity: 95KGS
Charge time: 5 hours	Net weight: 20KGS
Frame: Al Alloy baking varnish	Gross weight: 24KGS
Assistant system: PAS 1:1,1:2,1:3,	Dimension: 1740x630x1060 mm
Dual Hall speed sensor	Carton size: 1400x240x920 mm
Tyres: 26"x1.75"	Container capacity: 70pcs/20'GP,175pcs/40'HQ
Brakes (F/R): V brake	





11



美本集团
MAINBON GROUP



1.5
KGS

PORTABLE LITHIUM BATTERY



2.2
KGS

MULTI-FUNCTIONAL LITHIUM BATTERY

1
Battery

Max range	Battery capacity	24V/5AH	24V/8AH	24V/15AH	36V/6AH	36V/10AH	36V/14AH
20 inch	With PAS	25~30KM	40~45KM	Unavailable	40~45KM	Unavailable	Unavailable
	Without PAS	10~15KM	25KM	Unavailable	25KM	Unavailable	Unavailable
26 inch	With PAS	28~32KM	45~50KM	85~95KM	45~50KM	85~95KM	100~110KM
	Without PAS	15~20KM	30KM	45~50KM	30KM	45~50KM	60~70KM

Notice: The data is for ideal condition

2
Spare parts



Charger



LCD meter



Front LED lamp



Rear solar LED lamp



Fender



Special kit



Front basket



Rear shelf



Foot-stand



Bicycle lock



OPTIONAL
ACCESSORIES

3
Seat



4
Color




Kits A



Kits B





美本集团
MAINBON GROUP

ELECTRIC SCOOTER

ES-15 Certificate: CE

Dimension: 1200x615x1110mm

Seat Height: 760mm

Wheelbase: 925mm

Frame material: High-tensile Steel

Battery: 36V/12Ah lead-acid or lithium battery

Charge Time: 6-8 hrs

Charge Voltage: AC100V-240V

Motor Model:1000W

Deck: ABS Resin or Alloy

Tire Size: 90/65-6.5kenda

Max Load: 115kg

Max Speed: 42km/h

Drive Model: Chain

Brake(F/R): Disc/Disc

Folding: YES

Seat: Yes, removable

Net Weight: 39kgs

Gross Weight: 43kgs

Packing Size: 1170 x 320 x 530mm

Qty/20'ft: 140pcs

Qty/40'ft: 280pcs

Qty/40HQ: 350pcs




EES-16 Certificate: EEC/COC

Dimension: 1270x615x1110mm	Drive Model: Chain or Belt drive
Seat Height: 760mm	Tire Size: 90/90-4kenda
Wheelbase: 1015mm	Folding: YES
Frame material: High-tensile Steel	Brake(F/R): Disc/Disc
Battery: 36V/12Ah lead-acid	Seat: Yes, removable
Front/Rear fork: Alloy or steel	Net Weight: 42kgs
Charge Time: 6-8 hrs	Gross Weight: 46kgs
Charge Voltage: AC100V-240V	Packing Size: 1220x310x510mm
Deck: ABS Resin or Alloy	Qty/20'ft: 124pcs
Max Load: 120kg	Qty/40'ft: 264pcs
Motor Model: 500W or 800W	Qty/40HQ: 330pcs
Max Speed: 20km/h(500W),40km/h(800W)	

ES-17A Certificate CE

Dimension: 1195x615x1110mm	Drive Model: Chain
Seat Height: 760mm	Tire Size: 90/90-4kenda
Wheelbase: 925mm	Folding: YES
Frame material: High-tensile Steel	Brake(F/R): Disc/Disc
Battery: 36V/12Ah lead-acid or lithium	Seat: Yes, removable
Light: Front and Rear LED	Net Weight: 38kgs
Charge Time: 6-8 hrs	Gross Weight: 42kgs
Charge Voltage: AC100V-240V	Packing Size: 1170x320x530mm
Deck: ABS Resin or Alloy	Qty/20'ft: 140pcs
Motor Model: 1000W	Qty/40'ft: 280pcs
Max Load: 115kg	Qty/40HQ: 350pcs
Max Speed: 42km/h	


EES-17B Certificate:EEC/COC, ROHS, PAHS, PHTHALATSES

Dimension: 1195 x 615 x 1110mm	Drive Model: Chain
Seat Height: 760mm	Tire Size: 90/90-4kenda
Wheelbase: 925mm	Seat: Yes, removable
Frame material: High-tensile Steel	Folding: YES
Battery: 36V/12Ah lead-acid	Brake(F/R): Disc/Disc
Charge Time: 6-8 hrs	Net Weight: 40kgs
Charge Voltage: AC100V-240V	Gross Weight: 44kgs
Deck: ABS Resin	Packing Size: 1170x320x530mm
Max Load: 115kg	Qty/20'ft: 140pcs
Motor Model: 500W	Qty/40'ft: 280pcs
Max Speed: 20km/h	Qty/40HQ: 350pcs


ES-18A Certificate: CE

Dimension: 1270x615x1110mm	Drive Model: Chain or Belt drive
Seat Height: 760mm	Front fork: Alloy or steel
Wheelbase: 1015mm	Rear fork: Alloy or steel
Frame material: High-tensile Steel	Brake(F/R): Disc/Disc
Tire Size: 90/90-4 kenda	Folding: YES
Battery: 48V/12Ah lead-acid	Seat: Yes, removable
Charge Time: 6-8 hrs	Net Weight: 44kgs
Charge Voltage: AC100V-240V	Gross Weight: 48kgs
Deck: ABS Resin or Alloy	Packing Size: 1220x310x510mm
Max Load: 120kg	Qty/20'ft: 124pcs
Motor Model: 500W or 800W or 1000W	Qty/40'ft: 264pcs
Max Speed: 42km/h	Qty/40HQ: 330pcs

ES-18B Certificate: CE

Dimension: 1460x615x1230mm	Drive Model: Chain
Seat Height: 760mm	Front fork: Steel
Wheelbase: 1075mm	Rear fork: Steel
Frame material: High-tensile Steel	Folding: YES
Tire Size: 2.5-10off road	Brake(F/R): Disc/Disc
Battery: 36V/12Ah lead-acid	Seat: Yes, removable
Charge Time: 6-8 hrs	Net Weight: 43.5kgs
Charge Voltage: AC100V-240V	Gross Weight: 46kgs
Motor Model: 500W or 800W	Packing Size: 1290x350x530mm
Deck: ABS Resin or Alloy	Qty/20'ft: 104pcs
Max Load: 120kg	Qty/40'ft: 216pcs
Max Speed: 40km/h	Qty/40HQ: 270pcs


GS-01A Certificate: CE

Dimension: 1220x380x1150mm	Handle bar: Mx style rier 20", 62.5cm width
Engine: 37cc 4 stroke or 49cc 2 stroke	Max Speed: 32km/h
Engine brand: HUASHENG	Folding: YES
Start mode: Hand pull	Brake(F/R): Disc/Disc
Tire Size: 90/90-4kenda	Seat: Yes, removable, Stand riding available
Frame material: High-tensile Steel	Net Weight: 28kgs
Seat height: 850mm	Gross Weight: 32kgs
Deck: ABS Resin	Packing Size: 1170x320x490mm
Max Load: 115kg	Qty/20'ft: 120pcs
Fuel capacity: 1.5L	Qty/40'ft: 240pcs
	Qty/40HQ: 300pcs



15



美本集团
MAINBON GROUP

ESB-250B

- 1) Battery: 2x7Ah 24V
- 2) Motor power: 250W
- 3) Charging time: 3-6hrs
- 4) Speed: $\leq 20\text{km/h}$
- 5) Range: $\leq 18\text{km}$
- 6) Starter: wireless remote control-E
- 7) Battery input voltage: 90 - 250V
- 8) Max. load capacity: 85kg
- 9) Transmission: Belt

Shipment details:

- 1) container: 359pcs/20GP 897pcs/40HQ
- 2) N.W./G.W.: 14.0 kg/16.8 kg
- 3) Carton size: 98x32x23 cm

ELECTRIC SKATEBOARD



ESB-400C

- 1) Battery: 2 x 7Ah, 24V
- 2) Motor power: 400W
- 3) Charging time: 3 - 6hrs
- 4) Speed: ≤23km/h
- 5) Range: ≤18km
- 6) Starter: wireless remote control-E
- 7) Battery input voltage: 90 - 250V
- 8) Max. load capacity: 100kg
- 9) Transmission: Belt

Shipment details:

- 1) container: 350pcs/20GP 875pcs/40HQ
- 2) N.W./G.W.: 15.5 kg/19.0 kg
- 3) Carton size: 106x32x23 cm

ESB-600D

- 1) Battery capacity: 3x7Ah 36V
- 2) Motor power: 600W
- 3) Charging time: 3 - 6hrs
- 4) Speed: ≤25km/h
- 5) Range: ≤22km
- 6) Starter: wireless remote control-E
- 7) Battery input voltage: 90-250V
- 8) Max. load capacity: 120kg

Shipment details:

- 1) container: 311pcs/20GP 778pcs/40HQ
- 2) N.W./G.W.: 19.5 kg/22.5 kg
- 3) Carton size: 118x32x23 cm





17



美本集团
MAINBON GROUP



ESB-800B

- 1) Battery: 3x12Ah 36V
- 2) Motor power: 800W
- 3) Charging time: 3 - 6hrs
- 4) Speed: ≤32km/h
- 5) Range: ≤26km
- 6) Starter: wireless remote control-E
- 7) Battery input voltage: 90-250V
- 8) Max. load capacity: 135kg

- Shipment details:
- 1) container: 147pcs/20GP;368pcs/40HQ
 - 2) N.W./G.W.: 32.0 kg/37.5 kg
 - 3) Carton size: 120x52x30cm



ESB-1000B

- 1) Battery: 3x12Ah 36V
- 2) Motor power: 1000w brushless
- 3) Charging time: 3- 6hrs
- 4) Speed: ≤38km/h
- 5) Range: ≤29km
- 6) Starter: wireless remote control-E
- 7) Battery input voltage: 90-250V
- 8) Max. load capacity: 135kg
- 9) Transmission: Belt or belt
- 10) big off road tyres

- Shipment details:
- 1) container: 154pcs/20GP 370pcs/40HQ
 - 2) N.W./G.W.: 34 kg/38 kg
 - 3) Carton size: 120x52x31cm



美本集团
MAINBON GROUP

TEB-27 Mainbon Borac

Motor type: DC series excitation

Motor: 1200W/60V

Approved speed: 50km/h

Approved load: 1000kg

Power consumption: 6-8degree/100km

Transmission mode: CVT

Front wheel: 3.25-16

Back wheel: 3.25-16

Break type: drum type

Break distance: 33-36km/h

A set of storage batteries: 60V/600AH

Charger voltage: 220v(50Hz)

A single storage batteries: 12V/120AH-130AH

Continued trip mileage: 100-150km

Outline dimension: 2800x1050x1700

Container capacity: 40pcs/40HQ



ELECTRIC TRICYCLE





TEB-88 Electric Power

Motor type: DC series excitation	Break type: drum type
Voltage: 1200W/60V	Break distance: 33-36km/h
Approved speed: 50km/h	A set of storage batteries: 60V/600AH
Approved load: 1000kg	Charger voltage: 220v(50Hz)
Power consumption: 6-8degree/100km	A single storage batteries: 12V/120AH
Transmission mode: CVT	Continued trip mileage: 100-150km
Front wheel: 4.00 - 12	Outline dimension: 2800x1050x1700
Back wheel: 4.00 - 12	Container capacity: 40pcs/40HQ



TEB-88A Electric Power

Motor type: brushless motor	Break distance: 33-36km/h
Voltage: 1200W/60V	A set of storage batteries: 60V/600AH
Approved speed: 60km/h	Charger voltage: 220v(50Hz)
Approved load: 1200kg	A single storage batteries: 12V/120AH
Front wheel: 4.00 - 12	Continued trip mileage: 100-150km
Back wheel: 4.00 - 12	Outline dimension: 3000x1150x1800
Break type: drum type	Container capacity: 32pcs/40HQ





TEB-30 H Power

Motor type: DC series excitation	Break type: drum type
Motor: 1200W/60V	Break distance: 33-36km/h
Approved speed: 50km/h	A set of storage batteries: 60V/600AH
Approved load: 1000kg	Charger voltage: 220v(50Hz)
Power consumption: 6-8degree/100km	A single storage batteries: 12V/120AH
Transmission mode: CVT	Continued trip mileage: 100-150km
Front wheel: 4.00-12	Outline dimension:2800x1050x1700
Back wheel: 4.00-12	Container capacity: 40pcs/40HQ

TDB-88 Diesel

Engine: Air cooled, 4 stroke, one silinder	Start: Electric / kick start
Transmission: shaft, 4 gear drive with reverse	Max Speed: 50km/h
Engine power: 8HP	Max load: 350kg
Wheelbase: 2170mm	Passenger: 5 person
Braking mode: Oil brake	Dimensions (LxWxH)(mm): 3050x1150x1820
Fuel: Diesel	Tyre size: 4.50-12
Fuel tank capacity: 5L	Load capacity: 32pcs/40HQ
Fuel consumption: 2.5L/100km	





TEB-01

Motor type: DC series excitation
Voltage: 48V/650W brushless motor
Approved speed: 30km/h
Approved load: 300kg
Climbing: 10 degree
Transmission mode: CVT
wheel: 2.75-14 (three wheel is same)
Total weight: 180kgs
Drive: Gear Drive

wheelbase: 2150mm
A set of storage batteries: 48V/120AH
Charger voltage: 220v(50Hz)
A single storage batteries: 12V/30AH
Continued trip mileage: 25-30km
Body dimension: 1340x900x750mm
Outline dimension: 1340x900x750mm
Container capacity: 50pcs/40HQ

TEB-02

Motor type: brushless motor
Voltage: 1000W/60V
Approved speed: 60km/h
Approved load: 1200kg
Front wheel: 4.00 - 12
Back wheel: 4.00 - 12
Break type: drum type

Break distance: 33-36km/h
A set of storage batteries: 60V/600AH
Charger voltage: 220v(50Hz)
A single storage batteries: 12V/120AH
Continued trip mileage: 100-150km
Outline dimension: 329800x1050x1700
Container capacity: 8pcs/40HQ





MAINBON GROUP COMPANY LIMITED

1212, 578 TianBao Road, ShangHai 200086 China.

Telephone: +86 (21) 6515-0222

Fax: +86 (21) 6515-0777

Website: <http://www.mainbon.com>

Email: sales@mainbon.com