


TW-VC18K30L General instructions and usage



TW-VC18K30L has a stable and elegant appearance. As a professional vacuum cleaner, in addition to the main purpose of the vacuum cleaner, the structure of ultra-fine dust is optimized and has a unique three-stage filtration system (dust bag + water filtration + HEPA filtration).

The wall grinding/dustless dry grinding system is mainly used to remove ultra-fine suspended particles such as lime and mineral dust that can easily cause blockage of the dust collector. As a professional vacuum cleaner, TW-VC18K30L has high requirements for the durability and suction stability of the vacuum cleaner. It can maintain long-lasting suction and remove dust thoroughly, which can fully meet the needs of customers.



TW-VC18K30L Applicable places to use




target location	method	
car	surface polishing	
office	Vacuum and water	
hotel	Vacuum and water	
	Use electric tools and pneumatic tools for work to solve ultra-fine dust	

TW-VC18K30L external structure



TW-VC18K30 L Internal structure and working principle



3 FILTERS 0 POLLUTION

This product with outstanding appearance looks glorious . As a professional vacuum cleaner, this product has a wider range of application . Except the general application of vacuum cleaner, the product has a specific design for ultrafine dust to keep the suction persistent and clean the dust thoroughly.

The diagram shows the three-stage filtration process. It starts with "RUBBISH" entering the "FIRST stage DUST BAG". The air then passes through the "SECOND stage WATER FILTER" where "DUST" is captured. Finally, the air passes through the "THIRD stage HEPA" filter, resulting in "CLEAR AIR". The diagram also shows the internal structure of the vacuum cleaner with the same three-stage filtration process integrated into the airflow path.

TW-VC18K30L filter



Dry filter



Wet filter

TW-VC18K30L



Product Positioning	major
brand	TEKWAY
competitors	因为karcher, festool
Main usage scenarios	Decoration, supermarket, hotel car polishing, car between
Voltage	120 v
frequency	60H/z
that power	1200W(5A)
vacuum	19 k Pa
Certificate	GS / CE / CETL

TW-VC18K30L selling point 1



TW-VC18K30L selling point 2



Attachment storage



tube storage

cable storage



TW-VC18K30L selling point 3



Blower function



speed control



Filter cleaning function

TW-VC18K30L selling point 4



Pneumatic tool connectors
work with pneumatic tools



Connecting power tools to work

TW-VC18K30L selling point 5



2 professional blower
motors with longer life
and high suction power

TW-VC18K30L Assembly (upper tank working water filter)



Turn on the vacuum cleaner



Put water in it



water level



close it



Hose connector connects to suction base



Tools and vacuum cleaner connections



switch to II



Tool work starts vacuum cleaner work immediately




Take the cloth bag



Cleaning cloth bags

TW-VC18K30L Pneumatic function



Pneumatic tools
connected to
vacuum



switch to II



Pneumatic tool work,
vacuum work

TW-VC18K30L Normal wet and dry use



Assembly kit



foldable bag



Remove the bottle cap



Assemble the lid
into the upper can



Hose connects to
front base



Assemble tube,
brush



start working

TW-VC18K30L Performance review

