



上禾科技
SHANGHE

Zhengzhou Shanghe Electronic Technology Co., Ltd.

Company Profile

Company main categories: Height Weight Scale, Coin Operated Scale, Multi-Functional Medical Scale, Health Check Up Kiosk, Body Composition Analyzer.



上禾科技
SHANGHE

Zhengzhou Shanghe Electronic Technology Co., Ltd.

Height Weight Series



Zhengzhou Shanghe Electronic Technology Co., Ltd.

上禾科技
SHANGHE



SH-301 Height Weight Scale

- ★ Height range:50-205cm;
accuracy: ± 0.5 cm, division value: 0.5cm or 0.1cm adjustable
- ★ Weight range:2-500kg, 200kg (optional);
accuracy: ± 0.1 kg, division value: 0.1kg or 0.01kg adjustable
- ★ Two measure models: measure height and weight;measure baby weight and adult weight at one time
- ★ Automatic voice broadcast of measurement results,can also be muted
- ★ 4.3 inch VA screen display indoor temperature, date and time
- ★ The machine have wheels at the bottom,easy to move
- ★ The machine can be folded, convenient for mobile transportation
- ★ Data communication: Bluetooth 2.0/4.0 (optional)
- ★ Printer (optional)

Parameters

Package size: A product is divided into two boxes:
124*24*20cm(6kg); 54*42*18cm(7kg)
Power consumption: ≤ 6 W
Working voltage:AC160V-250V,50Hz
Weight:Gross weight: 13kg Net weight: 8kg
Dimensions: 414*295*2223mm/L*W*H(mm)



Zhengzhou Shanghe Electronic Technology Co., Ltd.



SH-300 Height Weight Scale

- ★ Height range:50-205cm;
accuracy: ± 0.5 cm, division value: 0.5cm or 0.1cm adjustable
- ★ Weight range:2-300kg;
accuracy: ± 0.1 kg, division value: 0.1kg or 0.01kg adjustable
- ★ Intelligent calculation of BMI (Body mass index)
- ★ Multi-country coins are acceptable(optional)
- ★ Automatic voice broadcast of measurement results,can also be muted
- ★ 6.5 inch LED display indoor temperature and current date and time
- ★ The machine have wheels at the bottom,easy to move
- ★ The machine can be folded, convenient for mobile transportation
- ★ Units: cm, kg;
- ★ Data communication: RS232 or Bluetooth 2.0/4.0 (optional)
- ★ Thermal printer

Parameters

Package size: A product is divided into two boxes:

127*32*32cm(10kg); 47*58*21cm(11kg)

Power consumption: ≤ 6 W

Working voltage:AC160V-250V,50Hz

Weight:Gross weight:21kg Net weight:16kg

Dimensions:480*370*2300mm/L*W*H(mm)



Zhengzhou Shanghe Electronic Technology Co., Ltd.

SH-300G Model

Height Weight Scale

7.0inch LCD screen Print receipt

height weight BMI

auto measure voice prompt

SH-300G Height Weight Scale

- ★ Height range: 50-205cm;
accuracy: ± 0.5 cm, division value: 0.5cm or 0.1cm adjustable
- ★ Weight range: 2-300kg;
accuracy: ± 0.1 kg, division value: 0.1kg or 0.01kg adjustable
- ★ Intelligent calculation of BMI (Body mass index)
- ★ Multi-country coins are acceptable(optional)
- ★ Automatic voice broadcast of measurement results, can also be muted
- ★ 7 inch LCD display indoor temperature and current date and time
- ★ The machine have wheels at the bottom, easy to move
- ★ Optional units: 1.cm, kg; 2.m, kg; 3.pounds, feet and inches
- ★ Data communication: RS232, WiFi or Bluetooth, 4G, cloud interface (optional)
- ★ Thermal printer

Parameters

Package size: A product is divided into two boxes:
127*32*32cm(10kg); 47*58*21cm(11kg)
Power consumption: ≤ 6 W (about 1kw per 100hrs)
Working voltage: AC100V-240V (50Hz/60Hz)
Weight: Gross weight: 21kg Net weight: 16kg
Dimensions: 480*370*2300mm/L*W*H(mm)



Zhengzhou Shanghe Electronic Technology Co., Ltd.

上禾科技
SHANGHE



SH-500 Model

Height Weight Machine

10.2inch LED screen Print receipt



height



weight



BMI



auto measure



voice prompt

SH-500 Height Weight Scale

- ★ Height range: 50-205cm;
accuracy: ± 0.5 cm, division value: 0.5cm or 0.1cm adjustable
- ★ Weight range: 2-500kg;
accuracy: ± 0.1 kg, division value: 0.1kg or 0.01kg adjustable
- ★ Intelligent calculation of BMI (Body mass index)
- ★ Precision balanced beam resistance strain sensor
- ★ Automatic voice broadcast of measurement results, can also be muted
- ★ 10.2 inch LED Display indoor temperature, date and time
- ★ The machine have wheels at the bottom, easy to move
- ★ Unit: cm, kg;
- ★ Multi-country coins are acceptable (optional)
- ★ Data communication: RS232 or Bluetooth 2.0/4.0 (optional)

Parameters

Package size: A product is divided into two boxes:

176*35*24cm(17kg); 59*42*45cm(15kg)

Power consumption: ≤ 15 W (about 1kw per 100hrs)

Working voltage: AC100V-240V (50Hz/60Hz)

Weight: Gross weight: 32kg Net weight: 27kg

Dimensions: 510*340*2320mm/L*W*H(mm)



Zhengzhou Shanghe Electronic Technology Co., Ltd.

SH-500A Model

Height Weight Scale

10.1inch LCD screen Print receipt

height weight BMI

auto measure voice prompt

SH-500A Height Weight Scale

- ★ Height range:50-205cm; accuracy: ± 0.5 cm, division value: 0.5cm or 0.1cm adjustable
- ★ Weight range:2-500kg; accuracy: ± 0.1 kg, division value: 0.1kg or 0.01kg adjustable
- ★ Ultrasonic non-contact height measurement
- ★ 10.1 inch LCD advertising screen, play promotional videos and pictures
- ★ Multi-country coins are acceptable (optional)
- ★ Support multi-languages
- ★ Intelligent voice broadcast, guide measurement
- ★ The machine can be folded (optional)
- ★ Data Communication: RS232,WiFi or Bluetooth, 4G, RJ45, cloud interface (optional)

Parameters

Package size: A product is divided into two boxes:
177*42*22cm(20kg); 44*68*50cm(25kg)
Power consumption: ≤ 15 W (about 1kw per 100hrs)
Working voltage:AC100V-240V (50Hz/60Hz)
Weight:Gross weight:45kg Net weight:40kg
Dimensions:580*340*2350mm/L*W*H(mm)



Zhengzhou Shanghe Electronic Technology Co., Ltd.



SH-V5 Height Weight Scale

- ★ Height range:50-205cm;
accuracy: ± 0.5 cm, division value: 0.5cm or 0.1cm adjustable
- ★ Weight range:2-500kg;
accuracy: ± 0.1 kg, division value: 0.1kg or 0.01kg adjustable
- ★ Ultrasonic non-contact height measurement
- ★ 10.2 inch LCD advertising screen, play videos and pictures
- ★ Multi-country coins are acceptable (optional)
- ★ Support multi-languages
- ★ Intelligent voice broadcast, AI guide measurement
- ★ Intelligent face recognition (optional)
- ★ Data Communication: RS232,WiFi or Bluetooth, 4G, RJ45, cloud interface (optional)

Parameters

Package size: A product is divided into two boxes:
177*42*22cm(20kg); 44*68*50cm(25kg)
Power consumption: ≤ 15 W (about 1kw per 100hrs)
Working voltage:AC100V-240V (50Hz/60Hz)
Weight:Gross weight:45kg Net weight:40kg
Dimensions:550*390*2350mm/L*W*H(mm)



Zhengzhou Shanghe Electronic Technology Co., Ltd.



SH-V15 Height Weight Scale

- ★ Height range:50-205cm;
accuracy: ± 0.5 cm, division value: 0.5cm or 0.1cm adjustable
- ★ Weight range:2-500kg;
accuracy: ± 0.1 kg, division value: 0.1kg or 0.01kg adjustable
- ★ Ultrasonic non-contact height measurement
- ★ 19 inch LCD advertising screen, play videos and pictures
- ★ Multi-country coins are acceptable (optional)
- ★ Support multi-languages
- ★ Intelligent voice broadcast, AI guide measurement
- ★ Intelligent face recognition (optional)
- ★ Data Communication: RS232,WiFi or Bluetooth, 4G, RJ45, cloud interface (optional)

Parameters

Package size: A product is divided into two boxes:

177*42*22cm(20kg); 44*68*50cm(25kg)

Power consumption: ≤ 15 W (about 1kw per 100hrs)

Working voltage:AC100V-240V (50Hz/60Hz)


Weight:Gross weight:45kg Net weight:40kg

Dimensions:550*390*2350mm/L*W*H(mm)



Zhengzhou Shanghe Electronic Technology Co., Ltd.

上禾科技
SHANGHE



SH-700 Children Height Weight Scale

- ★ Height range:50-160/180cm(optional);
accuracy: ± 0.5 cm, division value: 0.5cm or 0.1cm adjustable
- ★ Weight range:2-300kg;
accuracy: ± 0.1 kg, division value: 0.1kg or 0.01kg adjustable
- ★ Measure height, weight, BMI
- ★ 6.5 inch LED advertising screen
- ★ Displays indoor temperature, date and time
- ★ Intelligent calculation of body mass index
- ★ Intelligent voice broadcast, guide measurement
- ★ The body can be folded for easy carrying
- ★ Data Communication: RS232 or Bluetooth 2.0/4.0 (optional)

Parameters

Package size: A product is divided into two boxes:
127*32*32cm(10kg); 47*58*21cm(11kg)
Power consumption: ≤ 6 W (about 1kw per 100hrs)
Working voltage:AC100V-240V,50Hz
Weight:Gross weight:21kg Net weight:16kg
Dimensions:480*370*2080(1880)mm/L*W*H(mm)



Zhengzhou Shanghe Electronic Technology Co., Ltd.



SH-3008 Baby Scale

- ★ Height range:20-105cm;
accuracy: ± 0.5 cm, division value: 0.5cm or 0.1cm adjustable
- ★ Weight range:0.1-60kg;
accuracy: ± 0.1 kg, division value: 0.1kg or 0.01kg adjustable
- ★ Measure height, weight, BMI
- ★ Two LCD display,5-inch LCD screen displays current date, time and temperature in standby mode, 3-inch LCD screen will display the propaganda slogan in the standby state, and display operation prompt when measuring.
- ★ Zero clearing:Reset button is set to realize peeling function
- ★ Thickened soft surface design
- ★ Optional expansion:Printer, Bluetooth, Foot switch, Base cabinet
- ★ Data communication: RS232, Bluetooth (optional)

Parameters

Package size: 134*70*30cm(23kg)
Power consumption: ≤ 6 W (about 1kw per 100hrs)
Working voltage:AC100V-240V (50Hz/60Hz)
Weight:Gross weight:23kg Net weight:17kg
Dimensions:1250x600x200mm/L*W*H(mm)



Zhengzhou Shanghe Electronic Technology Co., Ltd.



SH-603 Wheelchair Scale

- ★ Maximum weighing:300kg, division value: 0.1kg
- ★ 25mm character height LCD with white LED backlight
- ★ High-precision, high-sensitivity, high-performance precision balance beam pressure sensor
- ★ Single precision balanced pressure sensor weighing
- ★ Conforms to the human sitting posture, comfortable and safe
- ★ Foldable and adjustable pedals improve the convenience of operation
- ★ The rotatable armrest design is convenient for people to move from the bed to the seat scale

Parameter

Package size: 770x640x114mm(23kg)

Power consumption:≤6W (about 1kw per 100hrs)

Working voltage:

Input: AC 100-240V 50Hz/60Hz, Output: DC 12V/500m,

Built-in rechargeable battery: (7.2V/2000mAh) can be directly plugged in without battery

Weight: Gross weight:37kg Net weight:27kg

Dimensions:600x615x940mm/L*W*H(mm)



SH-605 Wheelchair Dialysis Scale

- ★ Maximum weighing: 500kg, division value: 0.05kg
- ★ Non-slip carbon steel weighing platform
- ★ Ergonomically designed safety handrails
- ★ Simple and convenient operation
- ★ Medical weighing function: suitable for restless patients
- ★ Optional: support printing, RS232 data transmission
- ★ Working temperature: -5°C to 45°C
- ★ Scale height: 85cm

Parameter

- Weighting pan size: 80x80cm
- Power consumption: <12W
- Working voltage: 220V AC/DC dual use
- Dimensions: 100x100cm



上禾科技
SHANGHE

Zhengzhou Shanghe Electronic Technology Co., Ltd.

Height Weight Blood Pressure Series



Zhengzhou Shanghe Electronic Technology Co., Ltd.



SH-600GX Height Weight Blood Pressure Scale

- ★ Height range:50-205cm;
accuracy: ± 0.5 cm, division value: 0.5cm or 0.1cm adjustable
- ★ Weight range:2-300kg;
accuracy: ± 0.1 kg, division value: 0.1kg or 0.01kg adjustable
- ★ Intelligent calculation of BMI (Body mass index)
- ★ HD LCD 7.0-inch display system, play promotional videos, pictures
- ★ Multi-country coins are acceptable (optional)
- ★ Support printing in multi-country language, you can customize headers and footers, advertising slogans
- ★ Blood pressure and heart rate measurement: standing / sitting / free disassembly
- ★ Data communication: RS232, WiFi or Bluetooth, 4G, cloud interface (optional)

Parameters

Package size: A product is divided into two boxes:
127*32*32cm(10kg); 44*68*50cm (16kg)
Power consumption: ≤ 6 W (about 1kw per 100hrs)
Working voltage:AC100V-240V (50Hz/60Hz)
Weight:Gross weight:26kg Net weight:19kg
Dimensions:480*480*2300mm/L*W*H(mm)



Zhengzhou Shanghe Electronic Technology Co., Ltd.

上禾科技
SHANGHE



SH-800 Model Height Weight Blood Pressure Machine



height



weight



BMI



BP



heart rate



voice

hospital, nursing home, pharmacy, gym

SH-800 Height Weight Blood Pressure Scale

- ★ Height range: 50-205cm; accuracy: ± 0.5 cm, division value: 0.5cm or 0.1cm adjustable
- ★ Weight range: 2-500kg; accuracy: ± 0.1 kg, division value: 0.1kg or 0.01kg adjustable
- ★ Pressure: 0-299mmHg, Pulse: 40-180 beats/min
- ★ Precision balanced beam resistance strain sensor
- ★ Automatic voice broadcast of measurement results, can also be muted
- ★ 10.2 inch LED Display indoor temperature and current date and time
- ★ The machine have wheels at the bottom, easy to move
- ★ Unit: cm, kg;
- ★ Multi-country coins are acceptable (optional)
- ★ Data communication: RS232 or Bluetooth 2.0/4.0 (optional)

Parameters

Package size: A product is divided into two boxes:

176*35*24cm(17kg); 59*42*45cm(18kg)

Power consumption: ≤ 15 W (about 1kw per 100hrs)

Working voltage: AC100V-240V (50Hz/60Hz)

Weight: Gross weight: 35kg Net weight: 30kg

Dimensions: 570*500*2320mm/L*W*H(mm)



SH-800A Height Weight Blood Pressure Scale

- ★ Height range:50-205cm;
accuracy: ± 0.5 cm, division value: 0.5cm or 0.1cm adjustable
- ★ Weight range:2-500kg;
accuracy: ± 0.1 kg, division value: 0.1kg or 0.01kg adjustable
- ★ Pressure: 0-299mmHg, Pulse: 40-180 beats/min
- ★ 10.1 inch LCD advertising screen, play promotional videos and pictures
- ★ Multi-country coins are acceptable (optional)
- ★ Support multi-languages
- ★ Intelligent voice broadcast, AI guide measurement
- ★ The machine can be folded (optional)
- ★ Data Communication: RS232,WiFi or Bluetooth, 4G, RJ45, cloud interface (optional)

Parameters

Package size: A product is divided into two boxes:
177*42*22cm(20kg); 44*68*50cm(27kg)
Power consumption: ≤ 15 W (about 1kw per 100hrs)
Working voltage:AC100V-240V (50Hz/60Hz)
Weight:Gross weight:48kg Net weight:43kg
Dimensions:620*520*2350mm/L*W*H(mm)



Zhengzhou Shanghe Electronic Technology Co., Ltd.



SH-V8 Height Weight Blood Pressure Scale

- ★ Height range: 50-205cm;
accuracy: ± 0.5 cm, division value: 0.5cm or 0.1cm adjustable
- ★ Weight range: 2-500kg;
accuracy: ± 0.1 kg, division value: 0.1kg or 0.01kg adjustable
- ★ Pressure: 0-299mmHg, Pulse: 40-180 beats/min
- ★ 10.2 inch LCD advertising screen, play videos and pictures
- ★ Multi-country coins are acceptable (optional)
- ★ Support multi-languages
- ★ Intelligent voice broadcast, AI guide measurement
- ★ Intelligent face recognition (optional)
- ★ Blood pressure measurement: standing / sitting / free disassembly
- ★ Data Communication: RS232, WiFi or Bluetooth, 4G, RJ45, cloud interface (optional)

Parameters

Package size: A product is divided into two boxes:
177*42*22cm(20kg); 44*68*50cm(27kg)
Power consumption: ≤ 15 W (about 1kw per 100hrs)
Working voltage: AC100V-240V (50Hz/60Hz)
Weight: Gross weight: 48kg Net weight: 43kg
Dimensions: 585*575*2350mm/L*W*H(mm)



Zhengzhou Shanghe Electronic Technology Co., Ltd.



SH-V18 Height Weight Blood Pressure Scale

- ★ Height range:50-205cm;
accuracy: ± 0.5 cm, division value: 0.5cm or 0.1cm adjustable
- ★ Weight range:2-500kg;
accuracy: ± 0.1 kg, division value: 0.1kg or 0.01kg adjustable
- ★ Pressure: 0-299mmHg, Pulse: 40-180 beats/min
- ★ 19 inch LCD advertising screen, play promotional videos and pictures
- ★ Multi-country coins are acceptable (optional)
- ★ Intelligent voice broadcast, AI guide measurement
- ★ Intelligent face recognition (optional)
- ★ Blood pressure measurement: standing / sitting / free disassembly
- ★ Data Communication: RS232,WiFi or Bluetooth, 4G, RJ45, cloud interface (optional)

Parameter

Package size: A product is divided into two boxes:
177*42*22cm(20kg); 44*68*50cm(27kg)

Power consumption: ≤ 15 W (about 1kw per 100hrs)

Working voltage:AC100V-240V (50Hz/60Hz)

Weight:Gross weight:48kg Net weight:43kg

Dimensions:585*575*2350mm/L*W*H(mm)



Zhengzhou Shanghe Electronic Technology Co., Ltd.

SH-X60 Blood Pressure Station

- ★ Blood pressure: 0-299mmHg(0-39.9kpa) Pulse:40-180 beats/min
- ★ 10.2-inch large screen design, intelligently display results/videos/pictures/unit names
- ★ Automatic measurement of blood pressure and heart rate, support for left and right arm measurement
- ★ Support multiple identification methods
- ★ Printable health analysis report, dietary advice guide
- ★ Support ID card identification, scanning code identification and other identification methods
- ★ Data communication: RS232,WiFi or Bluetooth, 4G, RJ45, cloud interface (optional)

Parameters

Package size: A product is divided into two boxes:

610*370*330mm(kg); 680*470*410mm(kg)

Power consumption:≤6W (about 1kw per 100hrs)

Working voltage:AC100V-240V (50Hz/60Hz)

Weight:Gross weight:10kg Net weight:6.4kg


Dimensions:610*370*330mm/L*W*H(mm)





Zhengzhou Shanghe Electronic Technology Co., Ltd.

上禾科技
SHANGHE



Height Weight Body Fat Series



Zhengzhou Shanghe Electronic Technology Co., Ltd.

上禾科技
SHANGHE



SH-301F Height Weight Body Fat Scale

- ★ Height range:50-205cm;
accuracy: ± 0.5 cm, division value: 0.5cm or 0.1cm adjustable
- ★ Weight range:2-500kg; 200kg (optional);
accuracy: ± 0.1 kg, division value: 0.1kg or 0.01kg adjustable
- ★ Two measure models: measure height and weight;measure baby weight and adult weight at one time
- ★ Automatic voice broadcast of measurement results,can also be muted
- ★ 4.3 inch VA screen display indoor temperature, date and time
- ★ The machine have wheels at the bottom,easy to move
- ★ The machine can be folded, convenient for mobile transportation
- ★ Data communication: Bluetooth 2.0/4.0 (optional)

Parameters

Package size: A product is divided into two boxes:
124*24*20cm(6kg); 54*42*18cm(7kg)

Power consumption: ≤ 6 W

Working voltage:AC160V-250V,50Hz

Weight:Gross weight:13kg Net weight:8kg

Dimensions:414*295*2223mm/L*W*H(mm)



Zhengzhou Shanghe Electronic Technology Co., Ltd.



SH-300GF Height Weight Body Fat Scale

- ★ Intelligent calculation of BMI (Body mass index)
- ★ Height range: 50-205cm;
accuracy: ± 0.5 cm, division value: 0.5cm or 0.1cm adjustable
- ★ Weight range: 2-300kg;
accuracy: ± 0.1 kg, division value: 0.1kg or 0.01kg adjustable
- ★ Multi-country coins are acceptable(optional)
- ★ Automatic voice broadcast of measurement results, Can also be muted
- ★ 7 inch LCD display indoor temperature and current date and time
- ★ The machine have wheels at the bottom, easy to move
- ★ Optional units: 1.cm, kg; 2.m, kg; 3.pounds, feet and inches
- ★ Communication: RS232, WiFi or Bluetooth, 4G, cloud interface (optional)

Parameters

Package size: A product is divided into two boxes:
127*32*32cm(10kg); 47*58*21cm(11kg)
Power consumption: ≤ 6 W (about 1kw per 100hrs)
Working voltage: AC100V-240V (50Hz/60Hz)
Weight: Gross weight: 21kg Net weight: 16kg
Dimensions: 480*370*2300mm / L*W*H(mm)

SH-900 Model
Coin-operated
Height Weight Fat Analyzer



height



weight



BMI



body fat



muscle



basic metabolism



protein



bone mass



intracellular fluid



SH-900 Height Weight Body Fat Scale

- ★ Height range: 50-205cm;
accuracy: ± 0.5 cm, division value: 0.5cm or 0.1cm adjustable
- ★ Weight range: 2-500kg;
accuracy: ± 0.1 kg, division value: 0.1kg or 0.01kg adjustable
- ★ Intelligent calculation of BMI (Body mass index)
- ★ Precision balanced beam resistance strain sensor
- ★ Automatic voice broadcast of measurement results, Can also be muted
- ★ 10.2 inch LED Display indoor temperature and current date and time
- ★ The machine have wheels at the bottom, easy to move
- ★ Unit: cm, kg;
- ★ Multi-country coins are acceptable (optional)
- ★ Data communication: RS232 or Bluetooth 2.0/4.0 (optional)

Parameters

Package size: A product is divided into two boxes:

176*35*24cm(17kg); 59*42*45cm(15kg)

Power consumption: ≤ 6 W (about 1kw per 100hrs)

Working voltage: AC100V-240V (50Hz/60Hz)

Weight: Gross weight: 32kg Net weight: 27kg

Dimensions: 510*370*2320mm/L*W*H(mm)



SH-900G Height Weight Body Fat Scale

- ★ Height range: 50-205cm;
accuracy: ± 0.5 cm, division value: 0.5cm or 0.1cm adjustable
- ★ Weight range: 2-500kg;
accuracy: ± 0.1 kg, division value: 0.1kg or 0.01kg adjustable
- ★ Ultrasonic non-contact height measurement
- ★ 10.1 inch LCD advertising screen, play promotional videos and pictures
- ★ Multi-country coins are acceptable (optional)
- ★ Support multi-languages
- ★ Intelligent voice broadcast, AI guide measurement
- ★ The machine can be folded (optional)
- ★ Data Communication: RS232, WiFi or Bluetooth, 4G, RJ45, cloud interface (optional)

Parameters

Package size: A product is divided into two boxes:
177*42*22cm(20kg); 44*68*50cm(25kg)
Power consumption: ≤ 6 W (about 1kw per 100hrs)
Working voltage: AC100V-240V (50Hz/60Hz)
Weight: Gross weight: 45kg Net weight: 40kg
Dimensions: 580*430*2350mm / L*W*H(mm)



Zhengzhou Shanghe Electronic Technology Co., Ltd.

上禾科技
SHANGHE



SH-V9 Height Weight Body Fat Scale

- ★ Height range:50-205cm;
accuracy: ± 0.5 cm, division value: 0.5cm or 0.1cm adjustable
- ★ Weight range:2-500kg;
accuracy: ± 0.1 kg, division value: 0.1kg or 0.01kg adjustable
- ★ Electrode method:4 electrodes, 8 electrodes(optional)
- ★ Ultrasonic non-contact height measurement
- ★ 10.2 inch LCD advertising screen, play videos and pictures
- ★ Multi-country coins are acceptable (optional)
- ★ Support multi-languages
- ★ Intelligent voice broadcast, AI guide measurement
- ★ Intelligent face recognition (optional)
- ★ Data Communication: RS232,WiFi or Bluetooth, 4G, RJ45, cloud interface (optional)

Parameters

Package size: A product is divided into two boxes:
177*42*22cm(20kg); 44*68*50cm(25kg)

Power consumption: ≤ 6 W (about 1kw per 100hrs)

Working voltage:AC100V-240V (50Hz/60Hz)

Weight:Gross weight:45kg Net weight:40kg

Dimensions:550*390*2350mm /L*W*H(mm)



Zhengzhou Shanghe Electronic Technology Co., Ltd.



SH-V9F Height Weight Body Fat Scale

- ★ Height range:50-205cm;
- ★ Weight range:2-500kg;
- ★ Electrode method: 8 electrodes
- ★ Measurement frequency: 20KHz, 100KHz
- ★ Ultrasonic non-contact height measurement
- ★ 10.2 inch LCD advertising screen, play videos and pictures
- ★ Multi-country coins are acceptable (optional)
- ★ Support multi-languages
- ★ Intelligent voice broadcast, AI guide measurement
- ★ Intelligent face recognition (optional)
- ★ Data Communication: RS232,WiFi or Bluetooth, 4G, RJ45, cloud interface (optional)
- ★ Thermal printer, A4 printing (optional), Test result send to mobile

Parameters

Package size: A product is divided into two boxes:
177*42*22cm(20kg); 44*68*50cm(25kg)

Power consumption:≤6W (about 1kw per 100hrs)

Working voltage:AC100V-240V (50Hz/60Hz)

Weight:Gross weight:45kg Net weight:40kg

Dimensions:550*390*2350mm /L*W*H(mm)



Body Height Weight Fat Composition Scale

- 19.0-inch HD lcd screen
- Voice broadcast
- Support multi-languages
- 15+ Health items measured in one minute

SH-V19 Height Weight Body Fat Scale

- ★ Height range:50-205cm;
accuracy: ± 0.5 cm, division value: 0.5cm or 0.1cm adjustable
- ★ Weight range:2-500kg;
accuracy: ± 0.1 kg, division value: 0.1kg or 0.01kg adjustable
- ★ Electrode method:Four electrodes, eight electrodes(optional)
- ★ Ultrasonic non-contact height measurement
- ★ 19 inch LCD advertising screen, play promotional videos and pictures
- ★ Multi-country coins are acceptable (optional)
- ★ Support multi-languages
- ★ Intelligent voice broadcast, AI guide measurement
- ★ Intelligent face recognition (optional)
- ★ Data Communication: RS232,WiFi or Bluetooth, 4G, RJ45, cloud interface (optional)

Parameters

Package size: A product is divided into two boxes:

177*42*22cm(20kg); 44*68*50cm(25kg)

Power consumption: ≤ 6 W (about 1kw per 100hrs)

Working voltage:AC100V-240V (50Hz/60Hz)

Weight:Gross weight:45kg Net weight:40kg

Dimensions:550*390*2350mm /L*W*H(mm)



Zhengzhou Shanghe Electronic Technology Co., Ltd.



SH-V19F Height Weight Body Fat Scale

- ★ Height range:50-205cm;
- ★ Weight range:2-500kg;
- ★ Electrode 8 electrodes
- ★ Measurement frequency: 20KHz, 100KHz
- ★ Ultrasonic non-contact height measurement
- ★ 19 inch LCD advertising screen, play promotional videos and pictures
- ★ Multi-country coins are acceptable (optional)
- ★ Support multi-languages
- ★ Intelligent voice broadcast, AI guide measurement
- ★ Intelligent face recognition (optional)
- ★ Data Communication: RS232,WiFi or Bluetooth, 4G, RJ45, cloud interface (optional)
- ★ Thermal printer, A4 printing (optional), Test result send to mobile

Parameters

Package size: A product is divided into two boxes:

177*42*22cm(20kg); 44*68*50cm(25kg)

Power consumption:≤6W (about 1kw per 100hrs)

Working voltage:AC100V-240V (50Hz/60Hz)

Weight:Gross weight:45kg Net weight:40kg

Dimensions:550*390*2350mm /L*W*H(mm)



Zhengzhou Shanghe Electronic Technology Co., Ltd.



SH-10F Body Composition Analyzer

- ★ Input height range: 90-220cm;
- ★ Weight range: 2-500kg;
- ★ Electrode method: 8 electrodes
- ★ Measurement frequency: 20KHz, 100KHz
- ★ 10.2 inch LCD advertising screen, play videos and pictures
- ★ Multi-country coins are acceptable (optional)
- ★ Support multi-languages
- ★ Intelligent voice broadcast, AI guide measurement
- ★ Intelligent face recognition (optional)
- ★ Data Communication: RS232, WiFi or Bluetooth, 4G, RJ45, cloud interface (optional)
- ★ Thermal printer, A4 printing (optional), Test result send to mobile

Parameters

Package size: one carton box:

121*48*36cm(23kg)

Power consumption: ≤6W (about 1kw per 100hrs)

Working voltage: AC100V-240V (50Hz/60Hz)


Weight: Gross weight: 23kg Net weight: 20kg

Dimensions: 550*380*1150mm / L*W*H(mm)



Zhengzhou Shanghe Electronic Technology Co., Ltd.

上禾科技
SHANGHE



Health Checkup Kiosk Series



SH-1000 Health Checkup Kiosk

- ★ Height range:50-205cm;
accuracy: ± 0.5 cm, division value: 0.5cm or 0.1cm adjustable
- ★ Weight range:2-500kg;
accuracy: ± 0.1 kg, division value: 0.1kg or 0.01kg adjustable
- ★ Intelligent calculation of BMI (Body mass index)
- ★ Precision balanced beam resistance strain sensor
- ★ Automatic voice broadcast of measurement results,can also be muted
- ★ 10.2 inch LED Display indoor temperature and current date and time
- ★ The machine have wheels at the bottom,easy to move
- ★ Unit: cm, kg;
- ★ Multi-country coins are acceptable (optional)
- ★ Data communication: RS232 or Bluetooth 2.0/4.0 (optional)

Parameters

Package size: A product is divided into two boxes:

176*35*24cm(17kg); 59*42*45cm(18kg)

Power consumption: ≤ 15 W (about 1kw per 100hrs)


Working voltage:AC100V-240V (50Hz/60Hz)

Weight:Gross weight:35kg Net weight:30kg

Dimensions:570*520*2320mm/L*W*H(mm)



Zhengzhou Shanghe Electronic Technology Co., Ltd.



SH-10XD Model Health Checkup Kiosk



height weight BMI



fat muscle basal metabolism



BP heart rate protein

SH-10XD Health Checkup Kiosk

- ★ Height range:50-205cm;
accuracy: ± 0.5 cm, division value: 0.5cm or 0.1cm adjustable
- ★ Weight range:2-500kg;
accuracy: ± 0.1 kg, division value: 0.1kg or 0.01kg adjustable
- ★ Ultrasonic non-contact height measurement
- ★ 10.1 inch LCD advertising screen, play promotional videos and pictures
- ★ Multi-country coins are acceptable (optional)
- ★ Support multi-languages
- ★ Intelligent voice broadcast, AI guide measurement
- ★ The machine can be folded (optional)
- ★ Data Communication: RS232,WiFi or Bluetooth, 4G, RJ45, cloud interface (optional)

Parameters

Package size: A product is divided into two boxes:

177*42*22cm(20kg); 44*68*50cm(27kg)

Power consumption: ≤ 15 W (about 1kw per 100hrs)


Working voltage:AC100V-240V (50Hz/60Hz)

Weight:Gross weight:48kg Net weight:43kg

Dimensions:620*560*2350mm /L*W*H(mm)



Zhengzhou Shanghe Electronic Technology Co., Ltd.



SH-V10 Health Checkup Kiosk


- ★ Height range:50-205cm;
accuracy: ± 0.5 cm, division value: 0.5cm or 0.1cm adjustable
- ★ Weight range:2-500kg;
accuracy: ± 0.1 kg, division value: 0.1kg or 0.01kg adjustable
- ★ Electrode method:Four electrodes, eight electrodes(optional)
- ★ Ultrasonic non-contact height measurement
- ★ 10.2 inch LCD advertising screen, play videos and pictures
- ★ Multi-country coins are acceptable (optional)
- ★ Support multi-languages
- ★ Intelligent voice broadcast, AI guide measurement
- ★ Intelligent face recognition (optional)
- ★ Data Communication: RS232,WiFi or Bluetooth, 4G, RJ45, cloud interface (optional)

Parameters

Package size: A product is divided into two boxes:
177*42*22cm(20kg); 44*68*50cm(27kg)
Power consumption: ≤ 15 W (about 1kw per 100hrs)
Working voltage:AC100V-240V (50Hz/60Hz)
Weight:Gross weight:48kg Net weight:43kg
Dimensions:585*575*2350mm/L*W*H(mm)



Zhengzhou Shanghe Electronic Technology Co., Ltd.



SH-V20 Health Checkup Kiosk

- ★ Height range:50-205cm;
accuracy: ± 0.5 cm, division value: 0.5cm or 0.1cm adjustable
- ★ Weight range:2-500kg;
accuracy: ± 0.1 kg, division value: 0.1kg or 0.01kg adjustable
- ★ Electrode method:Four electrodes, eight electrodes(optional)
- ★ Ultrasonic non-contact height measurement
- ★ 19 inch LCD advertising screen, play promotional videos and pictures
- ★ Multi-country coins are acceptable (optional)
- ★ Support multi-languages
- ★ Intelligent voice broadcast, AI guide measurement
- ★ Intelligent face recognition (optional)
- ★ Data Communication: RS232,WiFi or Bluetooth, 4G, RJ45, cloud interface (optional)

Parameters

Package size: A product is divided into two boxes:
177*42*22cm(20kg); 44*68*50cm(27kg)
Power consumption: ≤ 15 W (about 1kw per 100hrs)
Working voltage:AC100V-240V (50Hz/60Hz)
Weight:Gross weight:48kg Net weight:43kg
Dimensions:585*575*2350mm /L*W*H(mm)



Zhengzhou Shanghe Electronic Technology Co., Ltd.

SH-T15 Model
Medical Health Checkup Kiosk

self-service physical examination

- Support input/QR code identification
- Multifunctional physical examination
- Support for multiple languages
- Easy to operate

CE/ISO

SH-T15 Pro Health Checkup Kiosk

- ★ Height range:50-205cm;
accuracy: ± 0.5 cm, division value: 0.5cm or 0.1cm adjustable
- ★ Weight range:2-500kg;
accuracy: ± 0.1 kg, division value: 0.1kg or 0.01kg adjustable
- ★ 15 inch HD LCD touch screen
- ★ Main functions:Height/Weight/BMI/Body fat composition/Blood pressure/Body temperature/Blood oxygen/Blood sugar/Urine analysis/Cholesterol/Waist to hip ratio/Vision test/Psychological test
- ★ Optional functions:Alcohol test/ECG(12 leads)/Hemoglobin/Four items of blood lipids/A4 black and white/color printing
- ★ Support multi-languages
- ★ Intelligent voice broadcast, AI guide measurement
- ★ Communication: RS232,WiFi or Bluetooth, 4G, RJ45, cloud interface (optional)

Parameters

Package size: 1080*760*1550mm(80kg) wooden box
Power consumption: ≤ 15 W (about 1kw per 100hrs)
Working voltage:AC100V-240V (50Hz/60Hz)
Weight:Gross weight:80kg Net weight:55kg
Dimensions:965*709*2316mm/L*W*H(mm)



Zhengzhou Shanghe Electronic Technology Co., Ltd.



SH-T16
Medical Health Checkup Kiosk

- 15.6 inch HD LCD touch screen
- Self-service file creation
- Intelligent face recognition
- 20+ examination items
- 90+ health indicators
- Smart A4 color printing

SH-T16 Health Checkup Kiosk

- ★ Height range:50-205cm;
accuracy: ± 0.5 cm, division value: 0.5cm or 0.1cm adjustable
- ★ Weight range:2-500kg;
accuracy: ± 0.1 kg, division value: 0.1kg or 0.01kg adjustable
- ★ Main functions:Height/Weight/BMI/Body fat composition/Blood pressure/Body temperature/Blood oxygen/Blood sugar/Urine analysis/Cholesterol/Waist to hip ratio/Vision test/Psychological test
- ★ Optional functions:Alcohol test/ECG(12 leads)/Hemoglobin/Four items of blood lipids/A4 black and white/color printing
- ★ Support multi-languages
- ★ Intelligent voice broadcast, AI guide measurement
- ★ Communication: RS232,WiFi or Bluetooth, 4G, RJ45, cloud interface (optional)

Parameters

Package size: 126*31*31cm(10kg); 46* 57*20cm(11kg)
130*94*72cm(75kg) wooden box

Power consumption: ≤ 15 W (about 1kw per 100hrs)

Working voltage:AC100V-240V (50Hz/60Hz)

Weight:Gross weight:101kg Net weight:81kg

Dimensions:780*680*1140mm/L*W*H(mm)



SH-T17 Health Checkup Kiosk

- ★ Height range:50-205cm;
accuracy: ± 0.5 cm, division value: 0.5cm or 0.1cm adjustable
- ★ Weight range:2-500kg;
accuracy: ± 0.1 kg, division value: 0.1kg or 0.01kg adjustable
- ★ Main functions:Height/Weight/BMI/Body fat composition/Blood pressure/Body temperature/Blood oxygen/Blood sugar/Urine analysis/Cholesterol/Waist to hip ratio/Vision test/Psychological test
- ★ Optional functions:Alcohol test/ECG(12 leads)/Hemoglobin/Four items of blood lipids/A4 black and white/color printing
- ★ Support multi-languages
- ★ Intelligent voice broadcast, AI guide measurement
- ★ Communication: RS232,WiFi or Bluetooth, 4G, RJ45, cloud interface (optional)

Parameters

Package size: 170*64*138cm wooden box
Power consumption: ≤ 15 W (about 1kw per 100hrs)
Working voltage:AC100V-240V (50Hz/60Hz)
Weight:Gross weight:110kg Net weight:65kg
Dimensions:1550*530*2318/L*W*H(mm)



WhatsApp

WeChat

Lily Lin



T: 0086 15638813509



E: lily@m-iot.cn



C: 0086 15638813509

Zhengzhou Shanghe Electronic Technology Co., Ltd