

RIVERHOBBY TECH (SHENZHEN) CO., LTD



CATALOGUE >>>>

VRX-1E1
VRX-2E2
BLAST BX3
COBRA4
BLAST 2.05
OCTANE6
BLAST7
BF-4J8
RAMBLER9
AGAMA10
SMASH11
SPRINT12
MERAK13
MIZAR14
MEGREZ15
BULLET16
BLITZ17
WYVERN18
XR1619
DART MT20
DART XB21
VRX-122
VRX-223
RANGER NITRO24
SPIRIT NITRO25
THOR NITRO26
NITRO27













Built for extreme off-road adventures and intense racing action! The VRX RACING 1:8 scale 4WD monster truck is equipped with dual powerful 2S Li-Po batteries, delivering explosive and sustained power to easily conquer sand, grass, rocky terrain, and more. The 4WD system ensures superior traction and control stability, while the high-torque motor and large off-road tires enable insane flips, high-speed sprints, and aggressive climbing.



The VRX-1E features large-bore oilfilled adjustable shocks. By tuning the stiffness, they optimize tire contact for improved grip and stability. These shocks minimize body roll during high-speed turns and jumps, while reducing vibrations for smoother driving on any terrain.





This VRX-1E features an adjustable sway bar system to minimize body roll and maximize cornering traction and stability. Its robust chassis design, combined with a powerful brushless power system, is built for high-speed racing and demanding terrain.

VRX-1E EBL









Length: 550mm
Width: 440mm
Height: 205mm
Wheelbase: 365 mm
Gear Ratio: 1:12.83
Tire Size: Ø 138 * 83mm









advanced suspension to conquer jumps, rocks, and rough terrain. Built to adapt to your driving style - whether for racing or adventure.



Equipped with front universal dog bones, Blast BX delivers superior power transmission and steering precision even under extreme conditions. The heavy-duty dog bones enhance durability during high-impact jumps and sharp turns, while maintaining smooth drive performance across rough terrain.



Designed specifically for Blast BX, this receiver box provides complete electronic protection. Its highly sealed structure effectively resists water, mud, and splashes, making it ideal for harsh environments.

BLAST BX EBD









BLAST BX EBL









Length: 500mm Width: 305mm Height: 170mm Wheelbase: 325mm

Gear Ratio: 9.7:1





Front universal dog bones deliver precise steering and robust power transfer on any terrain. Designed to survive high-impact jumps and sharp turns, they ensure smooth control and durability for competitive racing and off-road bashing.

COBRA EBD









COBRA EBL

Length:485mm Width:340mm Height:190mm Tyre:ø 120 x 70mm Wheelbase:325mm











#R0261





Designed specifically for SC truck, this receiver box provides complete electronic protection. Its highly sealed structure effectively resists water, mud, and splashes, making it ideal for harsh environments.

BLAST 2.0 EBD









BLAST 2.0 EBL



Length:510mm Width:295mm Height:195mm Tyre:ø 110 x 45.5mm Wheelbase: 320 mm







3660 2000KV





Wheelbase: 328mm Single gear ratio: 8.3: 1 Tires:ø110*42mm

Balance charge

7.4V 3300mAH

3650 3300KV

45A Brushless ESC



Tires:ø135x55mm Wheelbase: 340mm

Central Transmission(RH1047)

Two Speed Set/Winch/Led Lights(RH1055)



RABER

Features a twin-rail metal frame chassis for exceptional rigidity and durability. The compact center 3-gear transmission delivers high-torque power transfer, while front and rear straight locked axles ensure maximum traction on challenging surfaces. Equipped with a multi-link suspension system for smooth articulation and precise obstacle negotiation.





Equipped shock absorbers feature a metal shock upper cap and a precision piston structure, ensuring buttery-smooth movement and exceptional heat dissipation, effectively reducing performance fade. The fully adjustable design allows you to fine-tune oil damping and spring preload





Engineered for extreme performance, the Aluminium Linkages on the VRX RACING 313mm wheelbase crawler deliver superior strength and durability. Precision-machined from high-grade aluminum alloy, they provide rigid suspension support, reduced flex over obstacles, and corrosion resistance.

RAMBLER EBD









Length:530mm

Width: 240mm Height: 225mm

Wheelbase: 313mm

Tires:ø120x45mm





Central Transmission(RH1049)







Adjustable body posts can be used to adjust the height/width and position of the car body to adapt to different body types. By adjusting the height of the car body, it can adapt to different road surfaces to ensure balance and stability during driving.

SMASH EBD









SMASH EBL

Length:440mm

Width:330mm Height:190mm Gear Ratio:11.2:1 Tyre:ø 115 x 55mm Wheelbase:290/295mm









Balanced charger



#R0333B

Length: 415mm Width: 255mm

Height: 156mm

Gear Ratio: 8.3:1

Wheelbase: 275/280mm Tyre: Front: ø88x34 Rear: ø88x39mm



stability across varied terrains. They minimize body roll and maintain tire contact for optimized handling at high speeds or through corners.



Equipped waterproof receiver and ESC box design to protect critical electronic components from water, dust, and debris during off-road or wet-condition driving. The receiver compartment is optimized to house standard-sized receivers while maintaining signal integrity.

SPRINT EBD









SPRINT EBL









\\\ 12

#R0333R





position of the car body to adapt to different body types. By adjusting the height of the car body, it can adapt to different road surfaces to ensure balance and stability during driving.



Equipped with big bore adjustable oil shocks for optimized grip and stability on any terrain. The shocks reduce body roll and vibrations during high-speed runs or jumps. Plus, the flexible bumper supports optional headlights for exciting night

MERAK EBD









MERAK EBL









Width:330mm Height:162mm Wheelbase:290/295mm Tyre:ø 128 x 68mm(10742) Tyre:ø 121 x 62mm(10741)

Length:420mm

Gear Ratio:11.2:1













Engineered for extreme power and all-terrain dominance, it features an intelligent two-speed transmission for instant switching between racing speed and high-torque modes. High gear delivers explosive acceleration, while low gear enables easy climbing and obstacle crossing over sand, mud, and slopes. The metal drivetrain and reinforced chassis ensure maximum rigidity, complemented by large all-terrain tires for aggressive flips and precise control.



The dual-speed vehicle features corrosion and deformation-resistant metal gears, ensuring long-term stable transmission performance. Metal gear sets enable smooth high/low speed switching for enhanced adaptability across diverse scenarios.



Equipped with big bore adjustable oil shocks for optimized grip and stability on any terrain. The shocks reduce body roll and vibrations during high-speed runs or jumps. Plus, the flexible bumper supports optional headlights for exciting night driving!

MIZAR EBD









MIZAR EBL









Length: 460mm Width: 340mm Height: 175mm Wheelbase: 290mm Tyre: ø 124.13 x 67mm Gear Ratio: 11.3(H)/21.2(L)

#R0364



Equipped cooling system combines an aluminum heat sink and high-RPM fan to aggressively dissipate motor heat. Ensures consistent power output and protects against thermal throttling during prolonged high-speed runs or demanding climbs. A critical upgrade for maintaining peak efficiency and longevity in competitive off-road



The dual speed vehicle is equipped with metal gears, which have corrosion resistance and deformation resistance to maintain long-term stable operation of the transmission system. Realize high and low speed gear switching through metal gear sets to enhance scene adaptability.

MEGREZ EBD









MEGREZ EBL



Length: 460mm

Gear Ratio: 10.3(H),21.2(L)

Width: 330mm Height: 190mm Wheelbase: 290mm Tyre: ø 120*70MM










Length: 380mm

Width: 250mm Height: 130mm

Gear Ratio:8.1:1 Weight:1500g

Wheelbase: 272/275mm

Equipped oil-filled shock absorbers ensure controlled damping on any terrain. By gradually compressing and decompressing, they minimize impacts from bumps and jumps, keeping the vehicle stable and













BULLET EBL











BLIZ

BLITZ features lightweight rear drag tires for maximum traction and power transfer, a molded wheelie bar with ball bearings to control wheelies and launch stability, a molded body bracket for reduced weight and rigid support, and a fully enclosed RX case to protect against debris. Purposebuilt for drag racing.



Designed for drag racing, this wheelie bar uses smooth ball bearings to limit lift during hard acceleration, enhancing traction and stability. Its reinforced build ensures durability and consistent straight-line performance.







Equipped oil-filled shock absorbers ensure controlled damping on any terrain. By gradually compressing and decompressing, they minimize impacts from bumps and jumps, keeping the vehicle stable and reducing wheel jolts.

BLITZ EBD









BLITZ EBL









Length: 670mm Width: 270mm Height: 180mm Wheelbas: 328/330mm Gear ratio: 8.1:1













Features a 4WD shaft drive with slipper system for optimized power distribution and smooth drift/touring control. Big-bore oil-filled adjustable shocks provide superior stability during high-speed cornering and uneven surfaces. The fully adjustable suspension (droop, camber, toe-in, and

drifting/touring modes.





Equipped oil-filled shock absorbers ensure controlled damping on any terrain. By gradually compressing and decompressing, they minimize impacts from bumps and jumps, keeping the vehicle stable and reducing wheel jolts.





This model includes two tire options: Touring Tires: High-grip rubber with a performance tread pattern for maximum traction and precise cornering on paved surfaces. Drift Tires: Hard compound with a smooth, rounded profile for controlled slides and responsive steering. Reinforced sidewalls support aggressive drifting.

WYVERN EBD









WYVERN EBL










Length:364mm Width:190mm Height:130mm Tyre:ø 65 x 26mm Wheelbase: 258/261mm

#R0366R









Equipped oil filled shock springs and good quality shock absorbers provide excellent protection against shock make driving smoother when the car is driving at high speeds.





Engineered for the 1:16 scale rally car, these durable metal differential gears deliver superior power transmission and torque handling. Designed for high stress and aggressive driving, they provide smoother operation, reduced wear, and enhanced durability compared to standard plastic gears.

XR16 EBD









XR16 EBL









Length:365mm Width:195mm Height:125mm Gear Ratio: 9.3: 1 Wheelbase: 200mm





Gear ratio: 7.95: 1 Tire Size: ø59 * 31mm

25A Brushless ESC

2440 3800KV

Balance charger

7.4 1300mAH















Riverhobby Tech (Shenzhen) Co., Ltd. was established in 2008. The company is located in Longgang District, Shenzhen, It is a high-tech enterprise integrating R&D, production and sales. It focuses on innovation and manufacturing in the field of remote control model racing. Known for its excellent quality in the industry, our brand adheres to high standards of product performance and implements strict quality control to ensure that every RC player can enjoy a top-quality experience. We believe that quality is the foundation of the brand, always putting the customer's needs first and committed to bringing long-term value and trust to them. Riverhobby provides a series of radio control model racing products from beginner to professional level for model enthusiasts around the world. It covers 1/5, 1/8, 1/10, 1/18 scale rc truck, buggy, touring car etc., providing various upgrade parts and accessories. The products are exported to Europe, America, Australia and other countries and regions.



MAD COMPONENTS INS

ADDRESS:3095 E.PATRICK LANE.SUITE 7-8.LAS VEGAS,NEVADA 89120,USA TEL:7027559202

RIVERHOBBY TECH (SHENZHEN) CO., LTD.

Address:4th Floor, Building A6, Yinlong Industrial Zone, Longgang District, Shenzhen, Guangdong, China Official website:www.vrx-racing.com

TEL: 86-755-84152087 Email: info@vrx-racing.com