

VRX Racing



RTR
READY TO RUN

2.4GHz
RADIO SYSTEM

4WD
FOUR WHEEL DRIVE

RIVERHOBBY TECH (SHENZHEN) CO., LTD



CATALOGUE >>>>

VRX-1E	1
VRX-2E	2
BLAST BX	3
COBRA	4
BLAST 2.0	5
OCTANE	6
BLAST	7
BF-4J	8
TERRAGEAR	9
AGAMA	10
SMASH	11
SPRINT	12
MERAK	13
MIZAR	14
MEGREZ	15
BULLET	16
COEUS	17
WYVERN	18
BLITZ	19
XR16	20
DART XB	21
DART MT	22
VRX-1	23
VRX-2	24
COBRA NITRO	25
RANGER NITRO	26
NITRO	27
THORNITRO	28
SPIRIT NITRO	29



1/8
SCALE

4WD
FOUR WHEEL DRIVE

RTR
READY TO RUN

2.4GHz
RADIO SYSTEM



EBL EDITION: RH811

VRX-1E

Built for extreme off-road adventures and intense racing action! The VRX RACING 1/8 scale 4WD monster truck is equipped with dual powerful 2S Li-Po batteries, delivering explosive and sustained power to easily conquer sand, grass, rocky terrain, and more. The 4WD system ensures superior traction and control stability, while the high-torque motor and large off-road tires enable insane flips, high-speed sprints, and aggressive climbing.



Length: 550mm
Width: 440mm
Height: 205mm
Wheelbase: 365 mm
Gear Ratio: 1:12.83
Tire Size: \varnothing 138 * 83mm



The VRX-1E features large-bore oil-filled adjustable shocks. By tuning the stiffness, they optimize tire contact for improved grip and stability. These shocks minimize body roll during high-speed turns and jumps, while reducing vibrations for smoother driving on any terrain.



This VRX-1E features an adjustable sway bar system to minimize body roll and maximize cornering traction and stability. Its robust chassis design, combined with a powerful brushless power system, is built for high-speed racing and demanding terrain.

VRX-1E EBL



120A Brushless ESC



3674-2440KV



Dual 2S 3300Mah



Balance charger



1/8
SCALE

4WD
FOUR WHEEL DRIVE




EBL EDITION: RH812



2.4GHz
RADIO SYSTEM

VRX-2E

VRX-2E racer combines a front universal joint drive system and full ball bearings for incredibly efficient and durable power transmission. Its high-impact PC body offers superior protection against crashes and harsh impacts. The four-wheel drive system ensures exceptional traction and control, making it a top choice for competitive racing and extreme off-road adventures.



Equipped Oil-filled shock absorbers ensure smooth and controlled performance on any terrain. They absorb impacts from bumps and jumps by gradually compressing and decompressing, reducing jolts and maintaining vehicle stability.



VRX-2E buggy features an adjustable sway bar to significantly reduce body roll and optimize cornering stability. Its rugged design, combined with a powerful brushless system, delivers exceptional traction and agility on varied terrain. Built for serious racers, it offers refined handling and durability.



Length: 505mm
Width: 305mm
Height: 175mm
Wheelbase: 330mm
Wheel Diameter: 115mm

VRX-2E EBL



80A Brushless ESC



3660 2000KV



3S 3300mAh



Balance charger



1/8
SCALE

4WD
FOUR WHEEL DRIVE

2.4GHz
RADIO SYSTEM

RTR
READY TO RUN



EBD EDITION: RH815
EBL EDITION: RH816

BLAST BX

Experience extreme performance with the brushless version for competitive speed and power, or opt for the brushed version offering smooth control and durability. Both models feature full-time 4WD traction, reinforced chassis, and advanced suspension to conquer jumps, rocks, and rough terrain. Built to adapt to your driving style – whether for racing or adventure.



Equipped with front universal dog bones, Blast BX delivers superior power transmission and steering precision even under extreme conditions. The heavy-duty dog bones enhance durability during high-impact jumps and sharp turns, while maintaining smooth drive performance across rough terrain.



Designed specifically for Blast BX, this receiver box provides complete electronic protection. Its highly sealed structure effectively resists water, mud, and splashes, making it ideal for harsh environments.



Length: 500mm
Width: 305mm
Height: 170mm
Wheelbase: 325mm
Gear Ratio: 9.7:1

BLAST BX EBD



40A brushed ESC



590-9015




8.4V 1800mAh



Wall charger

BLAST BX EBL



60A Brushless ESC



3660 2000KV



3S 3300mAh



Balance charger

1/8
SCALE

4WD
FOUR WHEEL DRIVE



EBD EDITION: RH817

EBL EDITION: RH818




2.4GHz
RADIO SYSTEM

COBRA

Built with a rugged 4WD chassis, reinforced suspension, and aggressive off-road tires, the Cobra RH818 conquers jumps, rocks, and rough terrain with ease. Whether you seek adrenaline-packed performance or reliable adventure, this truck adapts to your style.




Equipped with big bore adjustable oil shocks for optimized grip and stability on any terrain. The shocks reduce body roll and vibrations during high-speed runs or jumps.




Front universal dog bones deliver precise steering and robust power transfer on any terrain. Designed to survive high-impact jumps and sharp turns, they ensure smooth control and durability for competitive racing and off-road bashing.

COBRA EBD



40A brushed ESC



590-9015




8.4V 1800mAh



Wall charger

COBRA EBL




60A Brushless ESC



3660 2000KV



3S 3300mAh



Balance charger



#R0347



#R0249



#R0250B



Length:485mm
Width:340mm
Height:190mm
Tyre:ø 120 x 70mm
Wheelbase:325mm

1/8
SCALE

4WD
FOUR WHEEL DRIVE

2.4GHz
RADIO SYSTEM

RTR
READY TO RUN



EBD EDITION: RH819
EBL EDITION: RH820

BLAST 2.0



#R0261GR

#R0261




Length: 510mm
Width: 295mm
Height: 195mm
Tyre: \varnothing 110 x 45.5mm
Wheelbase: 320 mm

The Blast short course truck features durable front/rear cast alloy suspension mounts, shock-absorbing bumpers, and skid plates. Its adjustable suspension (anti-roll bars + oil-filled shocks) allows terrain-specific tuning. The heavy-duty chassis and 3-gear diff drivetrain (from 1/8 scale models) ensure balanced power distribution and superior drivability.



Equipped big bore oil-filled shocks deliver superior damping adjustment for enhanced traction and stability. They reduce body roll and maximize tire contact, improving high-speed and cornering performance.



Designed specifically for SC truck, this receiver box provides complete electronic protection. Its highly sealed structure effectively resists water, mud, and splashes, making it ideal for harsh environments.

BLAST 2.0 EBD



40A brushed ESC



590-9015



8.4V 1800mAh



Wall charger

BLAST 2.0 EBL



60A Brushless ESC



3660 2000KV



3S 3300mAh



Balance charger

1/10
SCALE

4WD
FOUR WHEEL DRLVE

EBD EDITION: RH1043

EBL EDITION: RH1045



RTR
READY TO RUN

2.4GHz
RADIO SYSTEM

OCTANE


Engineered for extreme terrain and passionate enthusiasts, this 1:10 scale rear straight axle desert racer RC car delivers unmatched off-road performance! Equipped with a high-performance brushless/ brushed motor and precision rear straight axle suspension system, it tackles sand, gravel, and rugged surfaces with ease, offering an authentic off-road experience.



Equipped exceptional off-road performance with its advanced large-bore long-droop shock absorption system and precision needle shock absorbers. Engineered for intense dune racing and rugged terrain, its reinforced chassis and fully sealed drivetrain provide maximum durability and protection.




OCTANE features a unique low-CG gear design that allows inner and outer wheels to rotate at different speeds during turns, enhancing handling, stability, and adaptability across various terrains.



Length: 500mm
Width: 300mm
Height: 220mm
Wheelbase: 328mm
Gear ratio: 11.2:1
Tires: $\Phi 135 \times 55\text{mm}$

OCTANE EBD



40A brushed ESC



550-21T




7.2V 1800mAh



Wall charger

OCTANE EBL



45A Brushless ESC



3650 3300KV



7.4V 3300mAh



Balance charger

1/10
SCALE

4WD
FOUR WHEEL DRIVE

EBD EDITION: RH1043SC
EBL EDITION: RH1045SC

2.4GHz
RADIO SYSTEM

RTR
READY TO RUN



BLAST

BLAST SC truck is engineered for high performance and durability. It features large-bore long-travel shocks for superior terrain handling and smooth damping, a fully sealed central transmission to protect gears from debris and ensure consistent power delivery, and a reinforced rear axle design with an integrated adapter for enhanced load-bearing capacity and driving stability.



Equipped with precision-engineered front universal dog bones and a fully adjustable wheelbase system, this setup enhances durability and driving flexibility. The dog bones ensure smooth power transmission to the front wheels even under extreme steering angles, while the customizable wheelbase allows optimization for different terrains and driving styles.



Built for tough off-road use, this rigid rear axle enhances grip and terrain handling. It withstands impacts and ensures efficient power transfer, while the open differential minimizes wheel spin for improved climbing and traction. Designed to deliver true-to-life off-road performance for an authentic RC experience.



Length: 500mm
Width: 280mm
Height: 200mm
Wheelbase: 328mm
Single gear ratio: 8.3: 1
Tires: $\phi 110 \times 42\text{mm}$

BLAST EBD



40A brushed ESC



550-21T



7.2V 1800mAh



Wall charger

BLAST EBL



45A Brushless ESC



3650 3300KV



7.4V 3300mAh



Balance charger

1/10
SCALE

4WD
FOUR WHEEL DRIVE



RH1047
TWO SPEED: RH1055



2.4GHz
RADIO SYSTEM

BF-4J

Engineered for extreme off-road performance, features a precision-engineered front and rear axle design paired with a compact 3-gear high-torque transmission for superior climbing power and control. Full metal output, crown, and differential gears ensure maximum durability under heavy loads, while the trailing link suspension delivers exceptional articulation to conquer rugged terrain.




#R0289




Equipped precision-tuned shock absorbers feature oil-filled damping and customizable compression/rebound settings. Deliver superior terrain compliance, reduced chassis oscillation, and consistent traction on rocks and inclines.

#R0287R



Equipped with a fully sealed receiver case for ultimate protection against dust and water, ensuring reliable performance in harsh environments. Designed with a professional-grade crawling chassis, high-torque transmission, and reinforced suspension system to tackle extreme obstacles like rocks and steep slopes.



Length: 560mm
Width: 305mm
Height: 287mm
Tires: ϕ 135x55mm
Wheelbase: 340mm

BF-4J EBL



40A Brushed ESC



RH1047: 540-60T
RH1055: 550-36T



7.2V 1800mah



Wall charger



Two Speed Set/Winch/Led Lights(RH1055)



Central Transmission(RH1047)

1/10
SCALE

4WD
FOUR WHEEL DRIVE

2.4GHz
RADIO SYSTEM

RTR
READY TO RUN



RH1049
TWO SPEED: RH1052

TERRAGEAR

Features a twin-rail metal frame chassis for exceptional rigidity and durability. The compact center 3-gear transmission delivers high-torque power transfer, while front and rear straight locked axles ensure maximum traction on challenging surfaces. Equipped with a multi-link suspension system for smooth articulation and precise obstacle negotiation.



Equipped shock absorbers feature a metal shock upper cap and a precision piston structure, ensuring buttery-smooth movement and exceptional heat dissipation, effectively reducing performance fade. The fully adjustable design allows you to fine-tune oil damping and spring preload

#R0278



#R0377



Engineered for extreme performance, the Aluminium Linkages on the VRX RACING 313mm wheelbase crawler deliver superior strength and durability. Precision-machined from high-grade aluminum alloy, they provide rigid suspension support, reduced flex over obstacles, and corrosion resistance.

RAMBLER EBD



Length: 530mm
Width: 240mm
Height: 225mm
Wheelbase: 313mm
Tires: ϕ 120x45mm



60A brushed ESC



550-36T



7.2V 1800mAh



Wall charger



Two Speed Set/Winch/Led Lights(RH1052)



Central Transmission(RH1049)

1/10
SCALE

4WD
FOUR WHEEL DRIVE



EBD EDITION: RH1061
EBL EDITION: RH1062



2.4GHz
RADIO SYSTEM

AGAMA

Built for extreme off-road adventures, this desert buggy features a robust 4WD system and integrated roll cage to conquer sand, gravel, and rugged terrain. The impact-resistant bumpers support light upgrades for enhanced night driving, while the 2.4GHz radio system ensures precise, long-range control.




Equipped reinforced bumper absorbs and disperses collision forces through its flexible yet rigid structure. Made of high-density nylon composite, it withstands repeated impacts without cracking or deforming. The modular design allows easy installation of LED light kits



Equipped a fully sealed receiver box, completely shielding critical electronics from dust and moisture for ultimate reliability in extreme conditions. The powerful 4WD system delivers unmatched traction and explosive power, conquering any rugged terrain.

AGAMA EBD




40A brushed ESC



590-9015




8.4V 1800mAh



Wall charger

AGAMA EBL




60A Brushless ESC



3660 2000KV



3S 3300mAh



Balance charger



#R0342



#R0343



Length: 500mm
Width: 300mm
Height: 220mm
Wheelbas: 328mm
Tires: 135x50mm
Gear ratio: 11.2:1

1/10
SCALE

4WD
FOUR WHEEL DRIVE

2.4GHz
RADIO SYSTEM

RTR
READY TO RUN



EBD EDITION: RH1065
EBL EDITION: RH1066

SMASH

Features a sealed chassis and aluminum upper plate, the durable front bumper absorbs impacts, while the unique gearbox ensures efficient power delivery. The 4WD shaft drive with a slipper clutch provides explosive traction and control. A fully adjustable suspension system (including droop, camber, toe-in, and wheelbase)



Equipped with big bore adjustable oil shocks for optimized grip and stability on any terrain. The shocks reduce body roll and vibrations during high-speed runs or jumps. Plus, the flexible bumper supports optional headlights for exciting night driving!



Adjustable body posts can be used to adjust the height/width and position of the car body to adapt to different body types. By adjusting the height of the car body, it can adapt to different road surfaces to ensure balance and stability during driving.



Length: 440mm
Width: 330mm
Height: 190mm
Gear Ratio: 11.2:1
Tyre: ϕ 115 x 55mm
Wheelbase: 290/295mm

SMASH EBD



40A brushed ESC



550-15T



7.2V 1800mAh



Wall charger

SMASH EBL



45A Brushless ESC



3650 3300KV



7.4 3300mAh



Balanced charger

1/10
SCALE

4WD
FOUR WHEEL DRIVE



EBD EDITION: RH1067
EBL EDITION: RH1068



2.4GHz
RADIO SYSTEM

SPRINT

SPRINT equipped a fully sealed chassis and a responsive 2.4GHz radio system for unmatched durability and control. The enclosed chassis effectively shields critical components from dust, mud, and debris, ensuring reliable performance in harsh environments. Meanwhile, the 2.4GHz transmitter provides precise, interference-free handling even in crowded racing conditions.



Length: 415mm
Width: 255mm
Height: 156mm
Wheelbase: 275/280mm
Tyre: Front: $\phi 88 \times 34$
Rear: $\phi 88 \times 39$ mm
Gear Ratio: 8.3:1



Equipped big bore oil-filled shocks ensure excellent damping adjustment, enhancing traction and stability across varied terrains. They minimize body roll and maintain tire contact for optimized handling at high speeds or through corners.



Equipped waterproof receiver and ESC box design to protect critical electronic components from water, dust, and debris during off-road or wet-condition driving. The receiver compartment is optimized to house standard-sized receivers while maintaining signal integrity.

SPRINT EBD



40A brushed ESC



550-15T



7.2V 1800mAh



Wall charger

SPRINT EBL



45A Brushless ESC



3650 3300KV



7.4 3300mAh



Balance charger

1/10
SCALE

4WD
FOUR WHEEL DRIVE

2.4GHz
RADIO SYSTEM

RTR
READY TO RUN



EBD EDITION: RH1069
EBL EDITION: RH1070

MERAK

Designed for extreme style and performance, this MERAK features a newly designed pattern body shell for enhanced aesthetics, wider body posts for improved stability, and large tires for superior traction across diverse surfaces. Its four-wheel drive system ensures precise control, agile handling, and powerful acceleration



#R0362



#R0361



Length: 420mm
Width: 330mm
Height: 162mm
Wheelbase: 290/295mm
Tyre: \varnothing 128 x 68mm (10742)
Tyre: \varnothing 121 x 62mm (10741)
Gear Ratio: 11.2:1



Equipped adjustable body posts can be used to adjust the height/width and position of the car body to adapt to different body types. By adjusting the height of the car body, it can adapt to different road surfaces to ensure balance and stability during driving.



Equipped with big bore adjustable oil shocks for optimized grip and stability on any terrain. The shocks reduce body roll and vibrations during high-speed runs or jumps. Plus, the flexible bumper supports optional headlights for exciting night driving!

MERAK EBD



40A brushed ESC



550-15T



7.2V 1800mAh



Wall charger

MERAK EBL



45A brushed ESC



3650 3300KV



7.4 3300mAh



Balance charger

1/10
SCALE

4WD
FOUR WHEEL DRIVE

RTR
READY TO RUN

2.4GHz
RADIO SYSTEM

EBD EDITION: RH1071

EBL EDITION: RH1072

MIZAR


Engineered for extreme power and all-terrain dominance, it features an intelligent two-speed transmission for instant switching between racing speed and high-torque modes. High gear delivers explosive acceleration, while low gear enables easy climbing and obstacle crossing over sand, mud, and slopes. The metal drivetrain and reinforced chassis ensure maximum rigidity, complemented by large all-terrain tires for aggressive flips and precise control.



#R0373



#R0364



Length: 460mm
Width: 340mm
Height: 175mm
Wheelbase: 290mm
Tyre: \varnothing 124.13 x 67mm
Gear Ratio: 11.3(H)/21.2(L)



The dual-speed vehicle features corrosion and deformation-resistant metal gears, ensuring long-term stable transmission performance. Metal gear sets enable smooth high/low speed switching for enhanced adaptability across diverse scenarios.



Equipped with big bore adjustable oil shocks for optimized grip and stability on any terrain. The shocks reduce body roll and vibrations during high-speed runs or jumps. Plus, the flexible bumper supports optional headlights for exciting night driving!

MIZAR EBD




40A brushed ESC



550-15T



Li-ion
7.4V 4500mAh



USB charger

MIZAR EBL



60A Brushless ESC



3650 3000KV



7.4V 3300mAh



Balance charger

1/10
SCALE

4WD
FOUR WHEEL DRIVE

2.4GHz
RADIO SYSTEM

RTR
READY TO RUN



EBD EDITION: RH1073
EBL EDITION: RH1074

MEGREZ



#R0365



Length: 460mm
Width: 330mm
Height: 190mm
Wheelbase: 290mm
Tyre: \varnothing 120*70MM
Gear Ratio: 10.3(H),21.2 (L)

VRX RACING MEGREZ is engineered for the avid enthusiast. Its signature 2-Speed Transmission allows for blistering acceleration off the line and thrilling top-speed runs. The powerful 4-Wheel Drive system conquers rough terrain with ease, while the integrated wheelie bar enables spectacular wheelies and backflips, showcasing its raw power and superior control.



Equipped cooling system combines an aluminum heat sink and high-RPM fan to aggressively dissipate motor heat. Ensures consistent power output and protects against thermal throttling during prolonged high-speed runs or demanding climbs. A critical upgrade for maintaining peak efficiency and longevity in competitive off-road conditions.



The dual speed vehicle is equipped with metal gears, which have corrosion resistance and deformation resistance to maintain long-term stable operation of the transmission system. Realize high and low speed gear switching through metal gear sets to enhance scene adaptability.

MEGREZ EBD



40A brushed ESC



550-15T



Li-ion
7.4V 4500mAh



USB charger

MEGREZ EBL



60A Brushless ESC



3650 3000KV



7.4V 3300mAh



Balance charger

1/10
SCALE

2WD
TWO WHEEL DRIVE

EBD EDITION: RH2011
EBL EDITION: RH2012



RTR
READY TO RUN

2.4GHz
RADIO SYSTEM

BULLET

Features an aluminum motor mount for solid power support and metal differential gears for enhanced drive durability. Adjustable ground clearance adapts to varied terrain, while big-bore oil-filled shocks efficiently absorb impacts. The 2.4G radio system ensures stable, responsive control during intense racing.



Equipped oil-filled shock absorbers ensure controlled damping on any terrain. By gradually compressing and decompressing, they minimize impacts from bumps and jumps, keeping the vehicle stable and reducing wheel jolts.



Equipped alum chassis with mud plates can effectively protect the internal structure of the car. Fearless of collisions and friction, with a long service life. Front/rear differentials with good quality bevel gears for maintenance.



Length: 380mm
Width: 250mm
Height: 130mm
Wheelbase: 272/275mm
Gear Ratio: 8.1:1
Weight: 1500g

BULLET EBD



BULLET EBL



1/10
SCALE

4WD
FOUR WHEEL DRIVE

2.4GHz
RADIO SYSTEM



EBD EDITION: RH1075
EBL EDITION: RH1076

COEUS

This 1/10 scale four-wheel-drive rally RC car is engineered to conquer varied terrain. With a robust 4WD system combined with high-performance suspension tuned specifically for rally racing, this car ensures outstanding traction and off-road capability on a variety of surfaces including gravel, dirt, and more.




Equipped oil-filled shock absorbers ensure controlled damping on any terrain. By gradually compressing and decompressing, they minimize impacts from bumps and jumps, keeping the vehicle stable and reducing wheel jolts.




High quality front bumper foam, crafted from high-density polyurethane, excels in energy absorption, shock resistance, and lightweight durability. Its flexible structure minimizes vibrations, withstands impacts/abrasions, and adapts to diverse terrains.

WYVERN EBD



40A brushed ESC



540




7.2V 1800mAh



Wall charger

WYVERN EBL




45A Brushless ESC




3650 4200KV



7.4V 3300mAh



Balance charger



Length: 364mm
Width: 190mm
Height: 130mm
Tyre: \varnothing 70x43x28mm
Wheelbase: 258/261mm

1/10
SCALE

4WD
FOUR WHEEL DRIVE

2.4GHz
RADIO SYSTEM

ON ROAD

RTR
READY TO RUN



EBD DRIFTING: RH1025D
EBD TOURING: RH1025
EBL EDITION: RH1026

WYVERN



#R0366B



#R0366R



Length: 364mm
Width: 190mm
Height: 130mm
Tyre: \varnothing 65 x 26mm
Wheelbase: 258/261mm

Features a 4WD shaft drive with slipper system for optimized power distribution and smooth drift/touring control. Big-bore oil-filled adjustable shocks provide superior stability during high-speed cornering and uneven surfaces. The fully adjustable suspension (droop, camber, toe-in, and wheelbase) allows versatile tuning for both racing and drifting/touring modes.



Equipped oil-filled shock absorbers ensure controlled damping on any terrain. By gradually compressing and decompressing, they minimize impacts from bumps and jumps, keeping the vehicle stable and reducing wheel jolts.



This model includes two tire options:
Touring Tires: High-grip rubber with a performance tread pattern for maximum traction and precise cornering on paved surfaces.
Drift Tires: Hard compound with a smooth, rounded profile for controlled slides and responsive steering. Reinforced sidewalls support aggressive drifting.

WYVERN EBD



40A brushed ESC



540



7.2V 1800mAh



Wall charger

WYVERN EBL



45A Brushless ESC



3650 4200KV



7.4V 3300mAh



Balance charger

1/10
SCALE

2WD
TWO WHEEL DRIVE

ON ROAD

2.4GHz
RADIO SYSTEM

RTR
READY TO RUN



EBD EDITION: RH2015

EBL EDITION: RH2016

BLITZ

BLITZ features lightweight rear drag tires for maximum traction and power transfer, a molded wheelie bar with ball bearings to control wheelies and launch stability, a molded body bracket for reduced weight and rigid support, and a fully enclosed RX case to protect against debris. Purpose-built for drag racing.




#R0341



Designed for drag racing, this wheelie bar uses smooth ball bearings to limit lift during hard acceleration, enhancing traction and stability. Its reinforced build ensures durability and consistent straight-line performance.



Equipped oil-filled shock absorbers ensure controlled damping on any terrain. By gradually compressing and decompressing, they minimize impacts from bumps and jumps, keeping the vehicle stable and reducing wheel jolts.



Length: 670mm
Width: 270mm
Height: 180mm
Wheelbas: 328/330mm
Gear ratio: 8.1:1

BLITZ EBD



40A brushed ESC



540



7.2V 1800mAh



Wall charger

BLITZ EBL



45A Brushless ESC



3650 3300KV



7.4 3300mAh



Balance charger

1/16
SCALE

4WD
FOUR WHEEL DRIVE

2.4GHz
RADIO SYSTEM

RTR
READY TO RUN




EBD EDITION: RH1611
EBL EDITION: RH1612

XR16




XR 16 features durable metal differential gears for efficient power distribution, an aluminum chassis plate for enhanced rigidity, and a reinforced upper plate for superior impact resistance. Its compact 4WD system delivers precise handling and aggressive traction on diverse surfaces



Equipped oil filled shock springs and good quality shock absorbers provide excellent protection against shock make driving smoother when the car is driving at high speeds.



Engineered for the 1:16 scale rally car, these durable metal differential gears deliver superior power transmission and torque handling. Designed for high stress and aggressive driving, they provide smoother operation, reduced wear, and enhanced durability compared to standard plastic gears.



Length: 365mm
Width: 195mm
Height: 125mm
Gear Ratio: 9.3: 1
Wheelbase: 200mm

XR16 EBD



XR16 EBL



1/18
SCALE

4WD
FOUR WHEEL DRIVE

2.4GHz
RADIO SYSTEM

RTR
READY TO RUN



DART XB


Features a 4WD shaft drive system and unique low-center-of-gravity gearbox design for dramatically improved high-speed cornering stability and precise control. Big-bore shocks tackle rough terrain effortlessly, while adjustable wheelbase on hub carriers adapts to multi-scene racing demands. Durable metal differential gears withstand high-load wear



Equipped oil filled shock springs and good quality shock absorbers provide excellent protection against shock make driving smoother when the car is driving at high speeds.



Designed for the 1/18 buggy, the suspension arms combine exceptional lightweight design with outstanding impact resistance. Crafted from advanced PA66 plastic materials, they provide optimal durability while reducing unsprung weight for improved agility and responsiveness.



Length: 250mm
Width: 190mm
Height: 96mm
Wheelbase: 168mm
Gear ratio: 7.95: 1
Tire Size: $\phi 59 \times 31\text{mm}$

DART XB EBD



DART XB EBL



1/18
SCALE

4WD
FOUR WHEEL DRIVE



EBD EDITION: RH1811
EBL EDITION: RH1812



2.4GHz
RADIO SYSTEM

DART MT



Length: 260mm
Width: 195mm
Height: 97mm
Wheelbase: 168mm
Gear Ratio: 9.3: 1
Tire Size: $\phi 64 \times 41\text{mm}$

DART MT features a robust metal differential gear system and efficient 4WD shaft drive transmission. Its compact yet powerful design delivers exceptional traction, torque control, and all-terrain capability—ideal for high-speed runs, jumps, and aggressive off-road adventures.



Equipped oil filled shock springs and good quality shock absorbers provide excellent protection against shock make driving smoother when the car is driving at high speeds.



Engineered for the 1:18 car, these durable metal differential gears deliver superior power transmission and torque handling. Designed for high stress and aggressive driving, they provide smoother operation, reduced wear, and enhanced durability compared to standard plastic gears.


DART MT EBD



370 motor



7.4V 600mAh



USB charger



1.8KG Servo

DART MT EBL



25A Brushless ESC



3800KV



7.4 1300mAh



Balance charger

1/8
SCALE

4WD
FOUR WHEEL DRIVE



RH801
Nitro Truggy



28 ENGINE

2.4GHz
RADIO SYSTEM

VRX-1

Conquer any terrain with the VRX 1/8 Nitro, built for extreme performance and unmatched durability. At its heart lies the powerful SH-28 engine, delivering explosive acceleration. Its drivetrain is fortified with machined steel gears and solid metal differentials for relentless power transfer and ultimate reliability, metal sway bars that provide superior stability and traction through the roughest tracks.



#R0021



Equipped 6061-T6 anodized solid aluminum chassis, VRX-1 delivers uncompromising rigidity and race-proven durability. The hardened aluminum core provides exceptional impact resistance and superior stability at high speeds, while the anodized coating adds corrosion protection and a professional finish.



Driven by the formidable SH-28 engine, VRX-1 delivers explosive acceleration and relentless torque for dominating rough terrain. Built with a rugged solid aluminum chassis, steel gear drivetrain, and oil-filled shocks, it balances raw power with precision control.



Length:550mm
Width:440mm
Height:205mm
Gear Ratio: 1:12.83
Wheelbase: 365mm

1/8
SCALE

4WD
FOUR WHEEL DRIVE

2.4GHz
RADIO SYSTEM


21 ENGINE

RH802
Nitro Truggy

VRX-2

Engineered for professional-level racing and durability. Its advanced triple differential system delivers unparalleled traction and cornering precision. Protected by a high-impact PC body and powered by a leak-proof 125cc fuel tank with extended overflow pipe, it guarantees extended run times and relentless reliability. Built with machined steel gears and solid differentials.



#R0027



Length: 505mm
Width: 305mm
Height: 175mm
Tyre: ϕ 115*42mm
Wheelbase: 330mm



Engineered with advanced oil-filled shock absorbers, this competition-grade nitro buggy delivers exceptional terrain handling and razor-sharp stability across any surface. The fully adjustable suspension system ensures optimized damping and consistent traction. Built to dominate rough tracks with confidence and precision.



Equipped this powerful Buggy with a widened chassis plate made of aluminum and plastic materials, which is more resilient, collision resistant, and can better protect the internal structure of the vehicle. Allow you to freely control and not fear the destruction of complex terrain.



1/8
SCALE

4WD
FOUR WHEEL DRIVE



RH821
Nitro Truggy



2.4GHz
RADIO SYSTEM

COBRA NITRO



#R0376




Length:485mm
Width:340mm
Height:190mm
Tyre:ø 120 x 70mm
Wheelbase:325mm

Engineered for professional-level racing and durability. Its advanced triple differential system delivers unparalleled traction and cornering precision. Protected by a high-impact PC body and powered by a leak-proof 125cc fuel tank with extended overflow pipe, it guarantees extended run times and relentless reliability. Built with machined steel gears and solid differentials.



Engineered with advanced oil-filled shock absorbers, this competition-grade nitro truggy delivers exceptional terrain handling and razor-sharp stability across any surface. The fully adjustable suspension system ensures optimized damping and consistent traction. Built to dominate rough tracks with confidence and precision.



Equipped this powerful Truggy with a widened chassis plate made of aluminum and plastic materials, which is more resilient, collision resistant, and can better protect the internal structure of the vehicle. Allow you to freely control and not fear the destruction of complex terrain.



1/10
SCALE

4WD
FOUR WHEEL DRIVE

SINGLE SPEED: RH1003
TWO SPEED: RH1004



ON ROAD


2.4GHz
RADIO SYSTEM

RANGER NITRO

Engineered for dominance on the track, Ranger is powered by a fierce .18 engine paired with a responsive 3-shoe clutch for efficient power transfer and precise rpm control. The composite 2-piece tuned pipe optimizes exhaust flow for enhanced. Equipped with big-bore oil-filled shocks and a fully adjustable suspension system (including droop, camber, toe, and wheelbase)



Equipped oil-filled shocks provide precise damping control for optimized handling and stability. Their consistent performance across terrains reduces chassis bounce and improves traction.



Equipped 3KG servo delivers high torque and precise steering for 1/10 scale RC cars, enabling millisecond-level adjustments via PWM control. Its lightweight design ensures balanced handling and stability during high-speed racing or complex terrain.



Length:364mm
Width:190mm
Height:130mm
Tyre:ø 63.5 x 26.5mm
Wheelbase:256/261mm



10005:Single Speed



10006: Two Speed

1/10
SCALE

4WD
FOUR WHEEL DRIVE



SINGLE SPEED: RH1008
TWO SPEED: RH1009

2.4GHz
RADIO SYSTEM

NITRO

Equipped with an SH-grade nitro engine, delivering fierce power output and exhilarating acoustic feedback. The full aluminum chassis ensures exceptional rigidity and stability during high-speed, intense driving. The signature integrated roll cage and body shell not only replicates the rugged look of a real short course race truck.

ideal for tearing up outdoor terrain such as sand and dirt tracks/desert



#0334BL



#R0334O



This 1/10 nitro SC truck features high-torque 3KG steering and throttle servos that deliver precise handling and instantaneous throttle response. The robust servo system ensures reliable performance in demanding conditions, while the potent nitro engine provides authentic power and sound.



Nitro SC Truck features big-bore oil-filled shocks for optimized damping and stability on rough surfaces, along with a reinforced wider front bumper to absorb impacts and protect critical components during aggressive driving.



Length: 510mm
Width: 295mm
Height: 195mm
Wheelbase: 329mm
Tyre: ϕ 110 X 42mm



10005: Single Speed



10006: Two Speed

1/10
SCALE

4WD
FOUR WHEEL DRIVE

SINGLE SPEED: RH1001
TWO SPEED: RH1002




18 ENGINE


2.4GHz
RADIO SYSTEM

THOR NITRO


Featuring a unique gearbox design for optimized power transfer and durability, THOR delivers exceptional performance on any terrain. Equipped with high-torque 3KG servos (steering and throttle), it ensures precise control and reliable heat dissipation even under extreme conditions. Built for racers who demand precision and power




#R0306



#R0308



Length:415mm
Width:326mm
Height:156mm
Tyre:ø 120 x 60mm



Big bore oil-filled adjustable shocks offer superior damping control for high-speed and complex terrain. Customize your ride by changing springs, adjusting shock oil, or modifying mounting positions to match any track or driving style.



Equipped with a 18 pull-start nitro engine for instant ignition and explosive acceleration, paired with a composite 2-piece tuned pipe to optimize exhaust flow and boost fuel efficiency. Its professional-grade chassis and suspension system conquer rugged terrain with ease.



10005:Single Speed




10006: Two Speed

1/10
SCALE

4WD
FOUR WHEEL DRIVE

2.4GHz
RADIO SYSTEM



SINGLE SPEED: RH1006
TWO SPEED: RH1007

SPIRIT NITRO

Spirit nitro features a unique gearbox design optimized for efficient power transfer and durability. The adjustable wheelbase allows precise tuning for diverse track layouts, while the high-torque 3KG servo delivers razor-sharp steering response. Built with a reinforced chassis and professional suspension system, it conquers extreme off-road and track conditions with ease



Equipped big bore oil-filled adjustable shocks offer superior damping control for high-speed and complex terrain. Customize your ride by changing springs, adjusting shock oil, or modifying mounting positions to match any track or driving style.



#R0070BL



#R0070R



#R0070



Length:415mm
Width:340mm
Height:142mm
Tyre:ø 88 x 34mm
Wheelbase: 275/280mm



Equipped with a 18 pull-start nitro engine for instant ignition and explosive acceleration, paired with a composite 2-piece tuned pipe to optimize exhaust flow and boost fuel efficiency. Its professional-grade chassis and suspension system conquer rugged terrain with ease,



10005:Single Speed



10006: Two Speed



COMPANY PROFILE >>>>

Riverhobby Tech (Shenzhen) Co., Ltd. was established in 2008. The company is located in Longgang District, Shenzhen, It is a high-tech enterprise integrating R&D, production and sales. It focuses on innovation and manufacturing in the field of remote control model racing. Known for its excellent quality in the industry, our brand adheres to high standards of product performance and implements strict quality control to ensure that every RC player can enjoy a top-quality experience. We believe that quality is the foundation of the brand, always putting the customer's needs first and committed to bringing long-term value and trust to them. Riverhobby provides a series of radio control model racing products from beginner to professional level for model enthusiasts around the world. It covers 1/5, 1/8, 1/10, 1/18 scale rc truck, buggy, touring car etc., providing various upgrade parts and accessories. The products are exported to Europe, America, Australia and other countries and regions.



YOUTUBE



FACEBOOK



INS



TIK



TWITTER

Phone: 86-755-84152087

Email: info@vrx-racing.com

Address: 4th Floor, Building A6, Yinlong Industrial Zone, Longgang District, Shenzhen, Guangdong, China

Official website: <https://www.vrx-racing.com>

Online shop: <https://www.vrx-racingusa.com>