



**DOMOPLANK**  
SPC Flooring | WPC Panels | Decking Floors




**WPC OUTDOOR**



13823 Decking  
CO-DK13823



Weight: 2.85kg/m  
Covering width: 0.138m  
Standard Length: 2.4m



14022 Solid Decking  
CO-DK14022



Weight: 3.8kg/m  
Covering width: 0.14m  
Standard Length: 2.4m



## COLOUR SWATCHES




13823 Decking  
CO-DK13823





14022 Solid Decking  
CO-DK14022




1462 3 Decking  
PE-F146 23




1352 5A Decking  
PE-F13525A





14025 3D Decking  
PE-F14025D



14025 Decking A  
PE-F1402 5A



14025 Decking B  
PE-F1402 5B



14025 Solid Decking  
PE-F14025



## Accessories







DECKING WALL CLADDING GREAT WALL CLADDING FENCE RAILING FASCIA BOARD





**DOMOPLANK**  
SPC Flooring | WPC Panels | Decking Floors

*BUILD GREEN FEELINGS,  
ENJOY THE QUALITY OF LIFE*







## BUILT FOR LIVING

DOMOPLANK uphold the brand concept of "fall in love with every step of life", continue to pay attention to elimination the demand and emotion of the user, for each resident to build a perfect outdoor life, so that each garden truly return the nature. We're proud to offer more ways than ever to live outdoors-whether you're building on a budget or seeing your biggest, boldest idea through. It's never been easier to make the DOMOPLANK decision that's right for you.










*THE  
LOOK  
OF  
WOOD*

# ***WHY DOMOPLANK DECKING***

**DOMOPLANK** leads the way in environmentally friendly decking. Because of the connotations around plastic, many people think that composite decking is not likely to be environmentally friendly. Whilst some products do use unethical wood flour and/or are not using recycled plastic, **DOMOPLANK** has recycled the equivalent of over 300 million plastic bottle caps and saved 25 million milk bottle from landfill. Our wood flour comes from ethical and sustainable forests and in many instances, is more environmentally friendly than traditional timber products.

## **DOMOPLANK WILL**

-  15-year limited residential and fade&stain warranties
-  High resistance to moisture and termites
-  No painting, no glue, low maintenance
-  Made of 90% recycled materials, let forestfuls of trees grow and grow
-  Easy to install and low labor cost



# DOMOPLANK

## Classical grain

*A Classic look for uncompromising garden*

Classical grain is the most popular grain, so that garden owners can have more free design inspiration, can provide more color choices for the garden floor, provide insurance for your life !

A luxurious look that lasts



Consistent Silver grey color, end to end



Starter board



Decking



Fascia board


### AVAILABLE COLORS:



Antique




Silver grey



IPE




Light grey



White oak



Charcoal



Teak



Maple



# DOMOPLANK

## Coastal grain

*The beauty of wood with the durable of composite*

Inspired by the sea, the sunshine and beach combined with coastal grain give people a very leisurely comfort, coupled with the mix color effect, 25 years warranty, from now you never have to worry about your garden gain!

Inspired  
by nature




Easy maintenance

### BOARD PROFILE



Light weight,  
Easy to install,  
No specialty tools  
required

### AVAILABLE COLORS:




Cream



Silver grey




IPE



Charcoal



Teak



Light grey

Decking: Select in Cream with coastal grain



# YSGJ223 \* 26QS

Brand ONE DECKING

Product Name wall cladding

Product Size 223\*26mm

Environmental EO

Material co-extrusion wpc

Colour IPE TEAK,MAPLE....




Recycle



Brightly colred



Evergreen



## Available Color





This product has a 15 year warranty, is waterproof, moisture-proof, and termite resistant. There is no need for glue or paint during installation, and maintenance costs are low. The product is made of 90% recycled materials, which is easy to install and has low labor costs.



Does Not Rot



Mould Resistant




Does Not Splinter



Eco Friendly



15 Years Warranty



# "New Wall Cladding Double Color Design"



Combination of layering and texture  
Can be elegant and unrestrained

Novel design, show personality and style,  
give you a different experience






# WEL21926

EVERLASTING  
COMPOSITE CLADDING

OUTDOORS



## FEATURES



Everlasting Composite Cladding uses co-extrusion technology with a fully covered layer of polyethylene. This layer gives the wall cladding high stain and UV resistance, water and mold resistance, and no color fading with natural wood textures. This cladding is easy to maintain and comes with a 20-year warranty.

Cross Section (Size W219×D26)  
2.9 meters in standard length or customized.



## Recommended colors



EL01-TEAK



EL03-IPE



EL08-ANTIQUÉ



EL09-ART GREY



EL10-BLACK



EL12-GOLDEN TEAK

## Common accessories



① Aluminum joist



② Screws



③ Corner Trim (49mm×49mm)

Remarks: Accessories can be purchased in the local hardware market or ordered with DOMOPLANK Eco-wood Series products according to your actual needs.





# WEL12725

## EVERLASTING COMPOSITE CLADDING

OUTDOORS




### FEATURES



Everlasting Composite Cladding uses co-extrusion technology with a fully covered layer of polyethylene. This layer gives the wall cladding high stain and UV resistance, water and mold resistance, and no color fading with natural wood textures. This cladding is easy to maintain and comes with a 20-year warranty.

Cross Section (Size W127×D25)  
2.9 meters in standard length or customized.



### Recommended colors



EL01-TEAK



EL03-IPE



EL08-ANTIQUE



EL09-ART GREY



EL10-BLACK



EL12-GOLDEN TEAK

### Common accessories



1 Aluminum joist



2 Screws



3 Corner Trim (72mm×35mm)

Remarks: Accessories can be purchased in the local hardware market or ordered with DOMOPLANK Eco-wood Series products according to your actual needs.





# WEL16030

## EVERLASTING COMPOSITE CLADDING

OUTDOORS




### FEATURES



Everlasting Composite Cladding uses co-extrusion technology with a fully covered layer of polyethylene. This layer gives the wall cladding high stain and UV resistance, water and mold resistance, and no color fading with natural wood textures. This cladding is easy to maintain and comes with a 20-year warranty.

Cross Section (Size W160×D30)  
2.9 meters in standard length or customized.



### Recommended colors



EL01-TEAK



EL03-IPE



EL08-ANTIQUÉ



EL09-ART GREY



EL10-BLACK



EL12-GOLDEN TEAK

### Common accessories



① Aluminum joist



② Screws



③ Corner Trim (90mm×44mm)

Remarks: Accessories can be purchased in the local hardware market or ordered with DOMOPLANK Eco-wood Series products according to your actual needs.





# WEL15830

## EVERLASTING COMPOSITE CLADDING

OUTDOORS




### FEATURES



Everlasting Composite Cladding uses co-extrusion technology with a fully covered layer of polyethylene. This layer gives the wall cladding high stain and UV resistance, water and mold resistance, and no color fading with natural wood textures. This cladding is easy to maintain and comes with a 20-year warranty.

Cross Section (Size W158×D30)  
2.9 meters in standard length or customized.



### Recommended colors



EL01-TEAK



EL03-IPE



EL08-ANTIQUA



EL09-ART GREY



EL10-BLACK



EL12-GOLDEN TEAK

### Common accessories



1 Aluminum joist



2 Screws



3 Corner Trim (50mm×50mm)

Remarks: Accessories can be purchased in the local hardware market or ordered with DOMOPLANK Eco-wood Series products according to your actual needs.





# WEL17022

## EVERLASTING COMPOSITE CLADDING

OUTDOORS




### FEATURES



Everlasting Composite Cladding uses co-extrusion technology with a fully covered layer of polyethylene. This layer gives the wall cladding high stain and UV resistance, water and mold resistance, and no color fading with natural wood textures. This cladding is easy to maintain and comes with a 20-year warranty.

Cross Section (Size W170×D22)  
2.9 meters in standard length or customized.



### Recommended colors



EL01-TEAK



EL03-IPE



EL08-ANTIQUÉ



EL09-ART GREY



EL10-BLACK



EL12-GOLDEN TEAK

### Common accessories



1 Aluminum joist



2 Screws



3 Corner Trim (50mm×50mm)

Remarks: Accessories can be purchased in the local hardware market or ordered with DOMOPLANK Eco-wood Series products according to your actual needs.





# WEL12022

## EVERLASTING COMPOSITE CLADDING

OUTDOORS




### FEATURES



Everlasting Composite Cladding uses co-extrusion technology with a fully covered layer of polyethylene. This layer gives the wall cladding high stain and UV resistance, water and mold resistance, and no color fading with natural wood textures. This cladding is easy to maintain and comes with a 20-year warranty.

Cross Section (Size W119.5×D22)  
2.9 meters in standard length or customized.



### Recommended colors



EL01-TEAK



EL03-IPE



EL08-ANTIQUÉ



EL09-ART GREY



EL10-BLACK



EL12-GOLDEN TEAK

### Common accessories



① Aluminum joist



② Screws



③ Corner Trim (50mm×50mm)

Remarks: Accessories can be purchased in the local hardware market or ordered with DOMOPLANK Eco-wood Series products according to your actual needs.





# WEL15621

## EVERLASTING COMPOSITE CLADDING

OUTDOORS




### FEATURES



Everlasting Composite Cladding uses co-extrusion technology with a fully covered layer of polyethylene. This layer gives the wall cladding high stain and UV resistance, water and mold resistance, and no color fading with natural wood textures. This cladding is easy to maintain and comes with a 20-year warranty.

Cross Section (Size W156×D21)  
2.9 meters in standard length or customized.



### Recommended colors



EL01-TEAK



EL03-IPE



EL08-ANTIQUE



EL09-ART GREY



EL10-BLACK



EL12-GOLDEN TEAK

### Common accessories



① Aluminum joist



② Screws



③ Corner Trim (50mm×50mm)

Remarks: Accessories can be purchased in the local hardware market or ordered with DOMOPLANK Eco-wood Series products according to your actual needs.






# WEL13825

## EVERLASTING COMPOSITE CLADDING

OUTDOORS




### FEATURES



Everlasting Composite Cladding uses co-extrusion technology with a fully covered layer of polyethylene. This layer gives the wall cladding high stain and UV resistance, water and mold resistance, and no color fading with natural wood textures. This cladding is easy to maintain and comes with a 20-year warranty.

Cross Section (Size W138×D25)  
2.9 meters in standard length or customized.



### Recommended colors



EL01-TEAK



EL03-IPE



EL08-ANTIQUE



EL09-ART GREY



EL10-BLACK



EL12-GOLDEN TEAK

### Common accessories



① Aluminum joist



② Screws



③ Corner Trim (50mm×50mm)

Remarks: Accessories can be purchased in the local hardware market or ordered with DOMOPLANK Eco-wood Series products according to your actual needs.





# WEL14012

## EVERLASTING COMPOSITE CLADDING

OUTDOORS



### FEATURES



Everlasting Composite Cladding uses co-extrusion technology with a fully covered layer of polyethylene. This layer gives the wall cladding high stain and UV resistance, water and mold resistance, and no color fading with natural wood textures. This cladding is easy to maintain and comes with a 20-year warranty.

Cross Section (Size W140×D12)  
2.9 meters in standard length or customized.



### Recommended colors



### Common accessories



1 Aluminum joist



2 Screws



3 Corner Trim (50mm×50mm)

Remarks: Accessories can be purchased in the local hardware market or ordered with DOMOPLANK Eco-wood Series products according to your actual needs.







# DOMOPLANK

## Great Wall Cladding

*Priced to put the pressure on treated lumber*

The Great Wall of Chinese tradition adds concave convex feeling to metope, let you experience Chinese taste in the home, Transcending time, inheriting classics!



3 Line Great Wall Panel  
YSGJ169\*28Q




2 Line Great Wall Panel  
YSGJ169\*40Q

### BOARD PROFILE



Chinese style,  
Line grain surface,  
Easy installation,  
Hidden screw.

### AVAILABLE COLORS:



Cream



Silver grey



IPE



Charcoal




Teak



Light grey

Cladding: Select in Teak





Cladding: Select in Antique


## *DOMOPLANK Wall Panel*

*The sun is setting, the clouds are light and the wind is light*



- *.Does not rot*
- *Mould resistant*
- *Does not splinter*
- *Eco friendly*
- *25 years warranty*

### **AVAILABLE COLORS:**



Cream



Silver grey



IPE



Charcoal




Teak



Light grey






# DOMOPLANK

## WPC&Aluminum Fence

*Effortless style, exceptional strength*


When people look at your decking, they'll see the fence before anything else. Which is why a picture-perfect deck means selecting fence that signifies your style-whether you're a modern minimalist or traditional to the core.



Normal WPC Slat  
YSGJ150\*20Q















Great Wall WPC Slat  
YSGJ160\*20Q



Project in Ireland  
Fence Slat: Select in Light grey












### ACCESSORIES LIST:

Item	Picture	Description	Item	Picture	Description
Plastic cap		1pcs each set size:68*68*35mm ( TH10mm )	Iron support		1pcs each set size:150*150*220mm
Aluminum Post		1pcs each set size:68*68*1870mm	Expansion bolt		4pcs each set size:10*100mm
Aluminum cover profile		2pcs each set size:23*8*1870mm	Aluminum bottom rail		1pcs each set size:20*35*900mm
Aluminum extra cover profile		1pcs each set size:23*8*200mm	Aluminum top rail		1pcs each set size:20*25*900mm
Aluminum distance holder		2pcs each set size:20*18*22mm	Stainless connect clip		2pcs each set size:22*47mm
Stainless screw		2pcs each set size:4.2*32mm	Stainless screw		4pcs each set size:3*13mm

AVAILABLE COLORS: CREAM, SILVER GREY, TEAK, IPE, CHARCOAL, LIGHT GREY, ANTIQUE, LIGHT GREY



# DOMOPLANK PRODCUTS LIST

Item	Picture	Width	Thickness	Description	Item	Picture	Width	Thickness	Description
YSGJ142*22F		142	22	1.Hollow Decking 2.One side wood grain, one side groove 3.Both sides are same color	YSGJ169*28Q		169	28	1.Great wall panel 2.Line grain surface 3.Both sides are same color 4.This item can be assembled with YSGJ169*40Q
YSGJ137*24M		137	24	1.M-shape Decking 2.One side wood grain 3.Both sides are same color	YSGJ169*40Q		169	40	1.Great wall panel 2.Line grain surface 3.Both sides are same color 4.This item can be assembled with YSGJ169*28Q
YSGJ137*20.5M		137	20.5	1.M-shape Decking 2.One side wood grain 3.Both sides are same color	YSGJ219*28Q		219	28	1.Great wall panel 2.Line grain surface 3.Both sides are same color 4.This item can be assembled with YSGJ169*28Q, YSGJ219*28Q
YSGJ70*10.5S		70	10.5	1.Decoration trim 2.One side wood grain, one side line grain 3.Both sides are same color	YSGJ56*49Q		56	49	1.Finish Trim 2.Fittable with all Great Wall panel
YSGJ94.2*10.5S		94.2	10.5	1.Decoration trim 2.One side wood grain, one side line grain 3.Both sides are same color	YSGJ160*20Q		160	20	1.Great wall fence slat 2.Both sides are line grain 3.Both sides are same color
YSGJ140*12S		140	12	1.Decoration trim 2.One side wood grain, one side line grain 3.Both sides are same color	YSGJ172*21.5QA		172	21.5	1.Wall panel 2.One side wood grain
YSGJ60*40L		60	40	1.L-corner finish trim 2.Line grain surface	YSGJ146*21Q		146	21	1.Wall panel 2.One side wood grain
YSGJ140*25S		140	25	1.Solid Decking 2.Both sides are wood grain 3.One color on each side 4.Top sell item	YSGJ150*21Q		150	21	1.Wall panel 2.One side wood grain
YSGJ140*21.8SF		140	21.8	1.Solid Starter Decking 2.One side wood grain one side smooth 3.The starter clip can be hidden in the slot	YSGJ290*20Q		290	20	1.Fence slat 2.Both sides are line grain 3.Both sides are same color 4.This item can be assembled with YSGJ150*20Q



YSGJ142*22Y		142	22	1.Hollow Decking 2.Both sides are wood grain 3.One color on each side 4.Top sell item	YSGJ159*20Q		159	20	1.Fence slat 2.One side wood grain, one side line grain 3.Both sides are same color
YSGJ142*22YA		142	22	1.Hollow Decking 2.One side wood grain, one side groove 3.Both sides are same color	YSGJ150*20Q		150	20	1.Fence slat 2.Both sides are line grain 3.Both sides are same color 4.Top sell item
YSGJ140*22S		140	22	1.Solid Decking 2.Both sides are wood grain 3.One color on each side 4.Top sell item	YSGJ120*120K		120	120	1.Post 2.Four sides line grain 3.This item can be used for hand rail and pergola
YSGJ150*25S		150	25	1.Solid Decking 2.Both sides are wood grain 3.One color on each side 4.Top sell item	YSGJ118*18Q		118	18	1.Wall panel 2.One side wood grain
YSGJ200*50K		200	50	1.Tube 2.Four sides line grain 3.This item can be used for bean of pergola and decoration screening	YSGJ90*45K		90	45	1.Tube 2.Four sides line grain 3.This item can be used for hand rail and decoration screening
YSGJ100*100K		100	100	1.Post 2.Four sides line grain 3.This item can be used for hand rail and pergola	YSGJ50*50K		50	50	1.Tube 2.Four sides line grain 3.This item can be used for hand rail and decoration screening
YSGJ95*20Q		95	20	1.Decoration trim, can be used for Fence 2.Both sides are wood grain 3.Both sides are same color	YSGJ95*50KH		95	50	1.Tube 2.Three sides line grain, one side smooth 3.This item can be used for hand rail
YSGJ135*21Q		135	21	1.Wall panel 2.One side wood grain, one side smooth 3.Both sides are same color	YSGJ220*40F		220	40	1.Tube 2.3 sides line grain 3.This item can be used for bean of pergola and decoration screening
YSGJ100*50K		100	50	1.Tube 2.Four sides line grain 3.This item can be used for hand rail and decoration screening	YSGJ50*25K		50	25	1.Tube 2.Four sides line grain 3.This item can be used for hand rail and decoration screening
YSGJ100*25K		100	25	1.Tube 2.Four sides line grain 3.This item can be used for hand rail and decoration screening	YSGJ38*22S		38	22	1.Tube 2.Four sides line grain 3.This item can be used for hand rail and decoration screening