

Foshan Domogres Building Materials LTD.
Mob:0086-13929916799(Whatsapp/Wechat)
Frankilee@dozanmosaics.com
No.24 B7 Ceramics International Trading Center
Foshan China.
www.vinyl-flooring.net





Company profile

Wood Products (also known as Zhongxin Pridon), is an enterprise of great capacity, professionally manufacturing a variety of floor coverings.

Founded in 1997, our company has established itself as a leader in the SPC flooring industry. In 2023, we took a significant step forward by successfully building a state-of-the-art manufacturing facility in Vietnam, allowing us to commence large-scale production. With this expansion, our total production capacity in both Vietnam and China now stands at the forefront of the industry, ensuring we meet the growing demand for high-quality SPC flooring solutions. Our products have gained recognition and respect in various international markets, including Europe, America, and many other regions around the world.

This impressive global footprint speaks to the trust and satisfaction our customers have in our offerings. Quality, service, and support are at the heart of our business. We pride ourselves on providing top-notch products backed by exceptional customer service and after-sales support. Our experienced research and development team is dedicated to continuous innovation, ensuring that our products not only meet but exceed industry standards. We leverage the latest technology and materials to create flooring solutions that are durable, stylish, and sustainable.

Moreover, our commitment to sustainability and eco-friendly practices is integral to our operations. We believe in producing flooring that not only enhances the aesthetic appeal of spaces but also contributes to a healthier environment. Choose us for your SPC flooring needs, and experience the perfect blend of quality, innovation, and customer commitment. Together, let's create beautiful spaces that stand the test of time.

Wood is certified with TUV, Floor-Score, CE, ISO9001 and ISO14001. Success Wood is also a certified manufacturer of the Uniclick system by Unilin.



Sustainability at the heart of your home

Made in China

Made in Vietnam

We all love natural beauty. The only way to continue to enjoy the beautiful things our planet has to offer is to treat it with respect. That's why our flooring products not only look good, but are as hard-wearing and sustainable as possible. Together, we can reduce our ecological footprint, from the production of your flooring to the end of its life.

Clean indoor air

Most of your life takes place indoors, which is why the air quality in your home is so vitally important. Many factors have an effect on it: ventilation, candles, cleaning agents, and even the materials used in your interior, such as the flooring. That is why we minimise our emissions of harmful substances and have reduced them lower than the European standard. What's more, you don't need any aggressive cleaning

products to keep your hybrid flooring clean.

The following labels demonstrate that your flooring complies with the strictest environmental and health standards:



The highest guarantee for the air quality in your home.



International certification of VOC emissions and air quality.



Communicate transparent and comparable information about the environmental impact of a product's life cycle.




This SCS label shows that your flooring meets low-emission product requirements.



INSTALLATION STEPS




Connect the long side at an angle.



Slide until short side and drop.



Use a soft-faced hammer to lock the planks on the short side.



Use a soft-faced hammer to properly lock the planks.

PRODUCT DETAILS



Easy Installation

Each floor is connected with a unique lock, which is easy to install and can be removed easily.



100%Water-proof

It can be used in bathrooms, kitchens, basements and laundries.



Fire Resistance

Fire-proof.
Safety with some cigarette ends.



Wear Resistance

Pressure resistant, abrasive resistant, electrostatic resistant
Pet scratch resistance.



Easy Maintenance

Stain resistant.
Easy to clean floor covering.



Eco-friendly

Environmentally friendly,nontoxic,
formaldehyde free.

APPLICATION AREAS

SPC flooring is a good choice for residential and commercial area, like home decoration, hotel, shopping mall, and Gym.

i Domogres - SPC flooring is a good choice to install in damp area.



SPC STRUCTURE

Know more about SPC flooring,
Domogres always bring you the best choice of flooring decoration.

Products	SPC Flooring Rigid Core Vinyl Plank Flooring
Size	6"X36",7"X36",7"X48",9"X48",9"X60", 12"X24",18"X36",24"X48" 152X915mm,182X915mm,182X1220mm, 228X1220mm,228X1524mm,305X610mm, 465X915mm,605X1220mm
Thickness	3.2mm, 3.5mm, 4.0mm, 4.5mm, 5mm, 5.5mm, 6.0mm,7.0mm
Wear Layer	0.15mm(6mil), 0.3mm(12mil), 0.5mm(20mil)
Pad	EVA:1.0mm/1.5mm IXPE:1.0mm/1.5mm
Available Textures	EIR, BP, Handscraped, Real Wood and more options
Bevel	Micro-Bevel;Painted Bevel
Patents Click	UNILIN;I4F;VALINGE
Advantages	100% waterproof / Soundproof / UV protection Stain resistance / Pet scratch resistance Easy locking installation / Labor costs saving Formaldehyde Free
Apply to geothermal	
H.S. code : 39181090	

○ UV coating

Anti-Scratch,Anti-Bacterial,Stain resistance, Fire resistance.

○ Wear layer

Abrasion Resistant.

○ Decor Film

Real wood designs & Marble designs
with various colors for options.

○ SPC Core

New environmental protection,Simple process, heating bonding,no glue.

○ IXPE/EVA Padding

Waterproof, Sound absorption, Noise reduction.



Application Areas

SPC flooring is a good choice for residential and commercial! area,like home decoration,hotel,shopping mall,and Gym.



**Beautiful, comfortable
& practical**

Pridon flooring will help you to create a space that you will love coming home to.

Pridon flooring will help you to create a space that you will love coming home to.

Pridon - SPC flooring is a good choice to install in damp area.

Specification

Size	6"X36",7"X36",7"X48",9"X48",9"X60", 12"X24",18"X36",24"X48" 152X915mm,182X915mm,182X1220mm, 228X1220mm,228X1524mm,305X610mm, 465X915mm,605X1220mm
Thickness	3.2mm, 3.5mm, 4.0mm, 4.5mm, 5mm, 5.5mm, 6.0mm,7.0mm
Wear Layer	0.15mm(6mil), 0.3mm(12mil), 0.5mm(20mil)
Pad	EVA:1.0mm/1.5mm IXPE:1.0mm/1.5mm
Available Textures	EIR, BP, Handscraped, Real Wood and more options
Bevel	Micro-Bevel;Painted Bevel
Patents Click	UNILIN;I4F;VALINGE



SPC FLOORING



OAK



EIR, BP, Handscraped,
Real Wood and more options
Micro-bevel, Painted bevel

Length: 1220/1524/1828mm
Width: 180/228mm Thickness: 3.5-8mm



ZX88208-1



ZX88208-18



ZX88210-9



ZX88210-14



OAK SLATE GREY



EIR, BP, Handscraped,
Real Wood and more options
Micro-bevel, Painted bevel

Length: 1220/1524/1828mm
Width: 180/228mm Thickness: 3.5-8mm



ZX7062-1



ZX7062-2



ZX7063-3



ZX7062-8



ZX7062-13



ZX7062-15



TAUPE OAK



EIR, BP, Handscraped,
Real Wood and more options
Micro-bevel, Painted bevel

Length: 1220/1524/1828mm
Width: 180/228mm Thickness: 3.5-8mm



ZX86166-4



ZX86167-3



ZX86167-8



ZX86167-22



OLD OAK GREY BRUSHED




EIR, BP, Handscraped,
Real Wood and more options
Micro-bevel, Painted bevel


Length: 1220/1524/1828mm

Width: 180/228mm


Thickness: 3.5-8mm




ZX7030-3




ZX7030-7




ZX7030-42



ZX7060-2



ZX7036-36





GINGER OAK



EIR, BP, Handscraped,
Real Wood and more options
Micro-bevel, Painted bevel

Length: 1220/1524/1828mm
Width: 180/228mm Thickness: 3.5-8mm



ZX190-9



ZX305-21



ZX531-1



CAMEL OAK GREIGE



EIR, BP, Handscraped,
Real Wood and more options
Micro-bevel, Painted bevel

Length: 1220/1524/1828mm
Width: 180/228mm Thickness: 3.5-8mm



ZX8806-5



ZX8806-7



ZX8807-9



ZX8813-1



ZX8813-12



ZX8813-16



DUNE OAK



EIR, BP, Handscraped,
Real Wood and more options
Micro-bevel, Painted bevel

Length: 1220/1524/1828mm
Width: 180/228mm Thickness: 3.5-8mm



ZX912-7



ZX912-8



ZX912-12



ZX912-14



MORaine NATURAL OAK



EIR, BP, Handscraped,
Real Wood and more options
Micro-bevel, Painted bevel

Length: 1220/1524/1828mm
Width: 180/228mm Thickness: 3.5-8mm



ZX88236/88237-1



ZX88236/88237-2



ZX88236/88237-4



ZX88236/88237-8



ZX88236/88237-3





OAK BARRIQUE



EIR, BP, Handscraped,
Real Wood and more options
Micro-bevel, Painted bevel

Length: 1220/1524/1828mm
Width: 180/228mm Thickness: 3.5-8mm



ZX319-2



ZX943-8



ZX739-11



ZX8A840-47



ZX1701-3



ZX525-12



BELMONT HICKORY



EIR, BP, Handscraped,
Real Wood and more options
Micro-bevel, Painted bevel

Length: 1220/1850/1520mm	
Width: 120mm	Thickness: 5-8mm



ZX8822-1




ZX8822-2



ZX8827-6



ZX8827-4



ZX2048-4





BLONDE OAK



BP, Handscraped,
Real Wood and more options
Micro-bevel, Painted bevel

Length: 1220/1524/1828mm
Width: 180/228mm Thickness: 3.5-8mm



ZX88231/88230-1



ZX88231/88230-7



ZX88231/88230-2



ZX88227/882229-1



ZX88227/882229-5





SPRING OAK



BP, Handscraped,
Real Wood and more options
Micro-bevel, Painted bevel

Length: 1220/1524/1828mm
Width: 180/228mm Thickness: 3.5-8mm



ZX86548L-A-1



ZX86548L-A-4



ZX86548L-B-2



ZX86548L-B-3



DORIC MARBLE



Coralline
Micro-bevel, Painted bevel

Length: 610/914mm
Width: 300/457mm Thickness: 4-8mm



ZX83001-1



ZX6539-7



ZX9012-1



ZX3056-3



ZX8424-2



ZX8424-3

Specification

Size	6"X36",7"X36",7"X48",9"X48",9"X60", 12"X24",18"X36",24"X48" 152X915mm,182X915mm,182X1220mm, 228X1220mm,228X1524mm,305X610mm, 465X915mm,605X1220mm
Thickness	3.2mm, 3.5mm, 4.0mm, 4.5mm, 5mm, 5.5mm, 6.0mm, 7.0mm
Wear Layer	0.15mm(6mil), 0.3mm(12mil), 0.5mm(20mil)
Pad	EVA:1.0mm/1.5mm IXPE:1.0mm/1.5mm
Available Textures	EIR, BP, Handscraped, Real Wood and more options
Bevel	Micro-Bevel;Painted Bevel
Patents Click	UNILIN;I4F;VALINGE



WATERPROOF LAMINATE FLOOR



WARM NATURAL OAK



EIR, random wood
Micro-bevel, Painted bevel,
Pressed bevel

Length: 1215/1510mm

Width: 195/168/148/130mm

Thickness: 8/10/12mm



ZX150-5



ZX1501-1



ZX1501-4



ZX1501-5



ZX1501-6



ZX1501-8



TREND OAK NATURE



EIR, random wood
Micro-bevel, Painted bevel,
Pressed bevel

Length: 1215/1510mm
Width: 195/168/148/130mm
Thickness: 8/10/12mm



ZX90216-1



ZX90088-1



ZX90095-1



ZX90216-6



SUMMER OAK



EIR, random wood
Micro-bevel, Painted bevel,
Pressed bevel

Length: 1215/1510mm
Width: 195/168/148/130mm
Thickness: 8/10/12mm



ZX1503-1



ZX1503-7



ZX51507-8



ZX51507-20



ZX90088-3



ZX90088-5



STIRLING OAK MEDIUM



EIR, random wood
Micro-bevel, Painted bevel,
Pressed bevel

Length: 1215/1510mm
Width: 195/168/148/130mm
Thickness: 8/10/12mm



ZX90257-1



ZX90257-3



ZX525025-6



ZX525025-8

Specification

Size	6"X36",7"X36",7"X48",9"X48",9"X60", 12"X24",18"X36",24"X48" 152X915mm,182X915mm,182X1220mm, 228X1220mm,228X1524mm,305X610mm, 465X915mm,605X1220mm
Thickness	3.2mm, 3.5mm, 4.0mm, 4.5mm, 5mm, 5.5mm, 6.0mm,7.0mm
Wear Layer	0.15mm(6mil), 0.3mm(12mil), 0.5mm(20mil)
Pad	EVA:1.0mm/1.5mm IXPE:1.0mm/1.5mm
Available Textures	EIR, BP, Handscraped, Real Wood and more options
Bevel	Micro-Bevel;Painted Bevel
Patents Click	UNILIN;I4F;VALINGE



SPC WALL PANEL



ZX8035



ZX80103



ZX8006-1

Standard Size

305x610, 406x812, 457x914, 610x914, 610x1220mm
Product type: Wall panel
Thickness: 4.0-5.0mm
Gloss: matt, glossy, high gloss
Profile: Tongue & Groove

XL Wall Panel

800-1200mm wide, 2400-2800mm long
Product type: Wall panel
Thickness: 4.0-5.0mm
Gloss: matt, glossy, high gloss
Profile: Tongue & Groove



STONES
Collection



ZX8037-1



ZX8038A



ZX8045B

Standard Size

305x610, 406x812, 457x914, 610x914, 610x1220mm
Product type: Wall panel
Thickness: 4.0-5.0mm
Gloss: matt, glossy, high gloss
Profile: Tongue & Groove

XL Wall Panel


800-1200mm wide, 2400-2800mm long
Product type: Wall panel
Thickness: 4.0-5.0mm
Gloss: matt, glossy, high gloss
Profile: Tongue & Groove



STONES
Collection



ZX3601Y20



ZX3665Y9



ZX3684Y9

Standard Size

305x610, 406x812, 457x914, 610x914, 610x1220mm
Product type: Wall panel
Thickness: 4.0-5.0mm
Gloss: matt, glossy, high gloss
Profile: Tongue & Groove

XL Wall Panel

800-1200mm wide, 2400-2800mm long
Product type: Wall panel
Thickness: 4.0-5.0mm
Gloss: matt, glossy, high gloss
Profile: Tongue & Groove



COLORS
Collection



ZX3107-10Y5



ZX8162-1



ZX68001

Standard Size




305x610, 406x812, 457x914, 610x914, 610x1220mm
Product type: Wall panel
Thickness: 4.0-5.0mm
Gloss: matt, glossy, high gloss
Profile: Tongue & Groove

XL Wall Panel

800-1200mm wide, 2400-2800mm long
Product type: Wall panel
Thickness: 4.0-5.0mm
Gloss: matt, glossy, high gloss
Profile: Tongue & Groove



WOOD
Collection





VL88055









Frisco Oak

VL88057









VL88059








Wallsbury Oak





VL88063





Grenada Oak





VL89032





Design Code :VL88074L

Design Name :Milton Oak



New design with EIR plate for sampling.




Design Code :VL88092L

Design Name :Thennes Oak



008

New design with EIR plate for sampling.



007



005




Design Code :VL88100L

Design Name :Tricot Oak



005



010

New design with EIR plate for sampling.



002


Design Code :VL88116L

Design Name :Lone Oak



New design with EIR plate for sampling.





Design Code :VL88117L

Design Name:Joseph Oak

Design Code :VL89039L

Design Name:Balfour Hickory



New design with EIR plate for sampling.





Design Code:VL88085XL

Design Name:Belleuse Oak



New design with EIR plate for sampling.





003



004



New design with EIR plate for sampling.



001



Design Code :VL88118L


Design Name:Lucile Hickory

Design Code :VL88106L

Design Name:Juuka Pine Oaks



001



New design with EIR plate for sampling.



003



009



Design Code :VL88119XL

Design Name:Wallowa Oak



004



006

New design with EIR plate for sampling.



003

EIR application

Oak

Walnut

Maple

Pear



Cherry
Slate

EIR application-**60"**

Colmar Oak 89014



89014/001



89014/004

EIR application--**60"**

Lusaka Oak 88014



88014/005

EIR application-**60"**

Ohio Pine 88024

88024/005

88024/003



EIR application-**60"**


Ramsau Elm 88037



88037/001

EIR application-**60"**

Alberta Oak 88023



88023/003



88023/008



EIR application-60”

Jasper Oak 88035



EIR application-**60"**


Seattle Oak 88029



88029/002




88029/006



EIR application-**60"**

Caesar Oak 88019




88019/001

EIR application-**60”**

Dexter Oak 88018

88018/002

88018/005



EIR application-**60"**

Cosmo Oak 88022



88022/001

EIR application-**60”**

Positano Oak 89017

89017/003

89017/001



EIR application-48”

Eiger Oak 880006



88006/001

EIR application-48”

Oslo Oak 88001



88001/002



88001/007

EIR application-**48”**

Scarborough Oak 89008



EIR application-**48”**

Eiffel Oak 88021



88021/005

88021/002

EIR application-**48"**

Sintra Oak 88042



EIR application-**48"**

Brienz Oak 88039

88039/001



88039/004

EIR application-**48”**

Assisi Oak 88045



EIR application-48"

Galway Oak 88044



88044/004

88044/001

EIR application-48”

Newark Oak 88038



88038/003

EIR application-48"

Elora Oak 88047

88047/001



88047/003

Lager · Bigger


MAX

Be in vogue.

SIZE

Greater · Higher

Reduce duplication



Lager and versatil

01

Burlywood



Nadi Oak

VL88342XL-007

Flooring size: 9x72"



VL88342XL-007

1890mm New Decors

Burlywood

Nadi Oak

VL88342XL

Layout size: 984x1890mm

Flooring size: 9x72"



007



002



003



008



A bedroom interior featuring a wooden bed frame, a wooden wardrobe, and a potted plant. The bed frame is made of light-colored wood and has a white sheet and two green pillows. The wardrobe is also made of light-colored wood and has a glass door. A potted plant is on the floor next to the wardrobe.

Covra Oak

VL88343XL-A-001

Blayne Oak

VL88343XL-B-001

VL88343XL-A-001



VL88343XL-B-001

1890mm New Decors

Burlywood

Cowra Oak & Blayney Oak

VL88343XL-AB

Layout size: 984x1890mm

Flooring size: 9x72"

001

004

007

011



A photograph showing a portion of a dining room. In the foreground, a light-colored wood-look laminate floor is visible, featuring a mix of tan and light brown tones with a realistic wood grain pattern. In the background, a dark brown wooden dining table with a rectangular top and four chrome-plated metal legs is partially visible. Two matching dark brown wooden chairs with chrome-plated metal legs are also visible. The scene is brightly lit, and the floor's texture and color variations are clearly shown.

Hwy Oak

VL88332XL-001

Flooring size: 9x72"



VL88332XL-001



001



002



003



004

1890mm New Decors

Burlywood

Huy Oak

VL88332XL

Layout size: 984x1890mm

Flooring size: 9x72"



Expand space

Spaciousness



02

Grey



Suva Oak

VL88341XL-005

Flooring size: 9x72"



VL88341XL-005

1890mm New Decors

Grey

Suva Oak

VL88341XL

Layout size: 984x1890mm

Flooring size: 9x72"

005

003

004

007



Maipa Oak

VL88339XL-006

Flooring size: 9x72"





VL88339XL-006

1890mm New Decors

Grey

Waipa Oak

VL88339XL

Layout size: 984x1890mm

Flooring size: 9x72"



006



001



003



004



Donney Oak

VL88340XL-001

Flooring size: 9x72"



VL88340XL-001

1890mm New Decors

Grey

Donney Oak

VL88340XL

Layout size: 984x1890mm

Flooring size: 9x72"



001



003

005

006



Continuity



Break the horizon

03

Brown



Givet Oak

VL88333XL-004

Flooring size: 9x72"

The background of the image is a dark, rich brown wood texture. It features prominent, wavy grain patterns and several small, dark knots scattered across the surface. The lighting is slightly uneven, giving it a natural, organic feel.

VL88333XL-004

1890mm New Decors

Brown

Givet Oak

VL88333XL

Layout size: 984x1890mm

Flooring size: 9x72"



Gore Oak

VL88338XL-001



Flooring size: 9x72"



VL88338XL-001



001

Gore Oak

VL88338XL

Layout size: 984x1890mm
Flooring size: 9x72"



002




004



009

1890mm New Decors
—
Brown



A modern bedroom interior featuring a bed with white linens, a wooden floor, and a small wooden stool. The bed is positioned against a white wall, and the floor is made of dark wood. A small wooden stool with three legs is placed in front of the bed. A book titled "AVARTAJA" is resting on the stool. A small, round, woven basket is also on the floor. A bedside table with a lamp is visible on the right side of the bed. The overall aesthetic is minimalist and contemporary.

Sena Oak

VL88288XL-012

Flooring size: 9x72"

The background of the image is a dark, rich brown wood grain texture. The grain patterns are wavy and organic, with some darker knots and lighter, more uniform areas. The overall tone is deep and natural, typical of aged wood.

VL88288XL-012



Sena Oak

VL88288XL

Layout size: 984x1890mm
Flooring size: 9x72"

1890mm New Decors
—
Brown



001



002



003







YOUR DESIGN
CONSULTANT

Larger Space, Bigger Vision, Greater Style.


Single plank size



6x30"



6x24"



4x24"

CONTENTS



VL88135XL-001
Chelan Oak



VL88150-008
Taku Oak



VL88181-004
McCall Oak



VL88239XL-006
Leyte Hickory

BURLY WOOD



VL88135XL-001

Chelan Oak

AK

#ab9271

#e1dedb

#727b41

BURLY WOOD

VL88135XL-001
Chelan Oak



Flooring size : 6x30"



Layout size : 984x1890mm



VL88150-008

Taku Oak

AK

#b89b73

#cec8c3

#666952



Layout size : 984x1270mm



Flooring size : 6x24"

BURLY WOOD

VL88150-008

Taku Oak



#c8b394

#e7e3e3

#6a5841



VL88181-004

McCall Oak



Layout size : 984x1270mm



Flooring size : 6x24"

BURLY WOOD

VL88181-004
McCall Oak

VL88239XL-006

Leyte Hickory

Hickory

#cfc1a6

#c4bfb9

#a4a3a0



BURLY WOOD

VL88239XL-006
Leyte Hickory

Flooring size : 6x30"



Layout size : 984x1890mm



CONTENTS



VL88118L-009
Lucile Hickory




VL88162XL-001
Ester Oak



VL88238XL-004
Kingston Hickory



VL88251XL-001
Irving Oak



BROWN POSSIBILITIES



VL88118L-009

Lucile Hickory

Hickory

#7c5d35

#c7c1c0

#dfdad9



BROWN
POSSIBILITIES

VL88118L-009
Lucile Hickory



Layout size : 984x1570mm



Flooring size : 4x24"

VL88162XL-001



Ester Oak



#8d7256

#c7beb7

#646871

Flooring size : 6x30"



Layout size : 984x1890mm



BROWN
POSSIBILITIES

VL88162XL-001
Ester Oak



VL88238XL-004

Kingston Hickory

#7d6043

#968f8a

#8d9d9e

Flooring size : 6x30"



Layout size : 984x1890mm



BROWN
POSSIBILITIES

VL88238XL-004
Kingston Hickory



#9f8465

#60594c

#d8d5cd

VL88251XL-001



Irving Oak

BROWN POSSIBILITIES



VL88251XL-001
Irving Oak



Layout size : 984x1890mm



Flooring size : 6x30"



CONTENTS



VL88086L-003
Contre Hickory



VL88152L-002
Minto Hickory



GRAY TONE



VL88086L-003

Contre Hickory

#c8c1b4

#efecec

#9aa8ae



Layout size : 984x1570mm



Flooring size : 4x24"

GRAY TONE

VL88086L-003
Contre Hickory



#b1a28e

#e0dbd6

#79736e



VL88152L-002

Minto Hickory



Layout size : 984x1570mm




Flooring size : 4x24"

GRAY TONE

VL88152L-002
Minto Hickory

YOUR DESIGN
CONSULTANT






+ Design Name: VL88027
Design Code: Cairo Oak
Spec: 984x1580mm


+ Design Name: VL88030
Design Code: Kansas Walnut
Spec: 984x1580mm

+ Design Name: VL88031
Design Code: Berne Oak
Spec: 984x1580mm

+ Design Name: VL88035
Design Code: Jasper Oak
Spec: 984x1580mm



VL88027/001



VL88027/003




VL88027/006




VL88030/002



VL88030/005





VL88030/007


VL88031/002



VL88031/004



VL88031/008



VL88035/001



VL88035/007






VL88035/009









+ Design Name: VL89021
Design Code: Paia Oak
Spec: 984x1270mm


+ Design Name: VL89029
Design Code: Kuwait Pecan
Spec: 984x1570mm

+ Design Name: VL88068
Design Code: Hatton Oak
Spec: 984x1570mm

+ Design Name: VL89024
Design Code: Evian Oak
Spec: 984x1890mm



VL89021/004





VL89021/008



VL89021/010




VL89029/001



VL89029/004






VL89029/006

VL88068/003



VL88068/005



VL88068/009



VL89024/001







VL89024/002





VL89024/007



A photograph of a bouquet of white roses and greenery in a white vase, set on a wooden table. The background is a blurred indoor setting with a window and a chair. A large white 'V' shape is superimposed over the image, with the word 'Herringbone' written in white text inside it.

Herringbone

THANK YOU

Loading...

CONTENTS

01



VL89724-001
Hemavan Carrara
984*1270mm

02



VL89725-001
Pitea Portopo
984*1270mm

03



VL89726-001
Adak Travertine
984*1270mm

04



VL89727-001
Pello Rock
984*1270mm

CONTENTS

05



VL89728-001
Paul Concrete
984*1270mm

06



VL89729-001
Eden Carrara
984*1270mm

07



VL89730-001
Jerome Slate
984*1270mm

08



VL89731-001
Hunt Slate
984*1270mm



Hemavan Carrara






VL89724-001



12x24"




Pitea Portopo





VL89725-001



12x24"



Adak Travertine





•UP2003 Pavement

Spanish SERIES

Specification

Size	12"x24", 18"x36", 24"x24",18"x18",9"x48" 305x610mm,457x914mm, 610x610mm,450x450mm,228x1220mm
Thickness	3.2mm, 3.5mm, 4.0mm, 4.5mm, 5mm, 5.5mm, 6.0mm,7.0mm
Wear Layer	0.15mm(6mil), 0.3mm(12mil), 0.5mm(20mil)
Pad	EVA:1.0mm/1.5mm IXPE:1.0mm/1.5mm
Available Textures	Marble designs, Stone designs
Bevel	Semi Glossy; Matt Smooth
Patents Click	UNILIN;I4F;VALINGE

Apply to geothermal



Product Model: UP2033





•UP83013 Pavement

Houston SERIES


Specification

Size	12"x24", 18"x36", 24"x24",18"x18",9"x48" 305x610mm,457x914mm, 610x610mm,450x450mm,228x1220mm
Thickness	3.2mm, 3.5mm, 4.0mm, 4.5mm, 5mm, 5.5mm, 6.0mm,7.0mm
Wear Layer	0.15mm(6mil), 0.3mm(12mil), 0.5mm(20mil)
Pad	EVA:1.0mm/1.5mm IXPE:1.0mm/1.5mm
Available Textures	Marble designs, Stone designs
Bevel	Semi Glossy; Matt Smooth
Patents Click	UNILIN;I4F;VALINGE

Apply to geothermal



Product Model: UP83013



Hawaii SERIES

Product Model: VL89706



Product Model: UP83014



•UP83014 Pavement



12x24"



VL89726-001



Pello Rock





VL89727-001



12x24"



Paul Concrete





12x24"



VL89728-001

Eden Carrara





VL89729-001



12x24"



Jerome Slate



VL89730-006



VL89730-001



12x24"



Hunt Slate





12x24"



VL89731-001


Canadian SERIES

Specification


Size	6"X36",7"X36",7"X48",9"X48",9"X60", 12"X24",18"X36",24"X48" 152X915mm,182X915mm,182X1220mm, 228X1220mm,228X1524mm,305X610mm, 465X915mm,605X1220mm
Thickness	3.2mm, 3.5mm, 4.0mm, 4.5mm, 5mm, 5.5mm, 6.0mm,7.0mm
Wear Layer	0.15mm(6mil), 0.3mm(12mil), 0.5mm(20mil)
Pad	EVA:1.0mm/1.5mm IXPE:1.0mm/1.5mm
Available Textures	EIR, BP, Handscraped, Real Wood and more options
Bevel	Micro-Bevel;Painted Bevel
Patents Click	UNILIN;I4F;VALINGE

NOT AVAILABLE FOR USA MARKET


Apply to geothermal



bleached-elm




blythe




burnished-acacia




charcoal-oak




andover-dakworth




bayhill-blonde



coastal-mix




cyrus-akadia




cyrus-barrell




cyrus-bembridge-vinyl-flooring



cyrus-cranton




cyrus-draven




cyrus-billingham




cyrus-boswell




cyrus-exotika




cyrus-fauna




cyrus-bracken-hill




cyrus-braly




cyrus-finely




cyrus-hawthorne




cyrus-jenta




cyrus-katella




cyrus-weathered




cyrus-whitfield




cyrus-mezcla




cyrus-ryder




cyrus-woburn




cyrus-wolfeboro




cyrus-sandino




cyrus-stable




elmwood-ash




hatfield




aged-hickory




andover-abingdale




reclaimed-oak




saddle-oak




kingsdown-gray




lime-washed-oak



tawny-birch




twilight-oak




midnight-maple



prescott-ludlow



woodrift-gray



highcliffe-greige



FLOORING ACCESSORIES

ACCESSORIES

INSTALLATION



Installation set
QSTOOLA

Set with a tapping block to easily click planks together, a crampiron for hard-to-reach places and spacers to provide perfect expansion joints (8 mm) between walls and floor.

TOOLS FOR A WATERTIGHT FINISH

Give your floor a watertight finish using our Foamstrip and Hydrokit to get your water-resistance warranty. Follow the installation instructions and consult the warranty conditions for more details.



Foamstrip
NEVRFOAMSTRIP15
15 m x 8 mm x 5 mm

Fill up expansion joints with the Foamstrip and combine with the Hydrokit for a watertight finish of your floor. Invisible installation under skirtings, profiles etc.



Hydrokit
QSKITTRANSP
310 ml

Transparent silicone to combine with the Foamstrip for a watertight finish of your floor. Invisible installation under skirtings, profiles, etc. Average use: 1 tube for 15 m.

FINISHING

Why choose Pridon Flooring colour-matched profiles?

PERFECTLY MATCHING COLOURS
Our profiles flawlessly match the colour of every floor.

SCRATCH-RESISTANT TOP LAYER
Profiles are protected against everyday wear and tear.

QUICK-STEP WARRANTY
Profiles come with the same warranty as your floor.

	T-moulding	
	Product Item	T-moulding
	Size	2400*45*8mm
	Package	20pcs/ctn
	Material	SPC
	Surface Material	Wearlayer+decorative film
	Usage	Used in doorways to join two floors in adjoining rooms. Also recommended when making a transition from floor to another floor that is approximately the same height.


	Reducer	
	Product Item	Reducer
	Size	2400*45*8mm
	Package	20pcs/ctn
	Material	SPC
	Surface Material	Wearlayer+decorative film
	Usage	Used to transition from flooring to floors of different height with a minimum height difference of 1/4 inch.

	End Cap	
	Product Item	End Cap
	Size	2400*35*8mm
	Package	20pcs/ctn
	Material	SPC
	Surface Material	Wearlayer+decorative film
	Usage	Used to transition from vinyl flooring to carpet, masonry (fireplaces), sliding doors and other exterior door jambs.

	Stair Nose	
	Product Item	Stair Nose
	Size	2400*72*25mm
	Package	6pcs/ctn
	Material	SPC
	Surface Material	Wearlayer+decorative film
	Usage	The Landing Stair Nose combines style and function to enhance the beauty of a staircase or step

	Quarter Round	
	Product Item	Quarter Round
	Size	2400*28*15mm
	Package	25pcs/ctn
	Material	SPC
	Surface Material	Wearlayer+decorative film
	Usage	Used to conceal the required expansion space between the wall and the SPC flooring.

	40-Skirting		
		Product Item	Skirting
		Size	2400*40*10mm
		Package	20pcs/ctn
		Material	SPC
		Surface Material	Wearlayer+decorative film

	60-Skirting		
		Product Item	Skirting
		Size	2400*60*15mm
		Package	10pcs/ctn
		Material	SPC
		Surface Material	Wearlayer+decorative film

	80-Skirting		
		Product Item	Skirting
		Size	2400*80*15mm
		Package	10pcs/ctn
		Material	WPC
		Surface Material	Wearlayer+decorative film

	100-Skirting		
		Product Item	Skirting
		Size	2400*100*15mm
		Package	10pcs/ctn
		Material	SPC
		Surface Material	Wearlayer+decorative film

	150-Skirting		
		Product Item	Skirting
		Size	2400*150*12mm
		Package	8pcs/ctn
		Material	WPC
		Surface Material	Wearlayer+decorative film

	Scotia		
		Product Item	Scotia
		Size	2400*26*15mm
		Package	25pcs/ctn
		Material	WPC
		Surface Material	Wearlayer+decorative film

	Quarter Round		
		Product Item	Quarter Round
		Size	2400*26*15mm
		Package	25pcs/ctn
		Material	WPC
		Surface Material	Wearlayer+decorative film

	End Cap		
		Product Item	End Cap
		Size	2400*40*30*3.5mm
		Package	6pcs/ctn
		Material	SPC
		Surface Material	Wearlayer+decorative film

	End Cap		
		Product Item	End Cap
		Size	2400*21*6*2mm
		Package	50pcs/ctn
		Material	SPC
		Surface Material	Wearlayer+decorative film

	End Cap		
		Product Item	End Cap
		Size	2400*35*8mm
		Package	25pcs/ctn
		Material	WPC
		Surface Material	Wearlayer+decorative film

	End Cap		
		Product Item	End Cap
		Size	2400*36*7mm
		Package	25pcs/ctn
		Material	SPC
		Surface Material	Wearlayer+decorative film

	Reducer		
		Product Item	Reducer
		Size	2400*36*7mm
		Package	20pcs/ctn
		Material	SPC
		Surface Material	Wearlayer+decorative film

	Reducer		
		Product Item	Reducer
		Size	2400*45*8mm
		Package	20pcs/ctn
		Material	WPC
		Surface Material	Wearlayer+decorative film

	T-moulding		
		Product Item	T-moulding
		Size	2400*35*7mm
		Package	25pcs/ctn
		Material	SPC
		Surface Material	Wearlayer+decorative film

	T-moulding	
	Product Item	T-moulding
	Size	2400*45*8mm
	Package	20pcs/ctn
	Material	WPC
	Surface Material	Wearlayer+decorative film


	Stair Nose		
		Product Item	Stair Nose
		Size	2400*55*18mm
		Package	10pcs/ctn
		Material	WPC
		Surface Material	


	55-Stair Nose		
		Product Item	Stair Nose
		Size	2400*55*25mm
		Package	8pcs/ctn
		Material	SPC
	Surface Material	Wearlayer+decorative film	


	70-Stair Nose		
		Product Item	Stair Nose
		Size	2400*70*20mm
		Package	8pcs/ctn
		Material	SPC
Surface Material		Wearlayer+decorative film	


	110-Stair Nose	
	Product Item	Stair Nose
	Size	2400*110*25mm
	Package	6pcs/ctn
	Material	SPC
	Surface Material	Wearlayer+decorative film


	110-Stair Nose		
		Product Item	Stair Nose
		Size	2400*110*25mm
		Package	6pcs/ctn
		Material	WPC
	Surface Material	Wearlayer+decorative film	

	300-Stair Board		
		Product Item	Stair Board
		Size	1200*304*31mm
		Package	2pcs/ctn
		Material	WPC
		Surface Material	Wearlayer+decorative film

	70-Stair Nose		
		Product Item	Stair Nose
		Size	2400*70*25mm
		Package	8pcs/ctn
		Material	SPC
	Surface Material	Wearlayer+decorative film	

	110-Stair Nose		
		Product Item	Stair Nose
		Size	2400*110*35mm
		Package	6pcs/ctn
		Material	WPC
		Surface Material	

	300-Stair Board		
		Product Item	Stair Board
		Size	1200*300*35mm
		Package	2pcs/ctn
		Material	SPC
		Surface Material	




	300-Stair Board		
		Product Item	Stair Board
		Size	1200*304*31mm
		Package	2pcs/ctn
		Material	WPC
		Surface Material	




Laminate cutter

571012

- Fast and powerful cutter for square end cutting
- TPR handle for comfortable operation

Item NO.				
571012	305mm	12mm	4pcs/820x500x200mm	20kg





Laminate cutter

571020

- Fast and powerful cutter
- Sharp blade
- Seamless cutting

SPECIFICATIONS



Item NO.			
571020	330mm	15mm	28kg
Item NO.			
571020	4pcs/650x390x390mm		

Laminate cutter

571021

- Fast and powerful cutter
- Sharp blade
- Seamless cutting

SPECIFICATIONS

Item NO.			
571021	230mm	15mm	23kg
Item NO.			
571021	4pcs/650x290x390mm		



• SHARP BLADE FOR SEAMLESS CUTTING

• QUICK AND EASY CUTTING

• ANGLE GUIDE FOR DIFFERENT ANGLES

• STEEL AND ALUMINUM CONSTRUCTION

Floor&carpet

Floor&carpet series

Floor&carpet series

Floor&carpet series
Floor&carpet series


Laminate Fitting Kit

255032

- Scraper
- 20 pcs wedges
- Steel pull bar
- Tapping block



Workshop



Showroom



Exhibition



Packaging



Workshop



Loading Container