

**DOMOPLANK**

SPC Flooring | WPC Panels | Decking Floors

# SPC WALL PANEL

## Quick Install








# Start exploring

SPC WALL PANEL	P. 3
PANEL SHAPE MATTERS	P. 9
CONNECT SYSTEM	P. 11
SPC WALL PANEL INSTALLATION	P. 13
TECHNICAL SPECIFICATION	P. 14

# Our collection has a design that you will love.

GLOSSY SERIES	P. 15-34
MATTE SERIES	P. 35-52
WOOD DESIGN	P. 53-58
FABRIC DESIGN	P. 59-64
PURE COLOR	P. 65-76
ABOUT US	P. 77
AUTHENTICATION	P. 79

# Why Choose SPC Wall Panel?








— walls.










# Go for Walls and enjoy ...


## Key Benefits

### Cost-effective & Low-carbon

- No grout no mortars,large size for quick-install
- Mutiple options of installing way
- Replacement of wood and tile

### Excellent Performance

- Waterproof and moisture-proof
- Durable for long-term usage
- Impact resistance with solid core
- E1 safty guarantee, Level B fire rating

- 

UV Coating  
Stronger scratch resistance and stain resistance.

Wear Layer  
Excellent wear resistance.

Printing Layer  
Real textures such as wood, stone and woven are presented.

SPC Core  
100% raw material, durable, stable, strong impact resistance.

SPC wall panel is a new and perfect solution for wall covering and taking replacement for traditional materials.

## Sizes

Thickness	Width	Height	Joint
2.5mm	1200	2400 - Customized	H Joint
4.0/5.0 mm	600		T & G/H Joint/Hidden H Joint
	980		T & G/H Joint/Hidden H Joint
	1200		H Joint



## Lock system



## SPC Wall Panels

Thickness	Width	Height	Joint
3.8MM/4.0MM	600MM	2400MM	T & G/H Joint/Hidden
4.5MM/5.0MM	980MM	2600MM	T & G/H Joint/Hidden
	1200MM	2800MM	Patented Click System




110" X 24"



110" X 24"




102" X 39"



95" X 47"








Sometimes shapes tell a better story. Delicate varieties infuse plain SPC wall panels with the ability to create a dynamic,trendy and stylish expression in your space.



Different designs create various vibes for every space in our range of SPC wall panel products. Color selection of grout lines will also deliver different dynamic visual experience. Even with the same pattern, we can help create diverse aesthetics, because of shape matters!


Tile sizes






T&G System

Flat Tongue & Groove with caps to fix tightly against wall, easy to install without seams.  
Size: 457/600 (W) x 2400/Customized (H) x4mm(T)  
Accessory: Cap



T&G Installation Guide




Click System

Patented click system, easy to install and lock firmly, seamless and leak-proof. (patent fee required)  
Size: 457/600 (W) x 2400/Customized (H) x4/5mm(T)  
Accessory: Non




Click Installation Guide




A.90°Bending

With the reshaping feature of SPC material after heating, it can be seamless 90° bended to make perfect external/internal corner joint.




B.Use Trims

Insert the two pieces at the external/internal corner into the corresponding profiles to complete the closing of corners.  
Trims: External corner trim, Internal corner trim



Closing Trim




Wall Preparation

- 1. Wall flatness degrees≤3mm/2M, vertical degrees≤2mm/2M;
- 2. Internal and external corner squareness ≤2mm;
- 3. Solid and dry walls, no lime-shedding and no delaminating, clean and no-stains, etc.

Environment

- 1. Temperature within 15-25 °C;
- 2. Humidity ≤ 65%;
- 3. Wall panel needs to be aging in construction environment 24 hours before insallation.



Performance Attribute	Standard	SPC
Boiling Water	EN 438-2	NO change in appearance
Dimensional Stability (Shrinking 80 °C /6H)	EN 434 ISO23999	≤0.15%
Light Fastness	EN ISO 105-B02	Grade 6
Water Absorption	ASTM D 570	0.10%
Fire Resistant	EN 13501-1	Bf1-s2
Stain Resistance	ISO 26987	Grade 0
Formaldehyde	EN 717-1	E1






Glossy  
Stone

SPC Wall Panels

Glossy Stone



Please check the sample for color reference and the picture for pattern.

W240120E

Thickness	Width	Height	Joint
3.8MM/4.0MM	1200MM	2400MM	H Joint
4.5MM/5.0MM	600MM	2600MM	T & G/H Joint/Hidden
	1200MM	2800MM	Patented Click System







W240125-1E

Please check the sample for color reference and the picture for pattern.



W240121E

Please check the sample for color reference and the picture for pattern.

Thickness	Width	Height	Joint
3.8MM/4.0MM	1200MM	2400MM	H Joint
	600MM	2600MM	T & G/H Joint/Hidden
4.5MM/5.0MM	1200MM	2800MM	Patented Click System





W240143E

Please check the sample for color reference and the picture for pattern.



W240144E

Please check the sample for color reference and the picture for pattern.


Thickness	Width	Height	Joint
3.8MM/4.0MM 4.5MM/5.0MM	1200MM	2400MM	H Joint
	600MM	2600MM	T & G/H Joint/Hidden
	1200MM	2800MM	Patented Click System





W240140-2E

Please check the sample for color reference and the picture for pattern.




Please check the sample for color reference and the picture for pattern.

W240134E

Thickness	Width	Height	Joint
3.8MM/4.0MM 4.5MM/5.0MM	1200MM	2400MM	H Joint
	600MM	2600MM	T & G/H Joint/Hidden
	1200MM	2800MM	Patented Click System








W240135-1E

Please check the sample for color reference and the picture for pattern.



W240137-1E

Please check the sample for color reference and the picture for pattern.

Thickness	Width	Height	Joint
3.8MM/4.0MM	1200MM	2400MM	H Joint
4.5MM/5.0MM	600MM	2600MM	T & G/H Joint/Hidden
	1200MM	2800MM	Patented Click System







W240137-2E

Please check the sample for color reference and the picture for pattern.



W240154-2E

Please check the sample for color reference and the picture for pattern.

Thickness	Width	Height	Joint
3.8MM/4.0MM	1200MM	2400MM	H Joint
	600MM	2600MM	T & G/H Joint/Hidden
4.5MM/5.0MM	1200MM	2800MM	Patented Click System







W240126E

Please check the sample for color reference and the picture for pattern.




W240130-1E

Please check the sample for color reference and the picture for pattern.

Thickness	Width	Height	Joint
3.8MM/4.0MM 4.5MM/5.0MM	1200MM	2400MM	H Joint
	600MM	2600MM	T & G/H Joint/Hidden
	1200MM	2800MM	Patented Click System







W240132E

Please check the sample for color reference and the picture for pattern.



W240141E

Please check the sample for color reference and the picture for pattern.

Thickness	Width	Height	Joint
3.8MM/4.0MM 4.5MM/5.0MM	1200MM	2400MM	H Joint
	600MM	2600MM	T & G/H Joint/Hidden
	1200MM	2800MM	Patented Click System







W240138E

Please check the sample for color reference and the picture for pattern.



Please check the sample for color reference and the picture for pattern.

W240131-1E

Thickness	Width	Height	Joint
3.8MM/4.0MM	1200MM	2400MM	H Joint
	600MM	2600MM	T & G/H Joint/Hidden
4.5MM/5.0MM	1200MM	2800MM	Patented Click System







W240142-2E

Please check the sample for color reference and the picture for pattern.



Or turn your bathroom into a private wellness. Our walls won't mind.

Combine different natural elements for a mood-boosting look and feel.



Thickness	Width	Height	Joint
3.8MM/4.0MM	1200MM	2400MM	H Joint
	600MM	2600MM	T & G/H Joint/Hidden
4.5MM/5.0MM	1200MM	2800MM	Patented Click System





Matte  
Stone



Please check the sample for color reference and the picture for pattern.

W240149

Thickness	Width	Height	Joint
3.8MM/4.0MM	1200MM	2400MM	H Joint
4.5MM/5.0MM	600MM	2600MM	T & G/H Joint/Hidden
	1200MM	2800MM	Patented Click System








W240145

Please check the sample for color reference and the picture for pattern.



W240102

Please check the sample for color reference and the picture for pattern.

Thickness	Width	Height	Joint
3.8MM/4.0MM 4.5MM/5.0MM	1200MM	2400MM	H Joint
	600MM	2600MM	T & G/H Joint/Hidden
	1200MM	2800MM	Patented Click System







W240150-2

Please check the sample for color reference and the picture for pattern.




W240146

Please check the sample for color reference and the picture for pattern.

Thickness	Width	Height	Joint
3.8MM/4.0MM 4.5MM/5.0MM	1200MM	2400MM	H Joint
	600MM	2600MM	T & G/H Joint/Hidden
	1200MM	2800MM	Patented Click System








W240103

Please check the sample for color reference and the picture for pattern.




Please check the sample for color reference and the picture for pattern.

W240147

Thickness	Width	Height	Joint
3.8MM/4.0MM 4.5MM/5.0MM	1200MM	2400MM	H Joint
	600MM	2600MM	T & G/H Joint/Hidden
	1200MM	2800MM	Patented Click System







W240148

Please check the sample for color reference and the picture for pattern.



W240112-2

Please check the sample for color reference and the picture for pattern.

Thickness	Width	Height	Joint
3.8MM/4.0MM 4.5MM/5.0MM	1200MM	2400MM	H Joint
	600MM	2600MM	T & G/H Joint/Hidden
	1200MM	2800MM	Patented Click System







W240153

Please check the sample for color reference and the picture for pattern.



Please check the sample for color reference and the picture for pattern.

W240113-2



Thickness	Width	Height	Joint
3.8MM/4.0MM 4.5MM/5.0MM	1200MM	2400MM	H Joint
	600MM	2600MM	T & G/H Joint/Hidden
	1200MM	2800MM	Patented Click System





W240151-1

Please check the sample for color reference and the picture for pattern.




W240152-1

Please check the sample for color reference and the picture for pattern.

Thickness	Width	Height	Joint
3.8MM/4.0MM 4.5MM/5.0MM	1200MM	2400MM	H Joint
	600MM	2600MM	T & G/H Joint/Hidden
	1200MM	2800MM	Patented Click System







W240106-1

Please check the sample for color reference and the picture for pattern.



W240109-1




Please check the sample for color reference and the picture for pattern.

W240109

Thickness	Width	Height	Joint
3.8MM/4.0MM 4.5MM/5.0MM	1200MM	2400MM	H Joint
	600MM	2600MM	T & G/H Joint/Hidden
	1200MM	2800MM	Patented Click System







W240110-2



W240111

Please check the sample for color reference and the picture for pattern.



Thickness	Width	Height	Joint
3.8MM/4.0MM	1200MM	2400MM	H Joint
4.5MM/5.0MM	600MM	2600MM	T & G/H Joint/Hidden
	1200MM	2800MM	Patented Click System

Our walls fit your interior,  
your habits, your home.



Our designs are  
inspired by nature.





W240201



Please check the sample for color reference and the picture for pattern.

W240201-1

Thickness	Width	Height	Joint
3.8MM/4.0MM	1200MM	2400MM	H Joint
4.5MM/5.0MM	600MM	2600MM	T & G/H Joint/Hidden
	1200MM	2800MM	Patented Click System







W240201-2




W240202-1

Please check the sample for color reference and the picture for pattern.



W240202-4



Please check the sample for color reference and the picture for pattern.

W240202-3

Thickness	Width	Height	Joint
3.8MM/4.0MM	1200MM	2400MM	H Joint
4.5MM/5.0MM	600MM	2600MM	T & G/H Joint/Hidden
	1200MM	2800MM	Patented Click System







W240203



W240204-3

Please check the sample for color reference and the picture for pattern.



W240205-1



Please check the sample for color reference and the picture for pattern.

W240205-4



Thickness	Width	Height	Joint
3.8MM/4.0MM	1200MM	2400MM	H Joint
4.5MM/5.0MM	600MM	2600MM	T & G/H Joint/Hidden
	1200MM	2800MM	Patented Click System





W240301




Please check the sample for color reference and the picture for pattern.

W240301-1


Thickness	Width	Height	Joint
3.8MM/4.0MM	1200MM	2400MM	H Joint
4.5MM/5.0MM	600MM	2600MM	T & G/H Joint/Hidden
	1200MM	2800MM	Patented Click System








W240302-2




W240302-3

Please check the sample for color reference and the picture for pattern.



W240303-3



Please check the sample for color reference and the picture for pattern.

W240304-1



Thickness	Width	Height	Joint
3.8MM/4.0MM	1200MM	2400MM	H Joint
	600MM	2600MM	T & G/H Joint/Hidden
4.5MM/5.0MM	1200MM	2800MM	Patented Click System





W240305-2



W240306

Please check the sample for color reference and the picture for pattern.




Thickness	Width	Height	Joint
3.8MM/4.0MM	1200MM	2400MM	H Joint
4.5MM/5.0MM	600MM	2600MM	T & G/H Joint/Hidden
	1200MM	2800MM	Patented Click System



Build a Quality  
Space with FastPanel.






Please check the sample for color reference and the picture for pattern.

W240401P

Thickness	Width	Height	Joint
3.8MM/4.0MM 4.5MM/5.0MM	1200MM	2400MM	H Joint
	600MM	2600MM	T & G/H Joint/Hidden
	1200MM	2800MM	Patented Click System








W240402P

Please check the sample for color reference and the picture for pattern.




W240403P

Please check the sample for color reference and the picture for pattern.




Thickness	Width	Height	Joint
3.8MM/4.0MM	1200MM	2400MM	H Joint
	600MM	2600MM	T & G/H Joint/Hidden
4.5MM/5.0MM	1200MM	2800MM	Patented Click System





W240404P

Please check the sample for color reference and the picture for pattern.




W240405P

Please check the sample for color reference and the picture for pattern.




Thickness	Width	Height	Joint
3.8MM/4.0MM	1200MM	2400MM	H Joint
	600MM	2600MM	T & G/H Joint/Hidden
4.5MM/5.0MM	1200MM	2800MM	Patented Click System





W240406P

Please check the sample for color reference and the picture for pattern.




W240407P

Please check the sample for color reference and the picture for pattern.

Thickness	Width	Height	Joint
3.8MM/4.0MM	1200MM	2400MM	H Joint
4.5MM/5.0MM	600MM	2600MM	T & G/H Joint/Hidden
	1200MM	2800MM	Patented Click System








W240408P

Please check the sample for color reference and the picture for pattern.



W240409P

Please check the sample for color reference and the picture for pattern.

Thickness	Width	Height	Joint
3.8MM/4.0MM	1200MM	2400MM	H Joint
4.5MM/5.0MM	600MM	2600MM	T & G/H Joint/Hidden
	1200MM	2800MM	Patented Click System





In Stock design

stone series  
石 / 纹 S

花色细节




大理石纹/Marbling  
品名：霜地  
型号：S8233  
尺寸：600\*2400\*3.7mm



Size : 600\*2400\*3.7mm  
120pcs/pallet 12Kg/pic

Stone series  
石 / 纹

花色细节



大理石纹/Marbling  
品名：星云  
型号：S8222  
尺寸：600\*2400\*3.7mm





In Stock design

stone series  
石 / 纹 S

花色细节



大理石纹/Marbling

品名: 无界  
型号: S8221  
尺寸: 600\*2400\*3.7mm



Stone series  
石 / 纹

Size : 600\*2400\*3.7mm  
120pcs/pallet 12Kg/pic

花色细节



大理石纹/Marbling

品名: 奇点  
型号: S8204  
尺寸: 600\*2400\*3.7mm





In Stock design

stone series  
石 / 纹 S



型号: S8500  
尺寸: 600\*2800\*5.0mm



型号: S8501  
尺寸: 600\*2800\*5.0mm

Stone series  
石 / 纹

Size : 600\*2400\*3.7mm  
120pcs/pallet 12Kg/pic



型号: S8502  
尺寸: 600\*2800\*5.0mm



型号: S8503  
尺寸: 600\*2800\*5.0mm



In Stock design

stone series  
石 / 纹 S



型号: S8504  
尺寸: 600\*2800\*5.0mm

型号: S8505  
尺寸: 600\*2800\*5.0mm

型号: S8506  
尺寸: 600\*2800\*5.0mm

Terrazzo series  
水 / 磨 / 石

Size : 600\*2400\*3.7mm  
120pcs/pallet 12Kg/pic



水磨石/Terrazzo

品名: 瑶光  
型号: T8801  
尺寸: 600\*2400\*3.7mm



In Stock design

terrazzo serie  
水 / 磨 / 石S

Size : 600\*2400\*3.7mm  
120pcs/pallet 12Kg/pic

terrazzo serie  
水 / 磨 / 石S



水磨石/Terrazzo



品名: 少微  
型号: T8802  
尺寸: 600\*2400\*3.7mm




品名: 少微  
型号: T8802  
尺寸: 600\*2400\*3.7mm

水磨石/Terrazzo













WE ARE RECOGNIZED  
BY PROFESSIONAL  
INSTITUTIONS GLOBALLY

