




LENFLEX[®]

MANUFACTURER/EXPORTER/IMPORTER



ONE-STOP SOLUTION OF HYDRAULIC COMPONENTS

广州一桥科技集团有限公司

GUANGZHOU YIQIAO TECHNOLOGY GROUP CO., LTD.



一桥飞架南北 天堑变通途

集团简介 YIQIAO GROUP

广州一桥科技集团有限公司（以下简称一桥集团）成立至今20余年，是一家集产品的研究、开发、生产和国内外销售于一体的科技型工贸企业。专注于高中低压橡胶管、特种胶管、胶管接头及软管总成等工程机械主要配件，属国务院重点扶持的第十类产业。

一桥集团在全国最优质企业展览会的广交会上有常年席位，经过二十余年在市场上耕耘积累，一桥集团获得了世界海关组织倡导的最高信用等级AEO认证，并通过ISO9001质量管理体系认证，荣获“中国五矿化工进出口商会A级企业”、“广州市守合同重信用企业”及等称号。

一桥集团拥有一支优质高效的团队，最高管理层有二十多年的营销服务和生产技术经验，全公司人员秉承“以人为本、客户至上、精益求精”的理念，依靠稳定优质的产品，完善周到的服务体系，诚挚良好的商业信誉，创造出“YIQIAO”和“LENFLEX”等成功的品牌形象。产品荣获了通行世界的MSHA认证证书，中国船级社认证以及中国煤安认证，产品获得相应行业的认可。一桥集团产品销售到全球几大洲，深受海内外客户欢迎。

“LENFLEX”® 商标亦在中国以及美国、欧盟、俄罗斯、叙利亚、南非、澳大利亚、巴林、韩国、英联邦等等国家与地区注册。

一桥集团旗下有三家制造厂——广州连达橡塑有限公司、广州连盈橡塑新材料有限公司和广州连科机械配件有限公司。



广州连达橡塑有限公司引进国内外先进设备，专业生产高强度钢丝编织、缠绕液压橡胶软管以及编织缠绕类的高压和中压胶管。通过钢丝液压软管生产许可认证和华夏认证中心，美国皇家（UKA）联合颁发的ISO9001质量管理体系认证证书，中国船级社认证，MSHA认证，中国煤安认证。获得高新科技企业称号。产品采用国际先进标准（SAE、DIN）组织生产。

广州连盈橡塑新材料有限公司引进了专业的自动化设备，专业研发生产特种纤维胶管、工业用夹布橡胶管，可生产胶管最大直径24"。连达和连盈的结合可实现对橡胶管产品高压，中压以及低压市场的全覆盖。

广州连科机械配件有限公司生产各种液压管接头，过渡接头以及液压连接件。通过ISO9001质量管理体系认证。连达，连盈与连科的结合有效实现了对胶管总成的生产质量、产量及销售的整体控制，并实现了相关产业配套。

广州一桥科技集团有限公司作为国内首家集研发生产胶管与接头一体的企业，将以雄厚的实力，更具规模地建立一个以市场，客户需求为终端目标，用专业的技术力量，专业的生产管理，专业的对外服务团队打造专业的液体传动产品供应平台。



LENFLEX®
MANUFACTURER/EXPORTER/IMPORTER

GUANGZHOU YIQIAO TECHNOLOGY GROUP COMPANY LIMITED (YIQIAO GROUP) has been in the market for more than 20 years and is a high-tech industry and trade enterprise specializing in product research, development, production and sales in domestic and abroad market. Focus on high pressure hydraulic hose, special rubber hose, hose fittings, hose assembly and other engineering machinery accessories, Yiqiao group is the first domestic enterprises who cover the chain of engineering machinery accessories, which belongs to the tenth types of industry supported by the State Council.

Yiqiao group owns perennial seats in the high-quality Canton Fair. Through cultivation and accumulation within more than 20 years in the market, Yiqiao Group has won the AEO certificate issued by the World Customs Organization, won global recognition of "Customs Class A enterprise", and passed ISO9001 quality management system, won the "Chinese CCCMC Class A Enterprise", "Guangzhou City Abide by the Contract and Credit Enterprise".

Yiqiao group has highly efficient team. "People-oriented, Customer first, Refine on Spirit" is the culture base of Yiqiao Group. Rely on the stability of high quality products, perfect service system and sincere and good business reputation, Yiqiao Group has created "YIQIAO" and "LENFLEX" successful brand image. Products awarded the certificate of MSHA, Certification by China Classification Society, China Mining security certification, has obtained corresponding industry recognition.

Yiqiao Group's products has always won the welcome and praise of customers all over the world. **LENFLEX**® trademark is registered in China, America, EU, Russia, Syria, South Africa, Australia, Bahrain, South Korea, the Commonwealth and area.

Yiqiao Group owns three manufacturing plants - LENFLEX HOSE INDUSTRY CO., LTD., LENFLEX NEW TECHNOLOGY CO., LTD, LENFLEX HYDRAULIC FITTINGS INDUSTRY LTD..

LENFLEX HOSE INDUSTRY CO., LTD. introduced advanced equipment from domestic and abroad, specializing in the production of high pressure steel wire braided, spiral hydraulic rubber hose and twisted type medium pressure hose. Achieved the wire hydraulic hose production License and ISO9001 quality management system. The products are accord with advanced international standards (SAE, DIN).


LENFLEX NEW TECHNOLOGY CO., LTD introduced specialized hose equipment to develop and produce special rubber hose, industry fabric reinforced rubber hose. The biggest size which can be produced in Lenflex is 24" diameter. In this way, LENFLEX can meet the demand for high pressure, middle pressure and lower pressure hose.

LENFLEX HYDRAULIC FITTINGS INDUSTRY LTD. specialized in production of all types of hydraulic fittings, adaptors, the enterprise had also passed ISO9001 quality management system, and other connectors to support with the hydraulic hose, then achieved the control of quality, production volume and sales of assembly effectively, creating a supporting industries with LENFLEX HOSE INDUSTRY CO., LTD & LENFLEX NEW TECHNOLOGY CO., LTD.

Yiqiao Group is the first integrated enterprise in domestic market who can research, develop and produce rubber hoses and fittings together, will use strong strength to establish a professional hydro transmission platform which take market, customer demand for the terminal target, with professional technical force, the professional production management, professional service team.



质量保证 QUALITY ASSURANCE

GB/T19001-2016 ISO9001:2015



液压管 HYDRAULIC HOSE



液压管 HYDRAULIC HOSE	钢丝编织管 STEEL WIRE BRAIDED HOSE MSHA						
		R1/1SN	R2/2SN	R5	R5HT	R16	R17
							
		1SC	2SC	PLS	LT01	LT02	ISO 18752 L3000
							
		RED FIRE HOSE		FCP			
	钢丝缠绕管 SPIRAL STEEL WIRE HOSE MSHA						
		R12	R13	R15	4SP	4SH	
							
	纤维编织管 FIBER BRAIDED HOSE	ISO 18752 L5000	ISO 18752 L6000	LSB	LSA		
							
	树脂管 RESIN HOSE	R3	R4	R6	1TE	2TE	3TE
							
		R7	R7 1W&2W	R8A	R8WA	2WA10K	WA14K5
	特氟龙管 PTFE HOSE						
		TWR7 1F	TWR7 1W				
	车辆用管 VEHICLE HOSE						
		R14					
	车辆用管 VEHICLE HOSE						
		R134A	HOSE FOR VEHICLE				

表面可做成光面，有需要请联系我们。
SMOOTH SURFACE IS AVAILABLE, IF INTERESTED PLEASE CONTACT US.

工业管 INDUSTRIAL HOSE / 塑料管 PVC HOSE





































工业管 INDUSTRIAL HOSE	采矿用管 MINING HOSE						
		LB01		LB02		SAND BLAST HOSE	
	空气管 AIR HOSE						
		AIR HOSE					
	蒸汽管 STEAM HOSE						
		STEAM HOSE	STEEL CORD STEAM HOSE				
	输水高压管 JET WATER HOSE						
		JWH	U-JWH	H-JWH			
塑料管 PVC HOSE	无碳胶管 CARBON FREE HOSE						
		CARBON FREE HOSE					
	燃油管 OIL HOSE						
		FUEL HOSE		OIL TANK TRUCKS HOSE			
	物料输送管 MUD DELIVERY HOSE						
		STEEL CORD CONCRETE HOSE					
塑料管 PVC HOSE							
	PVC STEEL WIRE REINFORCED HOSE	PVC FIBERMESH REINFORCED HOSE		PVC SPRAY HOSE			
							
	PVC SUCTION HOSE	LAYFLAT HOSE	PP & NYLON SLEVE		ANTI-FIRE SLEEVE		

如果您需要更多的产品资料，请联系我们。
IF YOU NEED MORE PRODUCT INFORMATION, PLEASE CONTACT US.




软管接头 FITTINGS




扣压式软管接头 Swaged Hose Fitting	套筒 Ferrule						
		L00110	L03310	L00200	L00210	L00400	L01400
							
		L00018	L00TF0	L00710	L00110-A PYH	L00401	
	公制螺纹 平面密封 Flat Seal						
		L10311 L10312	L20211-T L20212-T	L20241-T L20242-T	L20291-T L20292-T		
	公制螺纹60° 锥密封 60° Cone Seal						
		L10611 L10612	L20611-T L20612-T	L20641-T L20642-T	L20691-T L20692-T		
	公制螺纹 球面密封 Multiseal						
		L20111-T L20112-T	L20141-T L20142-T	L20191-T L20192-T			
	公制螺纹74° 锥密封 74° Cone Seal						
		L10711 L10712	L20711-T L20712-T	L20741-T L20742-T	L20791-T L20792-T		
	公制螺纹90° 锥密封过板 90° Cone Seal						
		L10811L					
	公制螺纹24° 锥密封轻系列 24° Cone O-Ring Seal L.T.						
		L10411 L10412	L20411-T L20412-T	L20441-T L20442-T	L20491-T L20492-T		
	公制螺纹24° 锥密封重系列 24° Cone O-Ring Seal H.T.						
		L20511-T L20512-T	L20541-T L20542-T	L20591-T L20592-T	L10511 L10512		
	公制螺纹24° 锥球面密封轻系列 24° Cone O-Ring Seal L.T.						
		L20411C-T L20412C-T	L20491C-T L20492C-T				
	公制螺纹24° 锥球面密封重系列 24° Cone O-Ring Seal H.T.						
		L20511C-T L20512C-T	L20541C-T L20542C-T	L20591C-T L20592C-T			
	公制卡套直管 Standpipe Straight						
		L50011 L50012	L50041 L50042	L50091 L50092			

英管螺纹O形圈
密封
BSP O-Ring Seal




L12211 L12212


英锥管螺纹
BSPT



L13011-SP L13012-SP




L12611 L12612




L12611A L12612A


英管螺纹球面密封
BSP Multiseal



L22111 L22112




L22141 L22142




L22191 L22192


英管螺纹平面密封
BSP Flat Seal



L22211 L22212




L22241 L22242




L22291 L22292


英管螺纹60° 锥面
密封
BSP60° Cone Seal




L22611 L22612



L22641 L22642




L22691 L22692



L22611D L22612D




L22611D-SM L22612D-SM




L22691K L22692K

美制SAE螺纹
O形圈密封
SAE O-Ring Seal




L16011 L16012

美制锥螺纹
NPT




L15611 L15612


美制JIC螺纹74°
锥密封
JIC 74° Cone Seal




L16711 L16712




L26711 L26712




L26741 L26742




L26791 L26792



L26711D L26712D




L26711D-SM L26712D-SM




L26791K L26792K


美制SAE螺纹90°
锥面密封
SAE90° Cone Seal




L17811 L17812



L27811 L27812



L27841 L27842




L27891 L27892


美制ORFS
螺纹平面密封
ORFS Flat Seal




L14211 L14212




L24211 L24211-T



L24241 L24241-T




L24291 L24291-T




L24211D


美制NPSM螺纹60°
锥球密封
NPSM60° Cone Seal



L21611 L21612




L21641 L21642




L21691 L21692


SAE法兰式轻系列
SAE Flange L.T.




L87312



L87342


























L87392



LFL


软管接头 FITTINGS




扣压式软管接头 Swaged Hose Fitting	SAE法兰式重系列 SAE Flange H.T.							
		L87612	L87642	L87692	L87912	L87942	L87992	LFS
	日制法兰 Flange							
		L88112	L88142	L88192				
	日式公制螺纹60° 锥密封 Metric 60° Cone Seal							
		L18611 L18612	L28611 L28612	L28641 L28642	L28691 L28692			
	日式英管螺纹60° 锥密封 GAS60° Cone Seal							
		L29611D L29612D	L29641D L29642D	L29691D L29692D				
	公制螺纹 水管接头 Metric Waterwash							
		L20011-T						
	矿用接头 Staplelok							
		L60011 L60012	L67011 L67012					
	铰接接头 Banjo							
		L70011 L70012	L700M	L72011 L72012	L720B			
	美制锥螺纹旋转 接头 NPT Swivel							
		L15611SW	L15691KSW					
	美制SAE螺纹 旋转接头 SAE O-Ring Boss Swivel							
		L16011SW	L16091KSW					
	双面连接接头 Double Connection							
		L90011	L90012					
	一体式软管接头 One Piece Fitting							
		L15611-RW	L16711-RW	L26711-RW	L26741-RW	L26791-RW		

扣压式软管接头 Swaged Hose Fitting


一体式软管接头
One Piece Fitting




L20411W-RW




L20441W-RW



L20491W-RW




L20511W-RW




L20541W-RW




L20591W-RW




L20411-RW




L20491-RW




L20511-RW




L20591-RW




L14211-RW




L15611-RW




L15612-RW




L16011-RW




L16711-RW



L21611-RW




L21691-RW




L22611D-RW




L22641-RW




L22691-RW




L24211-RW(Long)




L24212-RW(Long)




L24241-RW




L24291-RW




L24292-RW




L26711-RW




L26712-RW




L26741-RW




L26791-RW




L26792-RW




L27811-RW




L28611-RW




L28691-RW




L29611-RW




L29691-RW




L87311-RW




L87312-RW




L87391-RW




L87392-RW



L87612-RW





















L87691-RW

























L87692-RW

软管接头 FITTINGS

剥内外胶软管接头 Interlock Hose Fitting	套筒 Ferrule	 L00621	 L00621-R15				
	英制螺纹 British	 L13013-SP	 L12613	 L22613W	 L22613-ORW		
	美制锥螺纹 NPT	 L15613					
	美制JIC螺纹 74° 密封 JIC74° Cone Seal	 L26713-W	 L26793-W				
	公制螺纹24° 锥密封重系列 Metric 24° Cone Seal H.T.	 L10513	 L20513-W	 L20543-W	 L20593-W		
	SAE法兰 SAE Flange	 L87313	 L87343	 L87393	 L87613	 L87643	 L87693
	9000PSI法兰 9000PSI Flange	 L87913	 L87943	 L87993			
双面联接 Double Connection	 L90013						
可拆式软管接头 Reusable Hose Fitting	 L00518-R5	 L15618-R5	 L26718D-R5	 L26718D-R5W			
插入式软管接头 Socketless Hose Fitting	 L13011-SP(PO)	 L15611-PO	 L12611-PO	 L22611-PO	 L22691K-PO		
	 L16711-PO	 L26711-PO	 L26791K-PO	 L27811-PO			






































过渡接头 ADAPTER

公制螺纹O形圈平面密封接头 Metric Thread O-ring Face Seal Adapters













					
L1E	L1E9	LAE	LXE	L2E9	LBE
					
LCE	L4E	L9E	L6E	L6E9	LAE6EE
					
LAEE6E	L1EH	L1EH4-OG	L1EH9-OG	LAEEH-OG	LAEHE-OG
					
L1EL	L1EN	L1ET-SP	L1EW	L1EW9	L1EZ
					
L2WE					
























过渡接头 ADAPTER

公制螺纹卡套接头 Metric Thread Bite Type Tube Adapters
















					
L1C、L1D	L1C、L1D REDUCING	L1C9、L1D9	LAC、LAD	LAC、LAD REDUCING	LXC、LXD
					
L2C、L2D	L2C9、L2D9	LBC、LBD	LCC、LCD	L3C、L3D	L4C、L4D
					
L9C、L9D	L6C、L6D	L6C9、L6D9	L8C	L1CN、L1DN	L1CN9、L1DN9
					
L1CT-SP、L1DT-SP	L1CT9-SP、L1DT9-SP	L1CH、L1DH	L1CH4-OG、L1DH4-OG	L1CH9-OG、L1DH9-OG	LACCH-OG、LADDH-OG
					
LACHC-OG、LADHD-OG	L1CG、L1DG	L1CG4-OG、L1DG4-OG	L1CG9-OG、L1DG9-OG	LACCG-OG、LADDG-OG	LACGC-OG、LADGD-OG
					
L1CO、L1DO	L1CO9-OG、L1DO9-OG	LACCO-OG、LADDO-OG	LACOC-OG、LADOD-OG	L1CB、L1DB	L1CB9、L1DB9
					
L1CB-WD、L1DB-WD	L2BC-WD、L2BD-WD	L1CM、L1DM	L1CM-WD、L1DM-WD	L2MC-WD、L2MD-WD	L1CJ、L1DJ














过渡接头 ADAPTER

Metric Thread Bite Type Tube Adapters 公制螺纹卡套接头						
	L2JC、L2JD	L1CW、L1DW	L1C-Y、L1D-Y	L2GC、L2GD	L5CB、L5DB	L5CB-GDK、L5DB-GDK
						
	L7BC-GDK/S、L7BD-GDK/S	L5CM、L5DM	L1CI-B、L1DI-B	L1CI、L1DI	LNL、LNS	LRL、LRS

公制螺纹 74° 锥面扩口密封接头 Metric Thread 74° Cone Flared Tube Adapters						
	L1Q	LAQ	L2Q9	L4Q	L6Q	L6Q9
						
	L1QH	L1QH9-OG	LAQH9-OG	LAQQH-OG	L1QG	L1QG9-OG
						
	L1QO	L1QO9-OG	L1QN	L1QN4	L1QN9	L1QT-SP
						
	L1QT9-SP	L1QB	L1QL	LNB200-Q	LNB500-Q	








































过渡接头 ADAPTER

日本公制螺纹60° 锥面密封接头 Japanese Metric Thread 60° Cone Fittings	 L1K	 LAK	 L2K9	 LBK	 LCK	 L4K
	 L9K	 L1KH	 L1KH9-OG	 LAKHK-OG	 LAKKH-OG	 L1KG
	 L1KG9-OG	 LAKGK-OG	 LAKKG-OG	 L1KT-SP		


















日本英管螺纹60° 锥面密封接头 Japanese Bsp Thread 60° Cone Fittings	 L1S	 LBS	 LCS	 L4S	 L9S	 L6S
	 L1SG	 L1SG9-OG	 LASGS-OG	 LASSG-OG	 L1ST-SP	 L1ST4-SP
	 L1ST9-SP					












过渡接头 ADAPTER

英管螺纹 60° 锥面密封接头 Bsp Thread 60° Cone Fittings









					
L1B	L1B9	LAB	L2B	L2B4	L2B9
					
LBB	LCB	L3B	L3B9	LDB	L4B
					
L9B	L6B	L6B9	L8B	L1BT-SP	L1BT4-SP
					
L1BT9-SP	L1BN	L1BN9	L1BG	L1BG4-OG	L1BG9-OG
					
LABBG-OG	LABGB-OG	L1BH	L1BH4-OG	L1BH9-OG	L1BJ
					
L1BJ9	L2BJ	L1BL	L1BM	L1BO	L1BW
					
L2WB	L1B-WD	L2BJ-WD	L2NB	L2NB9	L2TB-SP


















过渡接头 ADAPTER

英管螺纹60° 锥面密封接头 Bsp Thread 60° Cone Fittings						
	L2TB9-SP	L4BN	L4BN-WD	L4B-WD	L5B	L5B9
						
	L7B	L7B9	LGB	L5BN	L5BT	L5B-WD
						
	L5GB	L7TB-S	L2B-G	L2B9-G	L2TB-G/SP	L5B-G









英锥管螺纹BSP接头 BSPT Thread Fittings						
	L1T-SP	L1T9-SP	L4T-SP	L4TN	L5T-SP	L5T9-SP
						
	L7T	L7T9	LGT	LZT	L5GT	










过渡接头 ADAPTER

美制螺纹NPSM接头 NPSM Adapters						
	L2NU	L2NU4	L2NU9	L2OU	L2OU4-OG	L2OU9-OG
						
	L7NU9-S	L7NU-S				

ISO 6162系列接头 ISO 6162 Flange Adapters						
	L1CFL、L1DFL	L1CFL9、L1DFL9	L1DFS	L1DFS9	L1FFL	L1FFL9
						
	L1FFS	L1FFS9	L1JFL	L1JFL4	L1JFL9	L1JFS
						
	L1JFS4	L1JFS9	L1FLW	L1FSW	LFL-W	LFS-W
						
	L4FL	L4FS	L4FL-M	L4FS-M		

过渡接头 ADAPTER

SAE矿用快速接头 SAE Staple-lok Adapters	 L1Y	 L2Y	 L2Y9	 L4Y	 L7Y	 L2NY
	 L2ZY	 LU-Y				

其他接头 Other Adapters	 L1M	 L4M	 L4MN-WD	 L1G	 L4G	 L1H
	 L1H-H	 L4H	 L4HN	 L1O-OG	 L4O	 L4ON
	 L5O	 L4P				

机器 HYDRAULIC MACHINE

L-TCR-B32
扣管机
Crimping machine



技术参数 TECHNICAL PARAMETERS	
扣压最大胶管内径/Max Crimping Dia	1-1/4" (1-4SP hoses)
收扩范围/Maximum opening	+25mm
扣压控制精度/Accuracy	0.1-0.2mm
最大油压/Oil Pump Perssure	21MPa
扣压力/Crimping Force (T)	40T
电机功率/Electromotor Power	3kw
电压/Voltage	220V/380V
配套模具/Dies supplied	10,12,14,16,19,23,27,31,36,41,47,54
整机重量/Weight	210kg
体积/Dimension	830*650*850mm

L-TCR-B51
扣管机
Crimping machine



技术参数 TECHNICAL PARAMETERS	
扣压最大胶管内径/Max Crimping Dia	2" (1-4SP hoses)
收扩范围/Maximum opening	+25mm
扣压控制精度/Accuracy	0.1-0.2mm
最大油压/Oil Pump Perssure	21MPa
扣压力/Crimping Force (T)	60T
电机功率/Electromotor Power	4kw
电压/Voltage	220V/380V
配套模具/Dies supplied	14,16,19,22,26,30,34,39,45,51,57,63,69
重量/Weight	模具架/Mold shelf 机器/Machine
	80kg 275kg
体积/Dimension	模具架/Mold shelf 机器/Machine
	800*760*500mm 830*660*900mm

L-LCU-B51
切管机
Cutting machine



技术参数 TECHNICAL PARAMETERS	
切管范围/Cutting range	φ4 ~ φ70mm
刀盘(mm)/Blade Diameter	350*3*51
电压/Standard Voltage	380V/220V
电机功率/Electromotor Power	3KW
气源/Pneumatic Input (Mpa)	0.5 ~ 0.8
整机重量/Weight	190kg
体积/Dimension	1000*570*1600mm
特点/Characteristic	L-LCU-B51气动式/ Pneumatic type
适用范围/Application:	2 wire, 4 wire, 6 wires

L-LSK-B51
剥管机
Skiving machine



技术参数 TECHNICAL PARAMETERS	
剥管范围/Skiving range	φ4 ~ φ70mm
配套芯棒/Supporting mandrel	内12,16,20,24,32 外04,05,06,08,10,12,16,20,24,32
电压/Standard Voltage	380V/220V
电机功率/Electromotor Power	0.4KW
主轴转数/Spindle speeds	288 r/min
整机重量/Weight	105kg
体积/Dimension	760*570*1230mm
特点/Characteristic	剥内胶主轴旋转，剥外胶主轴不旋转 Spindle rotate in skiving inner rubber, Spindle non-rotation in skiving outer rubber
适用范围/Application:	2 wire, 4 wire, 6 wires

MADE TO ORDER

工业胶管均可按照客户的实际需求定做。
The industrial hose can be customized according to the actual needs of customers.



1 Application selection 用途选择

Multi purpose hose 多用途管	Water suction & delivery hose 吸排水胶管	Air hose 空气胶管	Oil suction & delivery hose 吸排油胶管	Steam hose 蒸汽管	Sand blasting hose 喷砂胶管	Mud suction hose 吸泥胶管
Acid-alkali hose 输酸碱胶管	Armoured suction & delivery hose 铠装吸排胶管	Static-electricity resistant oil suction & delivery hose 导静电吸输油管	Flexible air hose air discharge hose 通风、排气伸缩管	Super Elastic Rubber Hose 高弹管		

2 Reinforcement selection 加强层选择


Fabric spiralled can with copper-clad steel wire 夹布缠绕加强	High strength fiber braided can with copper-clad steel wire 纤维编织加强	High strength fiber spiralled can with copper-clad steel wire 纤维缠绕加强
---	--	--

3 Surface selection 外观选择

Wrapped surface	Corrugated surface		
			
Fabric spiralled, Wrapped surface	Fabric spiralled, wrapped surface with copper-clad steel wire	Fabric spiralled, corrugated surface	Fabric spiralled, corrugated surface with copper-clad steel wire
			
High strength fiber spiralled Wrapped surface	High strength fiber spiralled Wrapped surface with copper-clad steel wire	High strength fiber spiralled Corrugated surface	High strength fiber spiralled Corrugated surface with copper-clad steel wire
			
High strength fiber braided Wrapped surface	High strength fiber braided Wrapped surface with copper-clad steel wire		

How to order Assembly


软管总成订货代号



订货示例1: L20491-30-12/L87391-12-12X2T12X1200V90+RS/SSX
当无装配角、自然弯曲方向或弹簧护套时，则代号中这些内容可省去不写。
订货示例2: 当接头1 与接头2 相同时，只标一个接头的代号。
L20491-30-12TX2T12X1200V90

软管总成长度表示方法 How to Measure Assembly

软管总长度L 以从接头芯端面或弯接头芯中心为基准进行测量。



广州一桥科技集团有限公司

GUANGZHOU YIQIAO TECHNOLOGY GROUP CO., LTD.

集团地址:广东省广州市海珠区新港西路11号富力千禧商务中心806-808
ADDRESS:RM 806th-808th,FULICOMMERCIAL CENTER, NO.11th,
XINGANG XI Rd.,GUANGZHOU, CHINA

TEL:86-020-34061372 34061373

FAX:86-020-34061371 34061405

WEBSITE:www.yiqiaochina.com www.yiqiaogroup.com

EMAIL:yiqiao@yiqiaochina.com

集团工厂 YIQIAO GROUP SUBSIDIARY:

广州连达橡塑有限公司

LENFLEX HOSE INDUSTRY CO., LTD.

工厂地址: 广东省广州市花都区狮岭镇新庄工业区

ADDRESS: XINZHUANGINDUSTRIAL SECTION OF SHILINGHUADU DISTRICT,
GUANGZHOU, CHINA

TEL: 86-020-86983818 86983868

FAX: 86-020-86991868 86992808

广州连盈橡塑新材料有限公司

LENFLEX NEW TECHNOLOGY CO.,LTD.

工厂地址: 广东省广州市花都区狮岭镇平步大道中侧(大运工业园对面)

ADDRESS: MIDDLE OF PINGBU DA ROAD, SHILING COUNTY, HUADU DISTRICT,
GUANGZHOU,CHINA (OPPOSITE TO DAYUN INDUSTRIAL ZONE)

TEL: 86-020-86929728 86929708

FAX: 86-020-86929728

广州连科机械配件有限公司

LENFLEX HYDRAULIC FITTING INDUSTRY CO., LTD.

工厂地址: 广东省广州市花都区狮岭镇新庄工业区

ADDRESS: XINZHUANGINDUSTRIAL SECTION OFSHILING, HUADU DISTRICT,
GUANGZHOU, CHINA

TEL: 86-020-86981922

FAX: 86-020-86981322



一桥集团 (视频网站)
LENFLEX Video Website



一桥集团 (英文官网)
LENFLEX Website (English)



一桥集团 (中文官网)
LENFLEX Website (Chinese)

2024